
Design Document for CySchedule


Group 2_AZ_4

Luke Brozny: 31.6% contribution

Brandon Pinto: 31.6% contribution

Jack Rice: 31.6 % contribution

Bavly Fayed: 5% contribution



Frontend

MainActivity

- Upon running CySchedule, users can select whether to sign up or log in with their credentials.
 - Button: signupButton
 - Button: loginButton
- The signup button takes the user to the *SignupActivity*, which prompts them to create an account. The values for their Username, Email, and Password are sent to the server via a POST request.
- The login button takes the user to *LoginActivity*, where they enter their Email and Password, which is then verified as a valid login if the credentials exist in the database.

SignupActivity

- If the user selects the signup button from the *MainActivity*, they will be prompted to create a Username and enter their Email and Password of their choice.
 - EditText: usernameEditText
 - EditText: emailEditText
 - EditText: passwordEditText
 - EditText: confirmEditText
 - Button: signupButton
 - Button: backButton
- Once the user has properly filled out all required fields, when they click the signup button, their Username, Email, and Password are sent to the server via a POST request. The user will then be taken to the *LoginActivity*, where they can log in with their credentials.

LoginActivity

- If the user selects the login button in *MainActivity*, they will be prompted for their Email and Password.
 - EditText: emailEditText
 - EditText: passwordEditText
 - Button: loginButton
 - Button: backButton
- Once the user has entered their Email and Password, clicking the login button verifies their credentials against the database to confirm that the account exists and that the credentials match.

Backend

authController

- Handles user authentication endpoints (signup, login, get user, update user).
- Passes requests to authService, which verifies credentials and saves users to the database.

EventController

- Handles event endpoints (create, get, get all, delete).
- Passes requests to EventService for database interaction.

EventAttendeeController

- Handles RSVP endpoints (add attendee, update RSVP, get attendees, delete attendee).
- Passes requests to EventAttendeeService to manage attendee records.

chatController

- *Manages real-time chat between users via WebSocket, configured through websocketConfig.*

