Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-002378/D003.R000
Report Date:	03/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/22 11:33

Customer:	Elevated Trading, LLC
Product identity:	Lemon Squares 0522022LJB0000255 10mg D9
Client/Metrc ID:	.
Laboratory ID:	22-002378-0004

Summary

Potency:

Analyte per 3.75g	Result	Limits	Units	Status
Δ9-THC per 3.75g	9.15		mg/3.75g	

THC-Total per 3.75g	9.15 mg/3.75g
CBD-Total per 3.75g	<LOQ

(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Customer: Elevated Trading, LLC
751 Port America Pl #425
Grapevine Texas 76051
United States of America (USA)

Product identity: Lemon Squares 0522022LJB0000255 10mg D9
Client/Metrc ID: .
Sample Date:
Laboratory ID: 22-002378-0004
Evidence of Cooling: No
Temp: 17.7 °C
Relinquished by: UPS
Serving Size #1: 3.75 g

Sample Results

Potency per 3.75g **Method** J AOAC 2015 V98-6 (mod) **Units** mg/se **Batch:** 2202002 **Analyze:** 3/8/22 11:49:00 AM

Analyte	Result	Limits	Units	LOQ	Notes
CBC per 3.75g†	< LOQ		mg/3.75g	0.107	
CBC-A per 3.75g†	< LOQ		mg/3.75g	0.107	
CBC-Total per 3.75g†	< LOQ		mg/3.75g	0.200	
CBD per 3.75g	< LOQ		mg/3.75g	0.107	
CBD-A per 3.75g	< LOQ		mg/3.75g	0.107	
CBD-Total per 3.75g	< LOQ		mg/3.75g	0.200	
CBDV per 3.75g†	< LOQ		mg/3.75g	0.107	
CBDV-A per 3.75g†	< LOQ		mg/3.75g	0.107	
CBDV-Total per 3.75g†	< LOQ		mg/3.75g	0.199	
CBE per 3.75g†	< LOQ		mg/3.75g	0.107	
CBG per 3.75g†	< LOQ		mg/3.75g	0.107	
CBG-A per 3.75g†	< LOQ		mg/3.75g	0.107	
CBG-Total per 3.75g†	< LOQ		mg/3.75g	0.199	
CBL per 3.75g†	< LOQ		mg/3.75g	0.107	
CBL-A per 3.75g†	< LOQ		mg/3.75g	0.107	
CBL-Total per 3.75g†	< LOQ		mg/3.75g	0.200	
CBN per 3.75g	< LOQ		mg/3.75g	0.107	
CBT per 3.75g†	< LOQ		mg/3.75g	0.107	
Δ8-THCV per 3.75g†	< LOQ		mg/3.75g	0.107	
Δ8-THC per 3.75g†	< LOQ		mg/3.75g	0.107	
Δ9-THC per 3.75g	9.15		mg/3.75g	0.121	
exo-THC per 3.75g†	< LOQ		mg/3.75g	0.107	
THC-A per 3.75g	< LOQ		mg/3.75g	0.107	
THC-Total per 3.75g	9.15		mg/3.75g	0.228	
THCV per 3.75g†	< LOQ		mg/3.75g	0.107	
THCV-A per 3.75g†	< LOQ		mg/3.75g	0.107	
THCV-Total per 3.75g†	< LOQ		mg/3.75g	0.201	
Total Cannabinoids per 3.75g	9.15		mg/3.75g		

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2201843	03/05/22	AOAC 991.14 (Petrifilm)		X
Total Coliforms	< LOQ		cfu/g	10	2201843	03/05/22	AOAC 991.14 (Petrifilm)		X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2201844	03/06/22	AOAC 2014.05 (RAPID)		X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2201844	03/06/22	AOAC 2014.05 (RAPID)		X

Solvents

Method Residual Solvents by GC/MS **Units** µg/g **Batch** 2201885 **Analyze** 03/04/22 10:29 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0174	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Cadmium	< LOQ	0.200	mg/kg	0.0174	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Lead	< LOQ	0.500	mg/kg	0.0174	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Mercury	< LOQ	0.100	mg/kg	0.00870	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-002378/D003.R000
Report Date:	03/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/22 11:33

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram
g = Gram
µg/g = Microgram per gram
mg/kg = Milligram per kilogram = parts per million (ppm)
mg/3.75g = Milligram per 3.75g
% = Percentage of sample
% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Columbia LABORATORIES
A Tentamus Company

Hemp / Cannabis Usable / Extract / Finished Products
Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021
ORELAP ID: **OR100028**

Company: Lucy J
Contact: Deanna Petrin
Street: 751 Port America PL #425
City: Grapevine State: TX Zip: 76051
☑ Email Results: deanna@devmfg.com
chris@devmfg.com chad@devmfg.com
Ph: (469) 373 3200 ☐ Fx Results: (___)
Billing (if different): Dev NutraProducts

PO Number:
Project Number:
Project Name:
Custom Reporting:
Report to State - ☐ METRC or ☐ Other:
Turnaround time: ☐ 5 Business Day Standard Turnaround
☐ 3 Business Day Rush Turnaround*
☑ 2 Business Day Rush Turnaround*
Sampled by:

Lab ID	Client Sample Identification	Date	Time	Pesticides – OR 59 compounds	Pesticide Multi-Residue – 379 compounds	Potency	Residual Solvents	Moisture & Water Activity	Terpenes	Micro: Yeast and Mold	Micro: *E.Coli* and Total Coliform	Heavy Metals	Mycotoxins	Other: Visual Description	Sample Type	Weight (Units)	Comments/Metrc ID
	Mango Squares 0522022LJB0000252 10mg D9	2/21/2022				X	X			X	X	X		X	E	40-60g	Contains HHC D8 D10 as noted
	Green Apple Squares 0522022LJB0000253 10mg D9	2/21/2022				X	X			X	X	X		X	E	40-60g	
	Strawberry Squares 0522022LJB0000254 10mg D9	2/22/2022				X	X			X	X	X		X	E	40-60g	Please report in mg/serving
	Lemon Squares 0522022LJB0000255 10mg D9	2/22/2022				X	X			X	X	X		X			
																	Serving Size is _3.3g gummy
	Strawberry Pucks 0522022LJB0000258 25mg D8	2/22/2022				X				X	X			X	E	40-60g	Standard Serving Sizes:
	Green Apple Pucks 0522022LJB0000261 25mg D8	2/23/2022				X				X	X			X	E	40-60g	D8 Squares and Bears 3.3g
	Passion Fruit Mango Pucks 0522022LJB0000259 25mg D8	2/22/2022				X				X	X			X	E	40-60g	D9 Domes and Squares 3.75g
	Watermelon Pucks 0522022LJB0000260 25mg D8	2/23/2022				X				X	X			X	E	40-60g	Diamonds 5g
																	Hearts 6g
																	Pucks 3.3g

Relinquished By:	Date	Time	Received By:	Date	Time
Deanna Petrin	2/23/2022		AC	3-2	11:33

Lab Use Only:
☒ Shipped Via: UPS or ☐ Client drop
Evidence of cooling: ☐ Yes | ☒ No - Temp (°C): 17.7c
Sample in good condition: ☒ Yes | ☐ No
☐ Cash | ☐ Check | ☐ CC | ☐ Net:
Prelog storage:

Sample Type Codes: Vegetation ( ) ; Isolates ( ) ; Extract/Concentrate ( ) ; Tincture/Topical ( ) ; Edible ( ) ; Beverage ( )

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Job Number: _____ Search Name: _____

Package/Cooler opened on (if different than received date/time) Date: _____ Time: _____

Received By (Initials): AC Logged in by (Initials): _____ Date: 3-2 Time: 11:33

1) Were custody seals on outside of the package/cooler? YES (NO) NA
If YES, how many and where? _____

Does date match collection date on COC? ---------- YES NO (NA)

2) Was Chain of Custody (COC) included in the package/cooler? (YES) NO NA

3) Was COC signed when relinquished and received? (time, date)? (YES) NO NA

4) How was the package/cooler delivered?

(UPS) FEDEX USPS CLIENT COURIER OTHER: _____

Tracking Number (written in or copy of shipping label): 1Z 078 27A 02 2709 7160

5) Was packing material used? YES (NO) NA

Peanuts Bubble Wrap Foam Paper Other:

6) Was temperature upon receipt 4°C+- 2°C (if appropriate)? YES NO (NA)
If not, client contacted: _____ 17.7c
Proceed? YES NO

7) Was there evidence of cooling? YES (NO) NA

What kind? Blue Ice Ice Cooler Packs Dry Ice

8) Were all sample containers sealed in separate plastic bags? YES (NO) NA

9) Did all sample containers arrive in good condition? (YES) NO NA

10) Were all sample container labels complete? (YES) NO NA

11) Did all sample container labels and tags agree with the COC? (YES) NO NA

12) Were correct sample containers used for the tests indicated? (YES) NO NA

13) Were VOA vials checked for absence of air bubbles (note if found)? YES NO (NA)

14) Was a sufficient amount of sample sent in each sample container? (YES) NO NA

16) Sample location prior to login: R99 R39 R44 F44 (Ambient Shelf) Cannabis Table Other: _____

Explain any discrepancies: _____

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: Document ID:
Legacy ID: Effective:

Laboratory Quality Control Results

Residual Solvents **Batch ID:** 2201885

Method Blank					Laboratory Control Sample							
Analyte	**Result**		**LOQ**	**Notes**	**Result**	**Spike**	**Units**	**% Rec**	**Limits**			**Notes**
Propane	ND	<	200		660	572	µg/g	115.4	70	-	130	
Isobutane	ND	<	200		833	731	µg/g	114.0	70	-	130	
Butane	ND	<	200		844	731	µg/g	115.5	70	-	130	
2,2-Dimethylpropane	ND	<	200		1110	936	µg/g	118.6	70	-	130	
Methanol	ND	<	200		1390	1610	µg/g	86.3	70	-	130	
Ethylene Oxide	ND	<	30		67.2	56.2	µg/g	119.6	70	-	130	
2-Methylbutane	ND	<	200		1450	1630	µg/g	89.0	70	-	130	
Pentane	ND	<	200		1440	1610	µg/g	89.4	70	-	130	
Ethanol	ND	<	200		1400	1630	µg/g	85.9	70	-	130	
Ethyl Ether	ND	<	200		1400	1610	µg/g	87.0	70	-	130	
2,2-Dimethylbutane	ND	<	30		143	165	µg/g	86.7	70	-	130	
Acetone	ND	<	200		1520	1610	µg/g	94.4	70	-	130	
2-Propanol	ND	<	200		1500	1610	µg/g	93.2	70	-	130	
Ethyl Formate	ND	<	500		1330	1620	µg/g	82.1	70	-	130	
Acetonitrile	ND	<	100		434	498	µg/g	87.1	70	-	130	
Methyl Acetate	ND	<	500		2020	1810	µg/g	111.6	70	-	130	
2,3-Dimethylbutane	ND	<	30		159	162	µg/g	98.1	70	-	130	
Dichloromethane	ND	<	20		423	498	µg/g	84.9	70	-	130	
2-Methylpentane	ND	<	30		152	167	µg/g	91.0	70	-	130	
MTBE	ND	<	500		1550	1610	µg/g	96.3	70	-	130	
3-Methylpentane	ND	<	30		149	179	µg/g	83.2	70	-	130	
Hexane	ND	<	30		138	164	µg/g	84.1	70	-	130	
1-Propanol	ND	<	500		1690	1620	µg/g	104.3	70	-	130	
Methylethylketone	ND	<	500		1810	1770	µg/g	102.3	70	-	130	
Ethyl acetate	ND	<	200		1510	1620	µg/g	93.2	70	-	130	
2-Butanol	ND	<	200		1340	1600	µg/g	83.8	70	-	130	
Tetrahydrofuran	ND	<	100		436	500	µg/g	87.2	70	-	130	
Cyclohexane	ND	<	200		1490	1610	µg/g	92.5	70	-	130	
2-methyl-1-propanol	ND	<	500		1510	1610	µg/g	93.8	70	-	130	
Benzene	ND	<	1		5.69	5.62	µg/g	101.2	70	-	130	
Isopropyl Acetate	ND	<	200		1670	1610	µg/g	103.7	70	-	130	
Heptane	ND	<	200		1620	1610	µg/g	100.6	70	-	130	
1-Butanol	ND	<	500		1640	1620	µg/g	101.2	70	-	130	
Propyl Acetate	ND	<	500		1810	1620	µg/g	111.7	70	-	130	
1,4-Dioxane	ND	<	100		365	502	µg/g	72.7	70	-	130	
2-Ethoxyethanol	ND	<	30		154	164	µg/g	93.9	70	-	130	
Methylisobutylketone	ND	<	500		1780	1620	µg/g	109.9	70	-	130	
3-Methyl-1-butanol	ND	<	500		1580	1620	µg/g	97.5	70	-	130	
Ethylene Glycol	ND	<	200		437	502	µg/g	87.1	70	-	130	
Toluene	ND	<	200		435	488	µg/g	89.1	70	-	130	
Isobutyl Acetate	ND	<	500		2010	1700	µg/g	118.2	70	-	130	
1-Pentanol	ND	<	500		1390	1630	µg/g	85.3	70	-	130	
Butyl Acetate	ND	<	500		1640	1660	µg/g	98.8	70	-	130	
Ethylbenzene	ND	<	200		855	965	µg/g	88.6	70	-	130	
m,p-Xylene	ND	<	200		839	990	µg/g	84.7	70	-	130	
o-Xylene	ND	<	200		844	971	µg/g	86.9	70	-	130	
Cumene	ND	<	30		151	179	µg/g	84.4	70	-	130	
Anisole	ND	<	500		1400	1650	µg/g	84.8	70	-	130	
DMSO	ND	<	500		1360	1630	µg/g	83.4	70	-	130	
1,2-dimethoxyethane	ND	<	50		207	183	µg/g	113.1	70	-	130	
Triethylamine	ND	<	500		1490	1620	µg/g	92.0	70	-	130	
N,N-dimethylformamide	ND	<	150		420	495	µg/g	84.8	70	-	130	
N,N-dimethylacetamide	ND	<	150		385	502	µg/g	76.7	70	-	130	
Pyridine	ND	<	50		186	186	µg/g	100.0	70	-	130	
1,2-Dichloroethane	ND	<	1		1.13	1	µg/g	113.0	70	-	130	
Chloroform	ND	<	1		1.07	1	µg/g	107.0	70	-	130	
Trichloroethylene	ND	<	1		1.06	1	µg/g	106.0	70	-	130	
Ethylene Oxide	ND	<	1		0.99	1	µg/g	99.0	70	-	130	
Dichloromethane	ND	<	1		1.14	1	µg/g	114.0	70	-	130	
Benzene	ND	<	1		1.12	1	µg/g	112.0	70	-	130	

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: Document ID:
Legacy ID: Effective:

QC - Sample Duplicate **Sample ID: 22-002320-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	46.8	44.9	20	µg/g	4.1	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2202002**

Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.00974	0.0100	%	97.4	80.0 - 120	Acceptable	
CBDV	0.0103	0.0105	%	98.1	80.0 - 120	Acceptable	
CBE	0.00949	0.0101	%	94.4	80.0 - 120	Acceptable	
CBDA	0.00988	0.0100	%	98.8	80.0 - 120	Acceptable	
CBGA	0.00946	0.0100	%	94.6	80.0 - 120	Acceptable	
CBG	0.00973	0.0100	%	97.3	80.0 - 120	Acceptable	
CBD	0.00990	0.0103	%	96.4	80.0 - 120	Acceptable	
THCV	0.0127	0.0130	%	97.7	80.0 - 120	Acceptable	
d8THCV	0.00969	0.0104	%	92.9	80.0 - 120	Acceptable	
THCVA	0.00954	0.0100	%	95.4	80.0 - 120	Acceptable	
CBN	0.00990	0.0100	%	99.0	80.0 - 120	Acceptable	
exo-THC	0.00890	0.00941	%	94.6	80.0 - 120	Acceptable	
d9THC	0.00958	0.0100	%	95.8	80.0 - 120	Acceptable	
d8THC	0.00962	0.0100	%	96.2	80.0 - 120	Acceptable	
CBL	0.00901	0.0100	%	90.1	80.0 - 120	Acceptable	
CBC	0.0101	0.0100	%	101	80.0 - 120	Acceptable	
THCA	0.00985	0.0100	%	98.5	80.0 - 120	Acceptable	
CBCA	0.00965	0.0100	%	96.5	80.0 - 120	Acceptable	
CBLA	0.00917	0.00963	%	95.2	80.0 - 120	Acceptable	
CBT	0.00850	0.00983	%	86.4	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBDV	< LOQ	0.003	%	< 0.003	Acceptable	
CBE	< LOQ	0.003	%	< 0.003	Acceptable	
CBDA	< LOQ	0.003	%	< 0.003	Acceptable	
CBGA	< LOQ	0.003	%	< 0.003	Acceptable	
CBG	< LOQ	0.003	%	< 0.003	Acceptable	
CBD	< LOQ	0.003	%	< 0.003	Acceptable	
THCV	< LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	< LOQ	0.003	%	< 0.003	Acceptable	
THCVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBN	< LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	< LOQ	0.003	%	< 0.003	Acceptable	
d9THC	< LOQ	0.003	%	< 0.003	Acceptable	
d8THC	< LOQ	0.003	%	< 0.003	Acceptable	
CBL	< LOQ	0.003	%	< 0.003	Acceptable	
CBC	< LOQ	0.003	%	< 0.003	Acceptable	
THCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBLA	< LOQ	0.003	%	< 0.003	Acceptable	
CBT	< LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2202002**

Sample Duplicate Sample ID: **22-002378-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBE	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBG	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBD	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBN	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.242	0.242	0.003	%	0.0238	< 20	Acceptable	
d8THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBL	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBT	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D003.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-002378/D005.R000
Report Date:	03/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/22 11:33

Customer:	Elevated Trading, LLC
Product identity:	Mango Squares 05220222LJB00000252 10mg D9
Client/Metrc ID:	.
Laboratory ID:	22-002378-0001

Summary

Potency:

Analyte per 3.75g	Result	Limits	Units	Status
Δ9-THC per 3.75g	9.08		mg/3.75g	

THC-Total per 3.75g	9.08 mg/3.75g
CBD-Total per 3.75g	<LOQ

(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Analyte	Result	Units
Yeast (RAPID Petrifilm)	10	cfu/g

Testing in accordance with: OAR 333-007-0430

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Customer: Elevated Trading, LLC
751 Port America Pl #425
Grapevine Texas 76051
United States of America (USA)

Product identity: Mango Squares 05220222LJB00000252 10mg D9
Client/Metrc ID:
Sample Date:
Laboratory ID: 22-002378-0001
Evidence of Cooling: No
Temp: 17.7 °C
Relinquished by: UPS
Serving Size #1: 3.75 g

Sample Results

Potency per 3.75g **Method** J AOAC 2015 V98-6 (mod) **Units** mg/se **Batch:** 2202002 **Analyze:** 3/8/22 11:49:00 AM

Analyte	Result	Limits	Units	LOQ	Notes
CBC per 3.75g†	< LOQ		mg/3.75g	0.105	
CBC-A per 3.75g†	< LOQ		mg/3.75g	0.105	
CBC-Total per 3.75g†	< LOQ		mg/3.75g	0.197	
CBD per 3.75g	< LOQ		mg/3.75g	0.105	
CBD-A per 3.75g	< LOQ		mg/3.75g	0.105	
CBD-Total per 3.75g	< LOQ		mg/3.75g	0.197	
CBDV per 3.75g†	< LOQ		mg/3.75g	0.105	
CBDV-A per 3.75g†	< LOQ		mg/3.75g	0.105	
CBDV-Total per 3.75g†	< LOQ		mg/3.75g	0.196	
CBE per 3.75g†	< LOQ		mg/3.75g	0.105	
CBG per 3.75g†	< LOQ		mg/3.75g	0.105	
CBG-A per 3.75g†	< LOQ		mg/3.75g	0.105	
CBG-Total per 3.75g†	< LOQ		mg/3.75g	0.196	
CBL per 3.75g†	< LOQ		mg/3.75g	0.105	
CBL-A per 3.75g†	< LOQ		mg/3.75g	0.105	
CBL-Total per 3.75g†	< LOQ		mg/3.75g	0.197	
CBN per 3.75g	< LOQ		mg/3.75g	0.105	
CBT per 3.75g†	< LOQ		mg/3.75g	0.105	
Δ8-THCV per 3.75g†	< LOQ		mg/3.75g	0.105	
Δ8-THC per 3.75g†	< LOQ		mg/3.75g	0.105	
Δ9-THC per 3.75g	9.08		mg/3.75g	0.119	
exo-THC per 3.75g†	< LOQ		mg/3.75g	0.105	
THC-A per 3.75g	< LOQ		mg/3.75g	0.105	
THC-Total per 3.75g	9.08		mg/3.75g	0.224	
THCV per 3.75g†	< LOQ		mg/3.75g	0.105	
THCV-A per 3.75g†	< LOQ		mg/3.75g	0.105	
THCV-Total per 3.75g†	< LOQ		mg/3.75g	0.197	
Total Cannabinoids per 3.75g	9.08		mg/3.75g		

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2201843	03/05/22	AOAC 991.14 (Petrifilm)		X
Total Coliforms	< LOQ		cfu/g	10	2201843	03/05/22	AOAC 991.14 (Petrifilm)		X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2201844	03/06/22	AOAC 2014.05 (RAPID)		X
Yeast (RAPID Petrifilm)	10		cfu/g	10	2201844	03/06/22	AOAC 2014.05 (RAPID)		X

Solvents

Method Residual Solvents by GC/MS **Units** µg/g **Batch** 2201885 **Analyze** 03/04/22 10:29 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0149	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Cadmium	< LOQ	0.200	mg/kg	0.0149	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Lead	< LOQ	0.500	mg/kg	0.0149	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Mercury	< LOQ	0.100	mg/kg	0.00743	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-002378/D005.R000
Report Date:	03/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/22 11:33

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram
g = Gram
µg/g = Microgram per gram
mg/kg = Milligram per kilogram = parts per million (ppm)
mg/3.75g = Milligram per 3.75g
% = Percentage of sample
% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Columbia LABORATORIES
A Tentamus Company

Hemp / Cannabis Usable / Extract / Finished Products
Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021
ORELAP ID: **OR100028**

Company: Lucy J
Contact: Deanna Petrin
Street: 751 Port America PL #425
City: Grapevine State: TX Zip: 76051
☑ Email Results: deanna@devmfg.com
chris@devmfg.com chad@devmfg.com
Ph: (469) 373 3200 ☐ Fx Results: (___)
Billing (if different): Dev NutraProducts

PO Number:
Project Number:
Project Name:
Custom Reporting:
Report to State - ☐ METRC or ☐ Other:
Turnaround time: ☐ 5 Business Day Standard Turnaround
☐ 3 Business Day Rush Turnaround*
☑ 2 Business Day Rush Turnaround*
Sampled by:

Lab ID	Client Sample Identification	Date	Time	Pesticides – OR 59 compounds	Pesticide Multi-Residue – 379 compounds	Potency	Residual Solvents	Moisture & Water Activity	Terpenes	Micro: Yeast and Mold	Micro: *E.Coli* and Total Coliform	Heavy Metals	Mycotoxins	Other: Visual Description	Sample Type	Weight (Units)	Comments/Metrc ID
	Mango Squares 0522022LJB0000252 10mg D9	2/21/2022				X	X			X	X	X		X	E	40-60g	Contains HHC D8 D10 as noted
	Green Apple Squares 0522022LJB0000253 10mg D9	2/21/2022				X	X			X	X	X		X	E	40-60g	
	Strawberry Squares 0522022LJB0000254 10mg D9	2/22/2022				X	X			X	X	X		X	E	40-60g	Please report in mg/serving
	Lemon Squares 0522022LJB0000255 10mg D9	2/22/2022				X	X			X	X	X		X			
																	Serving Size is _3.3g gummy
	Strawberry Pucks 0522022LJB0000258 25mg D8	2/22/2022				X				X	X			X	E	40-60g	Standard Serving Sizes:
	Green Apple Pucks 0522022LJB0000261 25mg D8	2/23/2022				X				X	X			X	E	40-60g	D8 Squares and Bears 3.3g
	Passion Fruit Mango Pucks 0522022LJB0000259 25mg D8	2/22/2022				X				X	X			X	E	40-60g	D9 Domes and Squares 3.75g
	Watermelon Pucks 0522022LJB0000260 25mg D8	2/23/2022				X				X	X			X	E	40-60g	Diamonds 5g
																	Hearts 6g
																	Pucks 3.3g

Relinquished By:	Date	Time	Received By:	Date	Time
Deanna Petrin	2/23/2022		AC	3-2	11:33

Lab Use Only:
☒ Shipped Via: UPS or ☐ Client drop
Evidence of cooling: ☐ Yes | ☒ No - Temp (°C): 17.7c
Sample in good condition: ☒ Yes | ☐ No
☐ Cash | ☐ Check | ☐ CC | ☐ Net:
Prelog storage:

Sample Type Codes: Vegetation ( ) ; Isolates ( ) ; Extract/Concentrate ( ) ; Tincture/Topical ( ) ; Edible ( ) ; Beverage ( )

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Job Number: _____ Search Name: _____

Package/Cooler opened on (if different than received date/time) Date: _____ Time: _____

Received By (Initials): AC Logged in by (Initials): _____ Date: 3-2 Time: 11:33

1) Were custody seals on outside of the package/cooler? YES (NO) NA
If YES, how many and where? _____

Does date match collection date on COC? ---------- YES NO (NA)

2) Was Chain of Custody (COC) included in the package/cooler? (YES) NO NA

3) Was COC signed when relinquished and received? (time, date)? (YES) NO NA

4) How was the package/cooler delivered?

(UPS) FEDEX USPS CLIENT COURIER OTHER: _____

Tracking Number (written in or copy of shipping label): 1Z 078 27A 02 2709 7160

5) Was packing material used? YES (NO) NA

Peanuts Bubble Wrap Foam Paper Other:

6) Was temperature upon receipt 4°C+- 2°C (if appropriate)? YES NO (NA)
If not, client contacted: _____ 17.7c
Proceed? YES NO

7) Was there evidence of cooling? YES (NO) NA

What kind? Blue Ice Ice Cooler Packs Dry Ice

8) Were all sample containers sealed in separate plastic bags? YES (NO) NA

9) Did all sample containers arrive in good condition? (YES) NO NA

10) Were all sample container labels complete? (YES) NO NA

11) Did all sample container labels and tags agree with the COC? (YES) NO NA

12) Were correct sample containers used for the tests indicated? (YES) NO NA

13) Were VOA vials checked for absence of air bubbles (note if found)? YES NO (NA)

14) Was a sufficient amount of sample sent in each sample container? (YES) NO NA

16) Sample location prior to login: R99 R39 R44 F44 (Ambient Shelf) Cannabis Table Other: _____

Explain any discrepancies: _____

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: Document ID:
Legacy ID: Effective:

Laboratory Quality Control Results

Residual Solvents **Batch ID:** 2201885

Method Blank					Laboratory Control Sample						
Analyte	**Result**		**LOQ**	**Notes**	**Result**	**Spike**	**Units**	**% Rec**	**Limits**		**Notes**
Propane	ND	<	200		660	572	µg/g	115.4	70	- 130	
Isobutane	ND	<	200		833	731	µg/g	114.0	70	- 130	
Butane	ND	<	200		844	731	µg/g	115.5	70	- 130	
2,2-Dimethylpropane	ND	<	200		1110	936	µg/g	118.6	70	- 130	
Methanol	ND	<	200		1390	1610	µg/g	86.3	70	- 130	
Ethylene Oxide	ND	<	30		67.2	56.2	µg/g	119.6	70	- 130	
2-Methylbutane	ND	<	200		1450	1630	µg/g	89.0	70	- 130	
Pentane	ND	<	200		1440	1610	µg/g	89.4	70	- 130	
Ethanol	ND	<	200		1400	1630	µg/g	85.9	70	- 130	
Ethyl Ether	ND	<	200		1400	1610	µg/g	87.0	70	- 130	
2,2-Dimethylbutane	ND	<	30		143	165	µg/g	86.7	70	- 130	
Acetone	ND	<	200		1520	1610	µg/g	94.4	70	- 130	
2-Propanol	ND	<	200		1500	1610	µg/g	93.2	70	- 130	
Ethyl Formate	ND	<	500		1330	1620	µg/g	82.1	70	- 130	
Acetonitrile	ND	<	100		434	498	µg/g	87.1	70	- 130	
Methyl Acetate	ND	<	500		2020	1810	µg/g	111.6	70	- 130	
2,3-Dimethylbutane	ND	<	30		159	162	µg/g	98.1	70	- 130	
Dichloromethane	ND	<	20		423	498	µg/g	84.9	70	- 130	
2-Methylpentane	ND	<	30		152	167	µg/g	91.0	70	- 130	
MTBE	ND	<	500		1550	1610	µg/g	96.3	70	- 130	
3-Methylpentane	ND	<	30		149	179	µg/g	83.2	70	- 130	
Hexane	ND	<	30		138	164	µg/g	84.1	70	- 130	
1-Propanol	ND	<	500		1690	1620	µg/g	104.3	70	- 130	
Methylethylketone	ND	<	500		1810	1770	µg/g	102.3	70	- 130	
Ethyl acetate	ND	<	200		1510	1620	µg/g	93.2	70	- 130	
2-Butanol	ND	<	200		1340	1600	µg/g	83.8	70	- 130	
Tetrahydrofuran	ND	<	100		436	500	µg/g	87.2	70	- 130	
Cyclohexane	ND	<	200		1490	1610	µg/g	92.5	70	- 130	
2-methyl-1-propanol	ND	<	500		1510	1610	µg/g	93.8	70	- 130	
Benzene	ND	<	1		5.69	5.62	µg/g	101.2	70	- 130	
Isopropyl Acetate	ND	<	200		1670	1610	µg/g	103.7	70	- 130	
Heptane	ND	<	200		1620	1610	µg/g	100.6	70	- 130	
1-Butanol	ND	<	500		1640	1620	µg/g	101.2	70	- 130	
Propyl Acetate	ND	<	500		1810	1620	µg/g	111.7	70	- 130	
1,4-Dioxane	ND	<	100		365	502	µg/g	72.7	70	- 130	
2-Ethoxyethanol	ND	<	30		154	164	µg/g	93.9	70	- 130	
Methylisobutylketone	ND	<	500		1780	1620	µg/g	109.9	70	- 130	
3-Methyl-1-butanol	ND	<	500		1580	1620	µg/g	97.5	70	- 130	
Ethylene Glycol	ND	<	200		437	502	µg/g	87.1	70	- 130	
Toluene	ND	<	200		435	488	µg/g	89.1	70	- 130	
Isobutyl Acetate	ND	<	500		2010	1700	µg/g	118.2	70	- 130	
1-Pentanol	ND	<	500		1390	1630	µg/g	85.3	70	- 130	
Butyl Acetate	ND	<	500		1640	1660	µg/g	98.8	70	- 130	
Ethylbenzene	ND	<	200		855	965	µg/g	88.6	70	- 130	
m,p-Xylene	ND	<	200		839	990	µg/g	84.7	70	- 130	
o-Xylene	ND	<	200		844	971	µg/g	86.9	70	- 130	
Cumene	ND	<	30		151	179	µg/g	84.4	70	- 130	
Anisole	ND	<	500		1400	1650	µg/g	84.8	70	- 130	
DMSO	ND	<	500		1360	1630	µg/g	83.4	70	- 130	
1,2-dimethoxyethane	ND	<	50		207	183	µg/g	113.1	70	- 130	
Triethylamine	ND	<	500		1490	1620	µg/g	92.0	70	- 130	
N,N-dimethylformamide	ND	<	150		420	495	µg/g	84.8	70	- 130	
N,N-dimethylacetamide	ND	<	150		385	502	µg/g	76.7	70	- 130	
Pyridine	ND	<	50		186	186	µg/g	100.0	70	- 130	
1,2-Dichloroethane	ND	<	1		1.13	1	µg/g	113.0	70	- 130	
Chloroform	ND	<	1		1.07	1	µg/g	107.0	70	- 130	
Trichloroethylene	ND	<	1		1.06	1	µg/g	106.0	70	- 130	
Ethylene Oxide	ND	<	1		0.99	1	µg/g	99.0	70	- 130	
Dichloromethane	ND	<	1		1.14	1	µg/g	114.0	70	- 130	
Benzene	ND	<	1		1.12	1	µg/g	112.0	70	- 130	

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: Document ID:
Legacy ID: Effective:

QC - Sample Duplicate **Sample ID: 22-002320-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	46.8	44.9	20	µg/g	4.1	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2202002**

Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.00974	0.0100	%	97.4	80.0 - 120	Acceptable	
CBDV	0.0103	0.0105	%	98.1	80.0 - 120	Acceptable	
CBE	0.00949	0.0101	%	94.4	80.0 - 120	Acceptable	
CBDA	0.00988	0.0100	%	98.8	80.0 - 120	Acceptable	
CBGA	0.00946	0.0100	%	94.6	80.0 - 120	Acceptable	
CBG	0.00973	0.0100	%	97.3	80.0 - 120	Acceptable	
CBD	0.00990	0.0103	%	96.4	80.0 - 120	Acceptable	
THCV	0.0127	0.0130	%	97.7	80.0 - 120	Acceptable	
d8THCV	0.00969	0.0104	%	92.9	80.0 - 120	Acceptable	
THCVA	0.00954	0.0100	%	95.4	80.0 - 120	Acceptable	
CBN	0.00990	0.0100	%	99.0	80.0 - 120	Acceptable	
exo-THC	0.00890	0.00941	%	94.6	80.0 - 120	Acceptable	
d9THC	0.00958	0.0100	%	95.8	80.0 - 120	Acceptable	
d8THC	0.00962	0.0100	%	96.2	80.0 - 120	Acceptable	
CBL	0.00901	0.0100	%	90.1	80.0 - 120	Acceptable	
CBC	0.0101	0.0100	%	101	80.0 - 120	Acceptable	
THCA	0.00985	0.0100	%	98.5	80.0 - 120	Acceptable	
CBCA	0.00965	0.0100	%	96.5	80.0 - 120	Acceptable	
CBLA	0.00917	0.00963	%	95.2	80.0 - 120	Acceptable	
CBT	0.00850	0.00983	%	86.4	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBDV	< LOQ	0.003	%	< 0.003	Acceptable	
CBE	< LOQ	0.003	%	< 0.003	Acceptable	
CBDA	< LOQ	0.003	%	< 0.003	Acceptable	
CBGA	< LOQ	0.003	%	< 0.003	Acceptable	
CBG	< LOQ	0.003	%	< 0.003	Acceptable	
CBD	< LOQ	0.003	%	< 0.003	Acceptable	
THCV	< LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	< LOQ	0.003	%	< 0.003	Acceptable	
THCVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBN	< LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	< LOQ	0.003	%	< 0.003	Acceptable	
d9THC	< LOQ	0.003	%	< 0.003	Acceptable	
d8THC	< LOQ	0.003	%	< 0.003	Acceptable	
CBL	< LOQ	0.003	%	< 0.003	Acceptable	
CBC	< LOQ	0.003	%	< 0.003	Acceptable	
THCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBLA	< LOQ	0.003	%	< 0.003	Acceptable	
CBT	< LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2202002**

Sample Duplicate Sample ID: **22-002378-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBE	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBG	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBD	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBN	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.242	0.242	0.003	%	0.0238	< 20	Acceptable	
d8THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBL	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBT	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D005.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-002378/D006.R000
Report Date:	03/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/22 11:33

Customer:	Elevated Trading, LLC
Product identity:	Strawberry Squares 0522022LJB0000254 10mg D9
Client/Metrc ID:	.
Laboratory ID:	22-002378-0003

Summary

Potency:

Analyte per 3.75g	Result	Limits	Units	Status
Δ9-THC per 3.75g	8.55		mg/3.75g	

THC-Total per 3.75g	8.55 mg/3.75g
CBD-Total per 3.75g	<LOQ

(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Customer: Elevated Trading, LLC
751 Port America Pl #425
Grapevine Texas 76051
United States of America (USA)

Product identity: Strawberry Squares 0522022LJB0000254 10mg D9
Client/Metrc ID:
Sample Date:
Laboratory ID: 22-002378-0003
Evidence of Cooling: No
Temp: 17.7 °C
Relinquished by: UPS
Serving Size #1: 3.75 g

Sample Results

Potency per 3.75g **Method** J AOAC 2015 V98-6 (mod) **Units** mg/se **Batch:** 2202002 **Analyze:** 3/8/22 11:49:00 AM

Analyte	Result	Limits	Units	LOQ	Notes
CBC per 3.75g†	< LOQ		mg/3.75g	0.103	
CBC-A per 3.75g†	< LOQ		mg/3.75g	0.103	
CBC-Total per 3.75g†	< LOQ		mg/3.75g	0.194	
CBD per 3.75g	< LOQ		mg/3.75g	0.103	
CBD-A per 3.75g	< LOQ		mg/3.75g	0.103	
CBD-Total per 3.75g	< LOQ		mg/3.75g	0.194	
CBDV per 3.75g†	< LOQ		mg/3.75g	0.103	
CBDV-A per 3.75g†	< LOQ		mg/3.75g	0.103	
CBDV-Total per 3.75g†	< LOQ		mg/3.75g	0.193	
CBE per 3.75g†	< LOQ		mg/3.75g	0.103	
CBG per 3.75g†	< LOQ		mg/3.75g	0.103	
CBG-A per 3.75g†	< LOQ		mg/3.75g	0.103	
CBG-Total per 3.75g†	< LOQ		mg/3.75g	0.193	
CBL per 3.75g†	< LOQ		mg/3.75g	0.103	
CBL-A per 3.75g†	< LOQ		mg/3.75g	0.103	
CBL-Total per 3.75g†	< LOQ		mg/3.75g	0.194	
CBN per 3.75g	< LOQ		mg/3.75g	0.103	
CBT per 3.75g†	< LOQ		mg/3.75g	0.103	
Δ8-THCV per 3.75g†	< LOQ		mg/3.75g	0.103	
Δ8-THC per 3.75g†	< LOQ		mg/3.75g	0.103	
Δ9-THC per 3.75g	8.55		mg/3.75g	0.117	
exo-THC per 3.75g†	< LOQ		mg/3.75g	0.103	
THC-A per 3.75g	< LOQ		mg/3.75g	0.103	
THC-Total per 3.75g	8.55		mg/3.75g	0.220	
THCV per 3.75g†	< LOQ		mg/3.75g	0.103	
THCV-A per 3.75g†	< LOQ		mg/3.75g	0.103	
THCV-Total per 3.75g†	< LOQ		mg/3.75g	0.194	
Total Cannabinoids per 3.75g	8.55		mg/3.75g		

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2201843	03/05/22	AOAC 991.14 (Petrifilm)		X
Total Coliforms	< LOQ		cfu/g	10	2201843	03/05/22	AOAC 991.14 (Petrifilm)		X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2201844	03/06/22	AOAC 2014.05 (RAPID)		X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2201844	03/06/22	AOAC 2014.05 (RAPID)		X

Solvents

Method Residual Solvents by GC/MS **Units** µg/g **Batch** 2201885 **Analyze** 03/04/22 10:29 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0162	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Cadmium	< LOQ	0.200	mg/kg	0.0162	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Lead	< LOQ	0.500	mg/kg	0.0162	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Mercury	< LOQ	0.100	mg/kg	0.00810	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-002378/D006.R000
Report Date:	03/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/22 11:33

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram
g = Gram
µg/g = Microgram per gram
mg/kg = Milligram per kilogram = parts per million (ppm)
mg/3.75g = Milligram per 3.75g
% = Percentage of sample
% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Columbia LABORATORIES
A Tentamus Company

Hemp / Cannabis Usable / Extract / Finished Products
Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021
ORELAP ID: **OR100028**

Company: Lucy J
Contact: Deanna Petrin
Street: 751 Port America PL #425
City: Grapevine State: TX Zip: 76051
☑ Email Results: deanna@devmfg.com
chris@devmfg.com chad@devmfg.com
Ph: (469) 373 3200 ☐ Fx Results: (___)
Billing (if different): Dev NutraProducts

PO Number:
Project Number:
Project Name:
Custom Reporting:
Report to State - ☐ METRC or ☐ Other:
Turnaround time: ☐ 5 Business Day Standard Turnaround
☐ 3 Business Day Rush Turnaround*
☑ 2 Business Day Rush Turnaround*
Sampled by:

Lab ID	Client Sample Identification	Date	Time	Pesticides – OR 59 compounds	Pesticide Multi-Residue – 379 compounds	Potency	Residual Solvents	Moisture & Water Activity	Terpenes	Micro: Yeast and Mold	Micro: *E.Coli* and Total Coliform	Heavy Metals	Mycotoxins	Other: Visual Description	Sample Type	Weight (Units)	Comments/Metrc ID
	Mango Squares 0522022LJB0000252 10mg D9	2/21/2022				X	X			X	X	X		X	E	40-60g	Contains HHC D8 D10 as noted
	Green Apple Squares 0522022LJB0000253 10mg D9	2/21/2022				X	X			X	X	X		X	E	40-60g	
	Strawberry Squares 0522022LJB0000254 10mg D9	2/22/2022				X	X			X	X	X		X	E	40-60g	Please report in mg/serving
	Lemon Squares 0522022LJB0000255 10mg D9	2/22/2022				X	X			X	X	X		X			
																	Serving Size is _3.3g gummy
	Strawberry Pucks 0522022LJB0000258 25mg D8	2/22/2022				X				X	X			X	E	40-60g	Standard Serving Sizes:
	Green Apple Pucks 0522022LJB0000261 25mg D8	2/23/2022				X				X	X			X	E	40-60g	D8 Squares and Bears 3.3g
	Passion Fruit Mango Pucks 0522022LJB0000259 25mg D8	2/22/2022				X				X	X			X	E	40-60g	D9 Domes and Squares 3.75g
	Watermelon Pucks 0522022LJB0000260 25mg D8	2/23/2022				X				X	X			X	E	40-60g	Diamonds 5g
																	Hearts 6g
																	Pucks 3.3g

Relinquished By:	Date	Time	Received By:	Date	Time
Deanna Petrin	2/23/2022		AC	3-2	11:33

Lab Use Only:
☒ Shipped Via: UPS or ☐ Client drop
Evidence of cooling: ☐ Yes | ☒ No - Temp (°C): 17.7c
Sample in good condition: ☒ Yes | ☐ No
☐ Cash | ☐ Check | ☐ CC | ☐ Net:
Prelog storage:

Sample Type Codes: Vegetation ( ) ; Isolates ( ) ; Extract/Concentrate ( ) ; Tincture/Topical ( ) ; Edible ( ) ; Beverage ( )

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Job Number: _____ Search Name: _____

Package/Cooler opened on (if different than received date/time) Date: _____ Time: _____

Received By (Initials): AC Logged in by (Initials): _____ Date: 3-2 Time: 11:33

1) Were custody seals on outside of the package/cooler? YES (NO) NA
If YES, how many and where? _____

Does date match collection date on COC? ---------- YES NO (NA)

2) Was Chain of Custody (COC) included in the package/cooler? (YES) NO NA

3) Was COC signed when relinquished and received? (time, date)? (YES) NO NA

4) How was the package/cooler delivered?

(UPS) FEDEX USPS CLIENT COURIER OTHER: _____

Tracking Number (written in or copy of shipping label): 1Z 078 27A 02 2709 7160

5) Was packing material used? YES (NO) NA

Peanuts Bubble Wrap Foam Paper Other:

6) Was temperature upon receipt 4°C+- 2°C (if appropriate)? YES NO (NA)
If not, client contacted: _____ 17.7c
Proceed? YES NO

7) Was there evidence of cooling? YES (NO) NA

What kind? Blue Ice Ice Cooler Packs Dry Ice

8) Were all sample containers sealed in separate plastic bags? YES (NO) NA

9) Did all sample containers arrive in good condition? (YES) NO NA

10) Were all sample container labels complete? (YES) NO NA

11) Did all sample container labels and tags agree with the COC? (YES) NO NA

12) Were correct sample containers used for the tests indicated? (YES) NO NA

13) Were VOA vials checked for absence of air bubbles (note if found)? YES NO (NA)

14) Was a sufficient amount of sample sent in each sample container? (YES) NO NA

16) Sample location prior to login: R99 R39 R44 F44 (Ambient Shelf) Cannabis Table Other: _____

Explain any discrepancies: _____

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: Document ID:
Legacy ID: Effective:

Laboratory Quality Control Results

Residual Solvents **Batch ID:** 2201885

Method Blank					Laboratory Control Sample							
Analyte	**Result**		**LOQ**	**Notes**	**Result**	**Spike**	**Units**	**% Rec**	**Limits**			**Notes**
Propane	ND	<	200		660	572	µg/g	115.4	70	-	130	
Isobutane	ND	<	200		833	731	µg/g	114.0	70	-	130	
Butane	ND	<	200		844	731	µg/g	115.5	70	-	130	
2,2-Dimethylpropane	ND	<	200		1110	936	µg/g	118.6	70	-	130	
Methanol	ND	<	200		1390	1610	µg/g	86.3	70	-	130	
Ethylene Oxide	ND	<	30		67.2	56.2	µg/g	119.6	70	-	130	
2-Methylbutane	ND	<	200		1450	1630	µg/g	89.0	70	-	130	
Pentane	ND	<	200		1440	1610	µg/g	89.4	70	-	130	
Ethanol	ND	<	200		1400	1630	µg/g	85.9	70	-	130	
Ethyl Ether	ND	<	200		1400	1610	µg/g	87.0	70	-	130	
2,2-Dimethylbutane	ND	<	30		143	165	µg/g	86.7	70	-	130	
Acetone	ND	<	200		1520	1610	µg/g	94.4	70	-	130	
2-Propanol	ND	<	200		1500	1610	µg/g	93.2	70	-	130	
Ethyl Formate	ND	<	500		1330	1620	µg/g	82.1	70	-	130	
Acetonitrile	ND	<	100		434	498	µg/g	87.1	70	-	130	
Methyl Acetate	ND	<	500		2020	1810	µg/g	111.6	70	-	130	
2,3-Dimethylbutane	ND	<	30		159	162	µg/g	98.1	70	-	130	
Dichloromethane	ND	<	20		423	498	µg/g	84.9	70	-	130	
2-Methylpentane	ND	<	30		152	167	µg/g	91.0	70	-	130	
MTBE	ND	<	500		1550	1610	µg/g	96.3	70	-	130	
3-Methylpentane	ND	<	30		149	179	µg/g	83.2	70	-	130	
Hexane	ND	<	30		138	164	µg/g	84.1	70	-	130	
1-Propanol	ND	<	500		1690	1620	µg/g	104.3	70	-	130	
Methylethylketone	ND	<	500		1810	1770	µg/g	102.3	70	-	130	
Ethyl acetate	ND	<	200		1510	1620	µg/g	93.2	70	-	130	
2-Butanol	ND	<	200		1340	1600	µg/g	83.8	70	-	130	
Tetrahydrofuran	ND	<	100		436	500	µg/g	87.2	70	-	130	
Cyclohexane	ND	<	200		1490	1610	µg/g	92.5	70	-	130	
2-methyl-1-propanol	ND	<	500		1510	1610	µg/g	93.8	70	-	130	
Benzene	ND	<	1		5.69	5.62	µg/g	101.2	70	-	130	
Isopropyl Acetate	ND	<	200		1670	1610	µg/g	103.7	70	-	130	
Heptane	ND	<	200		1620	1610	µg/g	100.6	70	-	130	
1-Butanol	ND	<	500		1640	1620	µg/g	101.2	70	-	130	
Propyl Acetate	ND	<	500		1810	1620	µg/g	111.7	70	-	130	
1,4-Dioxane	ND	<	100		365	502	µg/g	72.7	70	-	130	
2-Ethoxyethanol	ND	<	30		154	164	µg/g	93.9	70	-	130	
Methylisobutylketone	ND	<	500		1780	1620	µg/g	109.9	70	-	130	
3-Methyl-1-butanol	ND	<	500		1580	1620	µg/g	97.5	70	-	130	
Ethylene Glycol	ND	<	200		437	502	µg/g	87.1	70	-	130	
Toluene	ND	<	200		435	488	µg/g	89.1	70	-	130	
Isobutyl Acetate	ND	<	500		2010	1700	µg/g	118.2	70	-	130	
1-Pentanol	ND	<	500		1390	1630	µg/g	85.3	70	-	130	
Butyl Acetate	ND	<	500		1640	1660	µg/g	98.8	70	-	130	
Ethylbenzene	ND	<	200		855	965	µg/g	88.6	70	-	130	
m,p-Xylene	ND	<	200		839	990	µg/g	84.7	70	-	130	
o-Xylene	ND	<	200		844	971	µg/g	86.9	70	-	130	
Cumene	ND	<	30		151	179	µg/g	84.4	70	-	130	
Anisole	ND	<	500		1400	1650	µg/g	84.8	70	-	130	
DMSO	ND	<	500		1360	1630	µg/g	83.4	70	-	130	
1,2-dimethoxyethane	ND	<	50		207	183	µg/g	113.1	70	-	130	
Triethylamine	ND	<	500		1490	1620	µg/g	92.0	70	-	130	
N,N-dimethylformamide	ND	<	150		420	495	µg/g	84.8	70	-	130	
N,N-dimethylacetamide	ND	<	150		385	502	µg/g	76.7	70	-	130	
Pyridine	ND	<	50		186	186	µg/g	100.0	70	-	130	
1,2-Dichloroethane	ND	<	1		1.13	1	µg/g	113.0	70	-	130	
Chloroform	ND	<	1		1.07	1	µg/g	107.0	70	-	130	
Trichloroethylene	ND	<	1		1.06	1	µg/g	106.0	70	-	130	
Ethylene Oxide	ND	<	1		0.99	1	µg/g	99.0	70	-	130	
Dichloromethane	ND	<	1		1.14	1	µg/g	114.0	70	-	130	
Benzene	ND	<	1		1.12	1	µg/g	112.0	70	-	130	

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: Document ID:
Legacy ID: Effective:

QC - Sample Duplicate **Sample ID: 22-002320-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	46.8	44.9	20	µg/g	4.1	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2202002**

Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.00974	0.0100	%	97.4	80.0 - 120	Acceptable	
CBDV	0.0103	0.0105	%	98.1	80.0 - 120	Acceptable	
CBE	0.00949	0.0101	%	94.4	80.0 - 120	Acceptable	
CBDA	0.00988	0.0100	%	98.8	80.0 - 120	Acceptable	
CBGA	0.00946	0.0100	%	94.6	80.0 - 120	Acceptable	
CBG	0.00973	0.0100	%	97.3	80.0 - 120	Acceptable	
CBD	0.00990	0.0103	%	96.4	80.0 - 120	Acceptable	
THCV	0.0127	0.0130	%	97.7	80.0 - 120	Acceptable	
d8THCV	0.00969	0.0104	%	92.9	80.0 - 120	Acceptable	
THCVA	0.00954	0.0100	%	95.4	80.0 - 120	Acceptable	
CBN	0.00990	0.0100	%	99.0	80.0 - 120	Acceptable	
exo-THC	0.00890	0.00941	%	94.6	80.0 - 120	Acceptable	
d9THC	0.00958	0.0100	%	95.8	80.0 - 120	Acceptable	
d8THC	0.00962	0.0100	%	96.2	80.0 - 120	Acceptable	
CBL	0.00901	0.0100	%	90.1	80.0 - 120	Acceptable	
CBC	0.0101	0.0100	%	101	80.0 - 120	Acceptable	
THCA	0.00985	0.0100	%	98.5	80.0 - 120	Acceptable	
CBCA	0.00965	0.0100	%	96.5	80.0 - 120	Acceptable	
CBLA	0.00917	0.00963	%	95.2	80.0 - 120	Acceptable	
CBT	0.00850	0.00983	%	86.4	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBDV	< LOQ	0.003	%	< 0.003	Acceptable	
CBE	< LOQ	0.003	%	< 0.003	Acceptable	
CBDA	< LOQ	0.003	%	< 0.003	Acceptable	
CBGA	< LOQ	0.003	%	< 0.003	Acceptable	
CBG	< LOQ	0.003	%	< 0.003	Acceptable	
CBD	< LOQ	0.003	%	< 0.003	Acceptable	
THCV	< LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	< LOQ	0.003	%	< 0.003	Acceptable	
THCVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBN	< LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	< LOQ	0.003	%	< 0.003	Acceptable	
d9THC	< LOQ	0.003	%	< 0.003	Acceptable	
d8THC	< LOQ	0.003	%	< 0.003	Acceptable	
CBL	< LOQ	0.003	%	< 0.003	Acceptable	
CBC	< LOQ	0.003	%	< 0.003	Acceptable	
THCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBLA	< LOQ	0.003	%	< 0.003	Acceptable	
CBT	< LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2202002**

Sample Duplicate Sample ID: **22-002378-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBE	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBG	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBD	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBN	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.242	0.242	0.003	%	0.0238	< 20	Acceptable	
d8THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBL	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBT	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D006.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-002378/D008.R000
Report Date:	03/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/22 11:33

Customer:	Elevated Trading, LLC
Product identity:	Green Apple Squares 0522022LJB0000253 10mg D9
Client/Metrc ID:	.
Laboratory ID:	22-002378-0002

Summary

Potency:

Analyte per 3.75g	Result	Limits	Units	Status
Δ9-THC per 3.75g	8.89		mg/3.75g	

THC-Total per 3.75g	8.89 mg/3.75g
CBD-Total per 3.75g	<LOQ

(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Customer: Elevated Trading, LLC
751 Port America Pl #425
Grapevine Texas 76051
United States of America (USA)

Product identity: Green Apple Squares 0522022LJB0000253 10mg D9
Client/Metrc ID:
Sample Date:
Laboratory ID: 22-002378-0002
Evidence of Cooling: No
Temp: 17.7 °C
Relinquished by: UPS
Serving Size #1: 3.75 g

Sample Results

Potency per 3.75g **Method** J AOAC 2015 V98-6 (mod) **Units** mg/se **Batch:** 2202002 **Analyze:** 3/8/22 11:49:00 AM

Analyte	Result	Limits	Units	LOQ	Notes
CBC per 3.75g†	< LOQ		mg/3.75g	0.105	
CBC-A per 3.75g†	< LOQ		mg/3.75g	0.105	
CBC-Total per 3.75g†	< LOQ		mg/3.75g	0.197	
CBD per 3.75g	< LOQ		mg/3.75g	0.105	
CBD-A per 3.75g	< LOQ		mg/3.75g	0.105	
CBD-Total per 3.75g	< LOQ		mg/3.75g	0.197	
CBDV per 3.75g†	< LOQ		mg/3.75g	0.105	
CBDV-A per 3.75g†	< LOQ		mg/3.75g	0.105	
CBDV-Total per 3.75g†	< LOQ		mg/3.75g	0.196	
CBE per 3.75g†	< LOQ		mg/3.75g	0.105	
CBG per 3.75g†	< LOQ		mg/3.75g	0.105	
CBG-A per 3.75g†	< LOQ		mg/3.75g	0.105	
CBG-Total per 3.75g†	< LOQ		mg/3.75g	0.196	
CBL per 3.75g†	< LOQ		mg/3.75g	0.105	
CBL-A per 3.75g†	< LOQ		mg/3.75g	0.105	
CBL-Total per 3.75g†	< LOQ		mg/3.75g	0.197	
CBN per 3.75g	< LOQ		mg/3.75g	0.105	
CBT per 3.75g†	< LOQ		mg/3.75g	0.105	
Δ8-THCV per 3.75g†	< LOQ		mg/3.75g	0.105	
Δ8-THC per 3.75g†	< LOQ		mg/3.75g	0.105	
Δ9-THC per 3.75g	8.89		mg/3.75g	0.119	
exo-THC per 3.75g†	< LOQ		mg/3.75g	0.105	
THC-A per 3.75g	< LOQ		mg/3.75g	0.105	
THC-Total per 3.75g	8.89		mg/3.75g	0.224	
THCV per 3.75g†	< LOQ		mg/3.75g	0.105	
THCV-A per 3.75g†	< LOQ		mg/3.75g	0.105	
THCV-Total per 3.75g†	< LOQ		mg/3.75g	0.197	
Total Cannabinoids per 3.75g	8.89		mg/3.75g		

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2201843	03/05/22	AOAC 991.14 (Petrifilm)		X
Total Coliforms	< LOQ		cfu/g	10	2201843	03/05/22	AOAC 991.14 (Petrifilm)		X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2201844	03/06/22	AOAC 2014.05 (RAPID)		X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2201844	03/06/22	AOAC 2014.05 (RAPID)		X

Solvents

Method Residual Solvents by GC/MS **Units** µg/g **Batch** 2201885 **Analyze** 03/04/22 10:29 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0164	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Cadmium	< LOQ	0.200	mg/kg	0.0164	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Lead	< LOQ	0.500	mg/kg	0.0164	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X
Mercury	< LOQ	0.100	mg/kg	0.00822	2201972	03/07/22	AOAC 2013.06 (mod.)	pass	X

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-002378/D008.R000
Report Date:	03/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	03/02/22 11:33

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram
g = Gram
µg/g = Microgram per gram
mg/kg = Milligram per kilogram = parts per million (ppm)
mg/3.75g = Milligram per 3.75g
% = Percentage of sample
% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Columbia LABORATORIES
A Tentamus Company

Hemp / Cannabis Usable / Extract / Finished Products
Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021
ORELAP ID: **OR100028**

Company: Lucy J
Contact: Deanna Petrin
Street: 751 Port America PL #425
City: Grapevine State: TX Zip: 76051
☑ Email Results: deanna@devmfg.com
chris@devmfg.com chad@devmfg.com
Ph: (469) 373 3200 ☐ Fx Results: (___)
Billing (if different): Dev NutraProducts

PO Number:
Project Number:
Project Name:
Custom Reporting:
Report to State - ☐ METRC or ☐ Other:
Turnaround time: ☐ 5 Business Day Standard Turnaround
☐ 3 Business Day Rush Turnaround*
☑ 2 Business Day Rush Turnaround*
Sampled by:

Lab ID	Client Sample Identification	Date	Time	Pesticides – OR 59 compounds	Pesticide Multi-Residue – 379 compounds	Potency	Residual Solvents	Moisture & Water Activity	Terpenes	Micro: Yeast and Mold	Micro: *E.Coli* and Total Coliform	Heavy Metals	Mycotoxins	Other: Visual Description	Sample Type	Weight (Units)	Comments/Metrc ID
	Mango Squares 0522022LJB0000252 10mg D9	2/21/2022				X	X			X	X	X		X	E	40-60g	Contains HHC D8 D10 as noted
	Green Apple Squares 0522022LJB0000253 10mg D9	2/21/2022				X	X			X	X	X		X	E	40-60g	
	Strawberry Squares 0522022LJB0000254 10mg D9	2/22/2022				X	X			X	X	X		X	E	40-60g	Please report in mg/serving
	Lemon Squares 0522022LJB0000255 10mg D9	2/22/2022				X	X			X	X	X		X			
																	Serving Size is _3.3g gummy
	Strawberry Pucks 0522022LJB0000258 25mg D8	2/22/2022				X				X	X			X	E	40-60g	Standard Serving Sizes:
	Green Apple Pucks 0522022LJB0000261 25mg D8	2/23/2022				X				X	X			X	E	40-60g	D8 Squares and Bears 3.3g
	Passion Fruit Mango Pucks 0522022LJB0000259 25mg D8	2/22/2022				X				X	X			X	E	40-60g	D9 Domes and Squares 3.75g
	Watermelon Pucks 0522022LJB0000260 25mg D8	2/23/2022				X				X	X			X	E	40-60g	Diamonds 5g
																	Hearts 6g
																	Pucks 3.3g

Relinquished By:	Date	Time	Received By:	Date	Time
Deanna Petrin	2/23/2022		AC	3-2	11:33

Lab Use Only:
☒ Shipped Via: UPS or ☐ Client drop
Evidence of cooling: ☐ Yes | ☒ No - Temp (°C): 17.7c
Sample in good condition: ☒ Yes | ☐ No
☐ Cash | ☐ Check | ☐ CC | ☐ Net:
Prelog storage:

Sample Type Codes: Vegetation ( ) ; Isolates ( ) ; Extract/Concentrate ( ) ; Tincture/Topical ( ) ; Edible ( ) ; Beverage ( )

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Job Number: _____ Search Name: _____

Package/Cooler opened on (if different than received date/time) Date: _____ Time: _____

Received By (Initials): AC Logged in by (Initials): _____ Date: 3-2 Time: 11:33

1) Were custody seals on outside of the package/cooler? YES (NO) NA
If YES, how many and where? _____

Does date match collection date on COC? ---------- YES NO (NA)

2) Was Chain of Custody (COC) included in the package/cooler? (YES) NO NA

3) Was COC signed when relinquished and received? (time, date)? (YES) NO NA

4) How was the package/cooler delivered?

(UPS) FEDEX USPS CLIENT COURIER OTHER: _____

Tracking Number (written in or copy of shipping label): 1Z 078 27A 02 2709 7160

5) Was packing material used? YES (NO) NA

Peanuts Bubble Wrap Foam Paper Other:

6) Was temperature upon receipt 4°C+- 2°C (if appropriate)? YES NO (NA)
If not, client contacted: _____ 17.7c
Proceed? YES NO

7) Was there evidence of cooling? YES (NO) NA

What kind? Blue Ice Ice Cooler Packs Dry Ice

8) Were all sample containers sealed in separate plastic bags? YES (NO) NA

9) Did all sample containers arrive in good condition? (YES) NO NA

10) Were all sample container labels complete? (YES) NO NA

11) Did all sample container labels and tags agree with the COC? (YES) NO NA

12) Were correct sample containers used for the tests indicated? (YES) NO NA

13) Were VOA vials checked for absence of air bubbles (note if found)? YES NO (NA)

14) Was a sufficient amount of sample sent in each sample container? (YES) NO NA

16) Sample location prior to login: R99 R39 R44 F44 (Ambient Shelf) Cannabis Table Other: _____

Explain any discrepancies: _____

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: Document ID:
Legacy ID: Effective:

Laboratory Quality Control Results

Residual Solvents — **Batch ID:** 2201885

Method Blank					Laboratory Control Sample							
Analyte	**Result**		**LOQ**	**Notes**	**Result**	**Spike**	**Units**	**% Rec**	**Limits**			**Notes**
Propane	ND	<	200		660	572	µg/g	115.4	70	-	130	
Isobutane	ND	<	200		833	731	µg/g	114.0	70	-	130	
Butane	ND	<	200		844	731	µg/g	115.5	70	-	130	
2,2-Dimethylpropane	ND	<	200		1110	936	µg/g	118.6	70	-	130	
Methanol	ND	<	200		1390	1610	µg/g	86.3	70	-	130	
Ethylene Oxide	ND	<	30		67.2	56.2	µg/g	119.6	70	-	130	
2-Methylbutane	ND	<	200		1450	1630	µg/g	89.0	70	-	130	
Pentane	ND	<	200		1440	1610	µg/g	89.4	70	-	130	
Ethanol	ND	<	200		1400	1630	µg/g	85.9	70	-	130	
Ethyl Ether	ND	<	200		1400	1610	µg/g	87.0	70	-	130	
2,2-Dimethylbutane	ND	<	30		143	165	µg/g	86.7	70	-	130	
Acetone	ND	<	200		1520	1610	µg/g	94.4	70	-	130	
2-Propanol	ND	<	200		1500	1610	µg/g	93.2	70	-	130	
Ethyl Formate	ND	<	500		1330	1620	µg/g	82.1	70	-	130	
Acetonitrile	ND	<	100		434	498	µg/g	87.1	70	-	130	
Methyl Acetate	ND	<	500		2020	1810	µg/g	111.6	70	-	130	
2,3-Dimethylbutane	ND	<	30		159	162	µg/g	98.1	70	-	130	
Dichloromethane	ND	<	20		423	498	µg/g	84.9	70	-	130	
2-Methylpentane	ND	<	30		152	167	µg/g	91.0	70	-	130	
MTBE	ND	<	500		1550	1610	µg/g	96.3	70	-	130	
3-Methylpentane	ND	<	30		149	179	µg/g	83.2	70	-	130	
Hexane	ND	<	30		138	164	µg/g	84.1	70	-	130	
1-Propanol	ND	<	500		1690	1620	µg/g	104.3	70	-	130	
Methylethylketone	ND	<	500		1810	1770	µg/g	102.3	70	-	130	
Ethyl acetate	ND	<	200		1510	1620	µg/g	93.2	70	-	130	
2-Butanol	ND	<	200		1340	1600	µg/g	83.8	70	-	130	
Tetrahydrofuran	ND	<	100		436	500	µg/g	87.2	70	-	130	
Cyclohexane	ND	<	200		1490	1610	µg/g	92.5	70	-	130	
2-methyl-1-propanol	ND	<	500		1510	1610	µg/g	93.8	70	-	130	
Benzene	ND	<	1		5.69	5.62	µg/g	101.2	70	-	130	
Isopropyl Acetate	ND	<	200		1670	1610	µg/g	103.7	70	-	130	
Heptane	ND	<	200		1620	1610	µg/g	100.6	70	-	130	
1-Butanol	ND	<	500		1640	1620	µg/g	101.2	70	-	130	
Propyl Acetate	ND	<	500		1810	1620	µg/g	111.7	70	-	130	
1,4-Dioxane	ND	<	100		365	502	µg/g	72.7	70	-	130	
2-Ethoxyethanol	ND	<	30		154	164	µg/g	93.9	70	-	130	
Methylisobutylketone	ND	<	500		1780	1620	µg/g	109.9	70	-	130	
3-Methyl-1-butanol	ND	<	500		1580	1620	µg/g	97.5	70	-	130	
Ethylene Glycol	ND	<	200		437	502	µg/g	87.1	70	-	130	
Toluene	ND	<	200		435	488	µg/g	89.1	70	-	130	
Isobutyl Acetate	ND	<	500		2010	1700	µg/g	118.2	70	-	130	
1-Pentanol	ND	<	500		1390	1630	µg/g	85.3	70	-	130	
Butyl Acetate	ND	<	500		1640	1660	µg/g	98.8	70	-	130	
Ethylbenzene	ND	<	200		855	965	µg/g	88.6	70	-	130	
m,p-Xylene	ND	<	200		839	990	µg/g	84.7	70	-	130	
o-Xylene	ND	<	200		844	971	µg/g	86.9	70	-	130	
Cumene	ND	<	30		151	179	µg/g	84.4	70	-	130	
Anisole	ND	<	500		1400	1650	µg/g	84.8	70	-	130	
DMSO	ND	<	500		1360	1630	µg/g	83.4	70	-	130	
1,2-dimethoxyethane	ND	<	50		207	183	µg/g	113.1	70	-	130	
Triethylamine	ND	<	500		1490	1620	µg/g	92.0	70	-	130	
N,N-dimethylformamide	ND	<	150		420	495	µg/g	84.8	70	-	130	
N,N-dimethylacetamide	ND	<	150		385	502	µg/g	76.7	70	-	130	
Pyridine	ND	<	50		186	186	µg/g	100.0	70	-	130	
1,2-Dichloroethane	ND	<	1		1.13	1	µg/g	113.0	70	-	130	
Chloroform	ND	<	1		1.07	1	µg/g	107.0	70	-	130	
Trichloroethylene	ND	<	1		1.06	1	µg/g	106.0	70	-	130	
Ethylene Oxide	ND	<	1		0.99	1	µg/g	99.0	70	-	130	
Dichloromethane	ND	<	1		1.14	1	µg/g	114.0	70	-	130	
Benzene	ND	<	1		1.12	1	µg/g	112.0	70	-	130	

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: Document ID:
Legacy ID: Effective:

QC - Sample Duplicate **Sample ID: 22-002320-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	46.8	44.9	20	µg/g	4.1	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2202002**

Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.00974	0.0100	%	97.4	80.0 - 120	Acceptable	
CBDV	0.0103	0.0105	%	98.1	80.0 - 120	Acceptable	
CBE	0.00949	0.0101	%	94.4	80.0 - 120	Acceptable	
CBDA	0.00988	0.0100	%	98.8	80.0 - 120	Acceptable	
CBGA	0.00946	0.0100	%	94.6	80.0 - 120	Acceptable	
CBG	0.00973	0.0100	%	97.3	80.0 - 120	Acceptable	
CBD	0.00990	0.0103	%	96.4	80.0 - 120	Acceptable	
THCV	0.0127	0.0130	%	97.7	80.0 - 120	Acceptable	
d8THCV	0.00969	0.0104	%	92.9	80.0 - 120	Acceptable	
THCVA	0.00954	0.0100	%	95.4	80.0 - 120	Acceptable	
CBN	0.00990	0.0100	%	99.0	80.0 - 120	Acceptable	
exo-THC	0.00890	0.00941	%	94.6	80.0 - 120	Acceptable	
d9THC	0.00958	0.0100	%	95.8	80.0 - 120	Acceptable	
d8THC	0.00962	0.0100	%	96.2	80.0 - 120	Acceptable	
CBL	0.00901	0.0100	%	90.1	80.0 - 120	Acceptable	
CBC	0.0101	0.0100	%	101	80.0 - 120	Acceptable	
THCA	0.00985	0.0100	%	98.5	80.0 - 120	Acceptable	
CBCA	0.00965	0.0100	%	96.5	80.0 - 120	Acceptable	
CBLA	0.00917	0.00963	%	95.2	80.0 - 120	Acceptable	
CBT	0.00850	0.00983	%	86.4	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBDV	< LOQ	0.003	%	< 0.003	Acceptable	
CBE	< LOQ	0.003	%	< 0.003	Acceptable	
CBDA	< LOQ	0.003	%	< 0.003	Acceptable	
CBGA	< LOQ	0.003	%	< 0.003	Acceptable	
CBG	< LOQ	0.003	%	< 0.003	Acceptable	
CBD	< LOQ	0.003	%	< 0.003	Acceptable	
THCV	< LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	< LOQ	0.003	%	< 0.003	Acceptable	
THCVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBN	< LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	< LOQ	0.003	%	< 0.003	Acceptable	
d9THC	< LOQ	0.003	%	< 0.003	Acceptable	
d8THC	< LOQ	0.003	%	< 0.003	Acceptable	
CBL	< LOQ	0.003	%	< 0.003	Acceptable	
CBC	< LOQ	0.003	%	< 0.003	Acceptable	
THCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBLA	< LOQ	0.003	%	< 0.003	Acceptable	
CBT	< LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2202002**

Sample Duplicate Sample ID: **22-002378-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBE	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBG	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBD	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBN	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.242	0.242	0.003	%	0.0238	< 20	Acceptable	
d8THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBL	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBT	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-002378/D008.R000
Report Date: 03/09/2022
ORELAP#: OR100028
Purchase Order:
Received: 03/02/22 11:33

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.