

# Data-bound fields — UI flows

Low-fidelity flows for the data-bound field user stories, laid out after the form-builder prototype (navy sidebar, pill buttons, three-column builders). They show what people see and do, not how it's built.

**Legend**  
  
Solid frame — a screen or state the prototype already has  
Dashed amber frame, PROPOSED — needed by a story, not built yet  
Arrow — something the person does, labelled with the action  
Diamond — a check the system makes

| Page | Flow                                                | Stories                            |
|------|-----------------------------------------------------|------------------------------------|
| 1    | Data steward: publish a data-bound field            | US-D.1, US-D.20                    |
| 2    | Data steward: change or retire a field              | US-D.2                             |
| 3    | Module builder: add data-bound fields to a module   | US-D.4, US-D.5, US-D.6             |
| 4    | Session template builder: combine modules           | US-D.5, US-D.12                    |
| 5    | Practitioner: open and fill in a note               | US-D.7, D.8, D.9, D.11, D.12, D.13 |
| 6    | Practitioner: save a draft or submit                | US-D.14, D.15, D.16, D.17          |
| 7    | Reading a submitted note later                      | US-D.10                            |
| 8    | Privacy officer: trace changes to a client's record | US-D.21                            |

No screen of their own: US-D.3 (forms survive a new source system), US-D.18 (one controlled route) and US-D.19 (no source-system IDs in forms) are rules behind every flow. US-D.20 appears only as refusal messages on page 1.

1 · Data steward: publish a data-bound field

US-D.1      US-D.20

The steward turns an approved source-system column into a named field builders can use. What the source system allows is read, never typed in, and can only be tightened.

1. Data bindings

Form Administration System

**Data bindings**

Fields that read from, and save back to, the source system. Published ones appear in the builder's Data bound palette.

| Binding      | On forms            | Version        |
|--------------|---------------------|----------------|
| Mobile phone | Editable, up to 50  | v1 · published |
| Email        | Editable, up to 100 | v1 · published |

**Create a binding**

| Attribute      | Most it can be |                  |
|----------------|----------------|------------------|
| Preferred Name | Editable       | [Create binding] |
| Home Language  | Display only   | [Create binding] |

Home Language: the service's account can't read this list, so its options can't be shown.

2. Binding editor

Form Administration System

**New binding on the alias column**

From the source system: text, up to 100.

**Key**

client.preferredName — can't change once created

**Label**

Preferred name

**Description**

What the client prefers to be called

(\*) Editable — changes are saved back  
( ) Display only

**Maximum length**

60 (the source allows up to 100; can only narrow)

Cancel

Save draft

Save and publish


2b. Saved as a draft

Form Administration System

Saved a draft of client.preferredName. Publish it to use it on forms.

| Binding        | On forms           | Version                 |
|----------------|--------------------|-------------------------|
| Preferred name | Editable, up to 60 | v1 · draft [Publish v1] |

Drafts are invisible to builders.



3a. Published

Form Administration System

Published client.preferredName. It's now in the form builder's Data bound palette.

| Binding        | On forms           | Version        |
|----------------|--------------------|----------------|
| Preferred name | Editable, up to 60 | v1 · published |

Allowed? checks that the column is approved, within the source's own limits, and within what the service's account may do.

3b. Refused, with the reason

Form Administration System

**New binding on the alias column**

This binding can only be display-only: the service's account can't write client records.

Other reasons: 'isn't on the approved list', 'is already bound as client.x'. The steward fixes it here and saves again.

Cancel

Save draft

Save and publish

## 2 · Data steward: change or retire a field

US-D.2

A published field never changes underneath the forms that use it: a change is a new version, and modules move to it only when a builder chooses to.

### 1. Data bindings

Form Administration System

**Data bindings**

| Binding        | On forms           | Version        |
|----------------|--------------------|----------------|
| Preferred name | Editable, up to 60 | v1 · published |
| Attribute      | Most it can be     |                |
| Preferred Name | Editable           | [New version]  |

Row menu: Retire

New version

### 2. New version

Form Administration System

**New version of client.preferredName**

**Key**

client.preferredName (locked)

**Label**

Preferred name

( ) Editable — changes are saved back

(•) Display only

Cancel

Save and publish

Publish

### 3. v2 published

Form Administration System

Published client.preferredName v2.

|                |              |                |
|----------------|--------------|----------------|
| Preferred name | Display only | v2 · published |
|----------------|--------------|----------------|

Version 1 is kept, unchanged, and still used by modules built with it.

in the builder

### 4. Builder sees an update is available

Form Administration System

PROPOSED

**FIELD PROPERTIES · Preferred name**

**Data-bound field**  
Bound to client.preferredName (v1)

Version 2 is available: display only.

Keep v1

Update to v2

### 5. Retire a field

Form Administration System

PROPOSED

**Retire Preferred name?**

It can't be added to new modules. Modules already using it keep working.

**Used by**  
Client details (v3) · Intake (v1)

Cancel

Retire field

Retire field

### 6. Retired

Form Administration System

PROPOSED


|                |                    |              |
|----------------|--------------------|--------------|
| Preferred name | Editable, up to 60 | v1 · retired |
|----------------|--------------------|--------------|

No longer listed in the builder's Data bound palette. Version history stays viewable.

### 3 · Module builder: add data-bound fields to a module

- US-D.4
- US-D.5
- US-D.6

Bound fields sit in the same library as ordinary fields. What the module is about (the session, or each person in it) decides which bound fields are offered.



# 4 · Session template builder: combine modules

US-D.5    US-D.12

Session modules appear once on a note; per-person modules repeat for everyone in the session. A field that would be saved from two places is caught before publishing.

## 1. Session templates

Form Administration System

**Session templates**

+ Create template

**Couples counselling session**  
Edit · Fill out · Submissions · Clone · Archive

## 2. Template setup

Form Administration System

**Template name \***  
Couples counselling session

**Description**  
Standard note for joint sessions

Cancel    Next →

## 3. Template builder


Form Administration System

Preview    Version history    Publish

**TEMPLATE DETAILS**  
Couples counselling session  
(set at creation)

**MODULES IN THIS TEMPLATE**  
01 Session details  
02 Client details  
03 Attendance  
04 Case summary

**MODULE LIBRARY**  
Only published modules  
+ Safety  
+ Presenting needs



Publish →

yes →

no ↓

resolved

## 4a. Warned before publishing

Form Administration System

PROPOSED

Session location is in both Session details and Case summary. Only one value can be saved.

Show one, mirrored    Remove one

## 4b. Published

Form Administration System

Couples counselling session published as version 1

Publishing freezes the modules' current published versions into this template version.

# 5 · Practitioner: open and fill in a note

- US-D.7
- US-D.8
- US-D.9
- US-D.11
- US-D.12
- US-D.13

Opening a note fills every bound field from the source system as it is now, each from the right record. Per-person sections repeat for everyone in the session.

## 1. Case · sessions

Practitioner portal

Case 104872 · Couples counselling

Session 3 — today 10:30  
Taylor & Adam · No note yet

Session 2  
Note submitted

Open note

Open note

## 2. Session note, prefilled

Practitioner portal

COUNSELLING · CASE 104872 · COUPLES COUNSELLING

Session 3

No note yet

Save as draft

Submit session note

8 fields on this note are read from ICIS. Marked [ICIS]; edits are saved back when you submit.

Session details · Session module  
Setting [ICIS] · Duration

Client details · Taylor Hawkins  
Preferred name [ICIS] · Mobile [ICIS] · Client number (display only)

Client details · Adam Hawkins  
Preferred name [ICIS] · Mobile [ICIS] · Client number (display only)

edit a field

## 3a. Editing a bound field

Practitioner portal

Preferred name [ICIS]

AJ

Changed — saved to ICIS when the note is submitted

Client number [display only]

00152097 (locked)

unusual value

## 3c. A format warning

Practitioner portal

PROPOSED

Mobile phone [ICIS]

0491 57 0999

This doesn't look like an Australian mobile number.

Edit

Keep it

Keeping it is recorded. Values the source system would refuse are always stopped.

ICIS unavailable

## 3b. A value couldn't be read

Practitioner portal

PROPOSED

Mobile phone [ICIS]

—

Couldn't read this from ICIS. It won't be saved as blank.

Try again

## 3d. Person didn't take part

Practitioner portal

PROPOSED

Client details · Adam Hawkins  
... Mark not completed

Reason

Left early

Cancel


Mark not completed

The note can be submitted once each person's section is complete or marked not completed.

# 6 · Practitioner: save a draft or submit

- US-D.14
- US-D.15
- US-D.16
- US-D.17

Drafts never change the source system. Submitting saves the note and sends only real changes, each with its own result; someone else's newer change is never overwritten.



# 7 · Reading a submitted note later

US-D.10

A submitted note keeps showing what was true when it was submitted. Where the source system has changed since, that's shown, not silently swapped in.

## 1. Submitted note

Practitioner portal

### Session 3

Note submitted

Edit session note

#### Preferred name [ICIS]

AJ

Changed in ICIS since this note was submitted (ICIS now has 'Ads')

#### Client number [display only]

00152097 — as at submission

Edit

## 2. Editing: current values, differences flagged

Practitioner portal

PROPOSED

1 value differs from the submitted note: Preferred name (note: AJ · ICIS now: Ads).

#### Preferred name [ICIS]

Ads

Save as draft

Submit session note

# 8 · Privacy officer: trace changes to a client's record

US-D.21

Every value saved to the source system from a note can be traced: which note, who, when, old and new value, and the result.

## 1. Find a client

Form Administration System

PROPOSED

Change history

Client

00152097 · Adam Hawkins

Show changes

Show changes

## 2. Changes made through forms

Form Administration System

PROPOSED

| When         | Field          | Old → new       | Result   |
|--------------|----------------|-----------------|----------|
| 30 Sep 13:50 | Preferred name | Ads → AJ        | Saved    |
| 30 Sep 13:50 | Mobile         | ...110 → ...999 | Saved    |
| 2 Oct 09:12  | Mobile         | ...999 → ...123 | Conflict |

Each row names the note and the practitioner. The record can't be edited by the people it records.

open note

## 3. The note it came from

Practitioner portal

PROPOSED

Intake · Adam Hawkins (read only)

Submitted by Yvonne Carter, 30 Sep 13:50