


COMPOSITE FLEXIBLE PIPE



About Us— Global Pioneer in Pipeline Technology

We are a comprehensive pipeline solution provider, contributing to onshore and offshore oil & gas development, hydrogen transmission for renewable energy, and oil refining.

With internationally recognized brands such as Safdal, FPS and ZTOC, we hold the exclusive API 15S & 17J certifications, supported by a CNAS national laboratory that strengthens our technological advantages.

Our technology is deployed globally across complex energy projects, supporting national oil companies and leading international operators. This sustained global adoption reflects proven engineering, dependable supply chains, and field-validated performance.



Core Advantages – Capacity & Technology

► Pioneer in scale:

We have two production bases, covering an area of 100,000 m², producing various composite flexible hoses, and dominating the global market.

► Annual Capacity:

Offshore / Onshore pipelines: **7,056** km/year

Gas pipelines: **9,720** km/year

Submarine cables: **2,400** km/year

► Advanced Technology:

Delivery of over **7,000** km of pipelines, validated to the strictest standards. Material innovation is driven by the national laboratory.

► Quality Certification:


We are the only global company holding both API 15S (onshore) and API 17J (offshore) certifications and establishing China's industry standard for oil and gas pipeline products.



Industrial
Wastewater



Oil /
Petroleum



Gas



Chemicals




New Energy
Industry (H₂, CO₂)

Composite flexible pipe – Installation advantages

- ▶ 10km+
 - Daily installation of spoolable pipe
- ▶ 30%+
 - Reduction in installation costs
- ▶ 20 years
 - Product lifespan
- ▶ 300 to 2,000 meters
 - Length per reel / roll
- ▶ Corrosion resistance
- ▶ Fast and efficient installation
- ▶ Cost-effective
- ▶ Safe and durable
- ▶ Qualification program compliant with API 15S and API 17J standards

Application Fields



Land, Desert, Swamps



Mining, Mountains, Rocks



Sea, Ocean Engineering

Why Choose FPS?



Durable and corrosion-resistant solution



Fast installation



Cost-effective



300 to 2000 m per reel



External pressure resistance




Dynamic environment capability


FPS

Onshore Product Series


We accept not only standard diameters from 2 to 8 inches (DN 50 to 200), but also larger diameters as required, especially those for land-based applications.




TCP
Fiberglass reinforced



SCP
Steel cord reinforced



RTP
Polyester filament reinforced



RTP
Aramid filament reinforced

Non-metallic pipes with a white ultraviolet-resistant coating provide an ideal solution for transporting methanol, oil, gas, and energy across varying terrains (from deserts and plains to mining areas). They offer exceptional durability and a lifespan of over 20 years, and are suitable for onshore natural gas transmission, oil transport in flat areas, energy infrastructure in mining environments, and challenging desert operations.

Rated temperature: -40°F to 266°F


Rated pressure: 750 psi to 3600 psi

Diameter: 2 to 8 inches

FPS

Offshore Product Series

We offer standard diameters ranging from 2 to 16 inches (DN 50 to DN 400), and can provide larger sizes to meet specific needs, particularly for maritime applications.



Static Flowline

- Reinforced with steel shielding
- External pressure resistance
- Water depth of 200 m



Dynamic Riser

- Reinforced with steel shielding
- Metallic structure
- Unbonded type

Offshore flowlines and marine risers are critical structures dedicated to connecting subsea pipelines (or wellheads) to oil facilities. They are generally used in deep-water oil and gas exploration, and are characterized by dynamic adaptability, high-pressure resistance, a long service life, and ease of installation.

Rated temperature: -40°F to 266°F

Rated pressure: 750 psi to 3600 psi

Diameter: 2 to 16 inches

FPS

Global-Onshore Applications



South America

Product: TCP, 3 inches, 1,500 psi

Service: Water injection



Europe

Product: TCP, 3 inches/4 inches, 1,500 psi

Service: Gas transmission



South America

Product: RTP, 2/4/6 inches, 1,500 / 2,300 psi

Service: Crude oil



Europe

Product: RCP, 2 inches, 1,500 psi

Service: Compressed air



China

Product: RTP, 4 inches, 300 psi

Service: Crude oil



China

Product: SCP, 4 inches, 2,300 psi

Service: Crude oil

FPS

Global Applications – Offshore



South America

Product: OTP, 2 inches, 2,300 psi


Service: Gas transmission



South America

Product: OTP, 2/4/6/8 inches, 750/1,500/2,300 psi

Service: Oil and gas transmission



China

Product: OTP, 4 inches, 750 psi

Service: Mixture of seawater and oil

**THE HIGH-QUALITY COMPOSITE
PIPE PRODUCTS FROM FPS ARE
DESIGNED TO AIM FOR SUPERIOR
OPERATION AND A LOWER
ENVIRONMENTAL FOOTPRINT.**



Vision for the Future – Ecological Transition Management

In the era of carbon neutrality, we are constantly innovating in the following areas:

- ▶ **Renewable Energy:** Specific piping dedicated to hydrogen transmission and support for global infrastructure.
- ▶ **Digitization:** Configuring plants with digital twins for full traceability from raw materials to finished products.
- ▶ **Sustainability:** Lightweight designs dedicated to reducing emissions and pioneering eco-friendly materials in the sector; our role as "Guardians of energy arteries."









