

, 2011
Aldkjfalkjd
A;ldjfa;lksdjf
A;ldkjfa;lsdkjf
Columbus, OH 43215
Re: Substance Abuse Assessment for
Dear Mr. singapore:
I performed a complete substance abuse assessment for Mr in reference to his OVI charge. This
assessment included the administration of: a SASSI-3, a MAST, a depression screening, and a clinical interview.  The following are my findings and recommendations:
The following are my findings and recommendations.
Brief Substance Use History:
SASSI-3 (Substance Abuse Subtle Screening Inventory):
MAST (Michigan Alcohol Screening Test): The score for this screening was
AUDIT (Alcohol Use Disorder Identification Test):
Asdfasdkfa;lskdjf;la

Asdfkljasd;lkfja;lsdkjf
Asdlkjfa;lsdkjf;alksdjf;alksjdf;lakjsdf;l
Oher Substance Related Symptom concerns: denied subtle symptoms of abuse such as hangovers, mild memory loss after use, drinking repeatedly to relieve emotional or work stress, previous legal consequences, previous treatment, conflict with
significant others during or shortly after use of alcohol, guilt or regret associated with use, or any other subtle but indicative symptoms.
<b>Depression/Anxiety Screening:</b> was screened for symptoms of depression/anxiety and possible use of alcohol for symptom relief.
Subject (?) Perspective & Motivation Toward Change:
Clinical Interview/Summary: I concluded that However,
<b>DIAGNOSIS in reference to substances</b> : I found no indication of a diagnosable condition with regards to alcohol (or any other substances).
Recommendations:
has signed a release to communicate the results of this assessment to you. Feel free to contact me should you have any questions about this assessment.
Sincerely,

Asdlfkja;sdlkjfa

Brian T. Davis, LISW-S, SA	Ρ
cc:	

Asdfkljasd;lkjfa;lsdkjf

Adsfkljasd;lfkja;ldskjfa;lksdjfa

S

Alsdkjfa;lksdjf;alksjdf;lakjsdf

Sincerely,

Ryan Smith, LISW, SAP, LCDC-III

Ryan P. Smith