

September 29, 2016

William H. Nesbitt, Attorney
The Koffel Law Firm
1801 Watermark Drive, Suite 350
Columbus, Ohio 43215-7093

Re: Clinical Alcohol Assessment for Sean R. Cassidy (DOB – 08/27/1976)

Dear Mr. Nesbitt:

I performed a Clinical Alcohol Assessment for Mr. Cassidy in reference to his reckless driving charge in Franklin County (6/3/2016). This assessment included a clinical interview, and the administration of:

- A Michigan Alcohol Screening Test (MAST)
- An Alcohol Use Disorders Identification Test (AUDIT)
- A general anxiety/depression screening

The following items provide a summary of the screening results, my diagnostic opinion and professional recommendations:

MAST: score = 1 / *NEGATIVE SCREEN*; no direct indication of problem alcohol use

AUDIT: score = 0 / *NEGATIVE SCREEN*; scores of 8 or more indicate *hazardous use*, scores of 15 or more in men indicate *moderate to severe* disorder present

Alcohol Use Risk Factors:

Concerns/Risks

- ☐ previous legal history – NA/ denies prior history
- ☐ severity of incident – NA/ OVI charge plead to reckless driving
- ☐ anxiety/depression/mental health – not found
- ☐ other substance use – NA
- ☐ family history – not found
- ☐ prior treatment history – NA
- ☐ peer influences– NA
- ☐ work environment – NA
- ☐ contraindicated prescription use – NA
- ☐ general health problems – NA
- ☐ current family stress – NA

Summary - 0 of 11 concerns

DSM - 5 Alcohol Use Symptoms: *Summary - 0 of 11 symptoms found*

Clinical Interview/Summary: Mr. Cassidy's written screenings provided no indication of an alcohol use disorder at any level (mild, moderate or severe). He reported his normal use of alcohol before this charge as 1-2 drinks on 0-1 occasions per week. He also acknowledged use of 2-4 drinks on about 1 special occasion (weddings, birthdays, etc.) per year.

Mr. Cassidy and I discussed his OVI incident (later plead to reckless driving) and general use of alcohol at length. While I did not find him meeting DSM-5 alcohol use disorder criteria he is voluntarily abstaining from all use of alcohol at this time. I made a preventative recommendation to him in the form of a Victim Impact Panel and Mr. Cassidy was in full agreement with my recommendation.

DSM-5 DIAGNOSIS in Reference to Substances: Z03.89 (suspected substance use condition not found)


Treatment Recommendations:

- 1) Attend a local MADD Victim Impact Panel – visit www.madd.org for local meeting locations and times or in the event in-person attendance is not possible, visit www.onlineimpactpanel.com/ or www.sbconlinepanel.com/index.html
- 2) If another negative consequence is incurred as a result of any alcohol use it is recommended Mr. Hewlett seek further evaluation and follow all treatment recommendations.

If you or the court possess additional information about Mr. Cassidy's use of alcohol that might impact the outcome of this assessment, I would be happy to review it and consider appropriate modifications or amendments to the present report.

Thank you for the opportunity to assist the court, Mr. Cassidy, and yourself in this important matter.

Sincerely,



Brian T. Davis, LISW-S, SAP
LIC# I-7948
cc: Sean R. Cassidy

Prohibition Against Re-Disclosure: This information has been disclosed to you from records protected by Federal Confidentiality rules. The Federal rules prohibit you from making any further disclosure of this information unless further disclosure is expressly permitted by the written consent of the person to whom it pertains or as otherwise permitted by 42 C.F.R Part 2. A general authorization for the release of medical or other information is not sufficient for this purpose. The Federal rules restrict any use of information to criminally investigate or prosecute any alcohol or drug abuse client. Drug abuse patient records are also protected under the Health Insurance Portability and Accountability Act of 1996 ("HIPAA"), 45 C.R.R parts

160 & 165. (These conditions apply to every page disclosed and a copy of this authorization will accompany every disclosure.)

Diagnostic Conclusions / Limitations: Directions Counseling Group provides Clinical Alcohol Assessments based on objective and standardized screenings and interviewing methods as well as self-reported information. Clinical conclusions are made to the best of the professional's ability with data on hand at the time of the assessment. Expanded assessments which involve additional background research, collateral information and third party verification can be provided as an additional service upon request.