

FUJIFILM

DIGITAL MINILAB
Frontier

INSTRUCTION

FRONTIER WORKFLOW MANAGEMENT SOFTWARE

JobMaker API Technical Reference Manual

MS01 Software Version 3.1

First Edition

31 March 2011

Copyright

© 2004-2011 FUJIFILM Corporation. All rights reserved.

JobMaker v3.1 Application Programming Interface Technical Reference Manual

All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, translated, or stored in a retrieval system in any form or by any means, without the prior written consent of FUJIFILM North America Corporation.

Software Licensing Agreement

PLEASE READ THE FOLLOWING TERMS AND CONDITIONS CAREFULLY BEFORE OPENING THIS PACKAGE OR USING THIS SOFTWARE. OPENING THIS PACKAGE OR USING THIS SOFTWARE INDICATES YOUR ACCEPTANCE OF THESE TERMS AND CONDITIONS. IF YOU DO NOT AGREE WITH THESE TERMS AND CONDITIONS, PROMPTLY RETURN THIS SOFTWARE UNOPENED TO YOUR SUPPLIER AND YOUR MONEY WILL BE REFUNDED.

This Software License Agreement is a legal document between you (a single entity) and FUJIFILM Corporation (the "Licensor") for the FNAC JobMaker Application Programming Interface (API) Software (the "Software"). The Software includes the API software, the associated media, any printed materials and any electronic documentation. By using the Software, you agree to the terms of this Software License Agreement.

The Licensor grants you a non-exclusive, non-transferable license to use one copy of the Software in object code only.

Limitation of Purpose

Use of the JobMaker API shall be limited to photo order creation from third-party systems for processing and printing on the Fujifilm Frontier system.

Ownership Retained By Licensor

FUJIFILM Corporation owns all title and copyrights in and to the Software and the Licensor has the full right and authority to grant the license granted herein. Your license does not give you any title or ownership in the Software, nor is it a sale of any rights in the Software. The only right granted to you is the right to use the Software in accordance with the terms of this Software License Agreement. All rights not specifically granted to you under this Software License Agreement are reserved by the Licensor.

You may make only a single copy of this Software as a backup copy, provided that it includes all notices and markings, including copyright, trademark and other proprietary notices as on the original. Such backup copy of the Software may not be in use at any time unless the original Software is damaged beyond use, and it must remain in your possession and control.

You may not copy the Software onto any public network,. You may not, and you may not allow others to, modify, disassemble, decompile, translate, reverse engineer, reproduce, make derivative works of or enhance

the software. You may not, and you may not allow others to, rent, lease, sell, sublicense or otherwise transfer the Software to any other person.

In addition to any other rights it may have, the Licensor may terminate this Software License Agreement if you fail to comply with the terms and conditions hereof. In such event, you must cease all use of the Software and destroy all copies of the Software and all of its component parts.

At the Licensor's sole discretion, the Licensor may from time to time provide you with updates to the Software. Any such updates shall become part of the Software licensed to you hereunder and subject to all of the terms and conditions of this Software License Agreement.

Disclaimer of Warranties

The Licensor expressly disclaims any and all warranties relative to the Software. THE SOFTWARE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT, AND THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LICENSED PRODUCT IS WITH YOU.

Limitation of Liability

In no event shall the Licensor be liable for any direct, special, incidental, indirect or consequential damages whatsoever to you (including, without limitation, damages for loss of profits, sales or data or for business interruption) arising out of the use of or inability to use the Software, even if the Licensor has been advised of the possibility of such damages. In any event, the Licensor's entire liability under any provision shall be limited to the greater of the amount actually paid by you for the Software or \$25. Because some states and jurisdictions do not allow the exclusion or limitation of liability, the above limitation may not apply to you.

If any provision of the Software License Agreement is declared by a court of competent jurisdiction to be invalid for any reason, such invalidity shall not affect the remaining provisions hereof.

Governing Law

This Software License Agreement shall be governed by the laws of the State of New York without regard to conflict of laws principles.

Term

This License Agreement is effective until terminated. You may terminate this License Agreement by returning the Licensed Product to Licensor. Licensor may terminate this License Agreement if you breach any of the terms and conditions. Upon termination of this License Agreement for any reason, you shall return the Licensed Product to Licensor. All provisions of this Agreement relating to disclaimers of warranties, limitation of liability, remedies, or damages, and Licensor's proprietary rights shall survive termination.

YOU ACKNOWLEDGE YOU HAVE READ AND UNDERSTAND THIS AGREEMENT AND AGREE TO BE BOUND BY ITS TERMS. YOU FURTHER AGREE THAT THIS AGREEMENT IS THE COMPLETE AND EXCLUSIVE STATEMENT OF THE AGREEMENT BETWEEN YOU AND LICENSOR, AND SUPERSEDES ANY PROPOSAL OR PRIOR AGREEMENT, ORAL OR WRITTEN, AND ANY OTHER COMMUNICATIONS RELATING TO SUBJECT MATTER OF THIS AGREEMENT.

NY-177971 v3 0950000-102

Table of Contents

Copyright.....	i
Software Licensing Agreement.....	i
Limitation of Purpose.....	i
Ownership Retained By Licensor.....	i
Disclaimer of Warranties	ii
Limitation of Liability.....	ii
Governing Law	ii
Term	iii
Overview	1
Introduction	1
Purpose.....	1
Overview	2
API Description	3
Order File	4
File Format.....	4
File Component Definitions.....	5
Sample Order Files	9

Revision History

Date	Name	Notes
02/02/2007	Jon Reiser	Added Printer and Auto Correct to the File Components section, and updated the workflow diagram to reflect these changes.
01/03/2008	Kelly DuBois Kevin Heiser	Amended for MS 2.1 and higher. All PIC references changed to IC.
03/28/2008	Bill Edwards Jeremy Cranch	Revised per review and feedback.
08/25/2008	Kelly DuBois	Added changes for MS01 2.5.5.
03/31/2011	Nick Iati	Added updated information for MS01 3.1.

Overview

Introduction

The FUJIFILM North America Corporation (FNAC) JobMaker application programming interface (JobMaker API) exists to provide the ability to ingest orders from remote sources by using an open, documented format to flexibly-meet the varied needs of FNAC partners.

The functional interface of the API is similar to the Windows INI format, but is designed to be more flexible.


Purpose

The JobMaker script is designed to take remote orders and create corresponding jobs on MS systems. The JobMaker order file can specify which images to use and what prints to make.

Additionally, CDs and photographic products such as mouse pads and coffee mugs can be specified within the order.

Overview

The JobMaker API fits into the following workflow:



API Description

File Naming Conventions

All order text files should be formatted as <jobID>.txt to ensure that all order text file names are unique to prevent overwriting of files.

Configuration Settings

The JobMaker API installer establishes configuration settings. The installer creates a 'hot folder' located at D:\jobmaker by default. The order text file should be transported into this directory for processing.

Errors

If an error occurs during ingest, a log is created and logged to the system's universal log.

Order File

File Format

To ensure uniqueness, the order file's name should match the order ID, and the file should have a *.txt extension.

The JobMaker order file is laid out in two distinct parts.

- [OrderInfo]: Located at the top of the file, this indicates the information that applies to the entire order.
- [ImageInfo] and [Print]: Additional, possibly numerous, sections that follow the [OrderInfo] section. These indicate image information and what prints to associate with those images.
- In the case of files designated for CD, there will be additional [ImageInfo] sections that only contain OriginalPath= with values.

The order file format is as follows:

```
[OrderInfo]
Order_ID=<value>
ImagePath=<value>
CD=<value>
Printer=<value>
Surface=<value>
AutoCorrect=<value>
CustomerName=<value>
Phone=<value>
Email=<value>
DueTime=<value>
```

```
[ImageInfo]
ImageFile=<value>
BackPrint=<value>
[Print]
PrintCode=<value>
PrintQty=<value>
```

```
[ImageInfo]
OriginalPath=<value>
```

File Component Definitions

[OrderInfo]

[OrderInfo] should only occur once and should be located at the top of file. This section should include Order_ID and ImagePath fields, and may also include a CD field. [OrderInfo] also can contain customer information, including the customer's name, phone number and e-mail address, and the customer's surface preference for prints. The section also can contain time stamping information (the order's due date and time).

Surface, CustomerName, Phone, Email and DueTime are optional fields in the [OrderInfo] section.

Order_ID = <value>

Order_ID=<value> specifies the order ID for this job. This ID is used to create a new job or to synch new images with an existing job on the IC system. In the case of an existing Order ID on the IC, the new images will be appended to the existing job.

The Order_ID field cannot exceed 10 digits and must be at least six digits. Order IDs with fewer than six digits will be prepended with zeros to make them six digits in length.

ImagePath = <value>

ImagePath=<value> specifies the path to the images. This can either be an IP address or a UNC path (e.g., \\vol\dir\dir).

CD = <value>

CD=<value>, if present, indicates the number of CDs to be made with this order. If not present, or if the value is 0, then no CDs will be made. This field is optional.

Printer = <value>

Printer=<value>, if present, indicates the customer's preferred printer. This field is optional. (The options are defined by the list of printer logical names in the Panda dialog box on the FMPC, unless it's a tethered system, in which case it will be in the Panda on the ICIII.)

If no data appears in the Printer field, the printer preference defaults to that of the IC printing the order.



Surface = <value>

Surface=<value>, if present, indicates the customer's preferred print surface. (The options are defined in the system's paperinfo.ini file.) Valid surface preferences can be obtained from the Surface Preference list on the IC. This field is optional. If no data appears in the Surface field, the surface preference defaults to that of the IC printing the order.

AutoCorrect = <value>

AutoCorrect=<value>, if present, indicates the customer's preference for applying automatic image corrections to each printed image. If this value is non-zero, image corrections will be applied. This field is optional. If the value is zero or if no data appears in the AutoCorrect field, automatic image correction will not be applied. If AutoCorrect=<value> is not included, then the default IC AutoCorrect settings will apply.

CustomerName = <value>

CustomerName=<value>, if present, provides the first and last name of the customer. This field is optional.

Phone = <value>

Phone=<value>, if present, provides the phone number of the customer. This field is optional.

Email = <value>

Email=<value>, if present, provides the e-mail address of the customer. This field is optional.

DueTime = <value>

DueTime=<value>, if present, displays the time stamped due time of the order. This field is optional.

The required format for the DueTime field is mm/dd/yyyy HH:MM:SS AM.

[ImageInfo]

[ImageInfo] occurs once per image. This section should include an ImageFile field, and it can be immediately followed by any number of [Print] sections.

ImageFile = <value>

ImageFile=<value> specifies the image's file name. This file should be located in the folder specified by ImagePath. Files listed in the ImageFile field are copied to the Orders folder on the IC.

BackPrint = <value>

BackPrint=<value> displays the text to be printed on Line 2 of the backprint by the IC. This field is optional.

Text to be printed on the backprint is limited to 40 alphanumeric characters. The following characters are not recognized and will be replaced by a space when they occur:

- Percent symbol <%>
- Open parenthesis <(>
- Semicolon <;>
- Apostrophe <'>

Note: The tilde symbol <~> is replaced with a hyphen when printed in the backprint text. Also, not all printers support line 2 back printing.

[Print]

[Print] may occur any number of times after an [ImageInfo] section. Each [Print] section specifies the prints that will be made for the image. This section should include a PrintCode field, and may also include a PrintQty field. This section is optional.

PrintCode = <value>

PrintCode=<value> specifies the print code (i.e., indicates the type of print to make). Valid print codes can be obtained from the Quick Print list on the IC.

PrintQty = <value>

PrintQty=<value> indicates the number of prints to make using the specified PrintCode. If this field is missing or the value is invalid, the system will make one print. This field is optional for quantity of one.

OriginalPath = <value>

If OriginalPath=<value> is displayed under [ImageInfo], this indicates that the file is to be written to CD. Only original files are written to CD, not files that may have been edited to be used to order prints. Files to be written from CD are retrieved from the Rolls folder on the IC.

Sample Order Files

Note: Product files include a flag indicating whether it's a simplex or duplex product. The logic for creating a product is not handled in Jobmaker – that information is determined in the product file itself. Jobmaker only looks at the product file, determines if it is simplex or duplex, and creates a product thumbnail for MS01.

Sample file - Simplex

Sample file named 12345.txt

```
[OrderInfo]
Order_ID=12345
ImagePath=G:\photos
CD=2
Printer=LP7600B
Surface=Glossy-1
AutoCorrect=1
CustomerName=David Smith
Phone=303-555-1212
Email=davidsmith@yahoo.com
DueTime=05/07/2005 12:12:12 AM

[ImageInfo]
ImageFile=DSCF0004.JPG
BackPrint=David Smith/DSCF0004.JPG/Mar05/Retailer Name
[Print]
PrintCode=6x4

[ImageInfo]
ImageFile=DSCF0009.JPG
BackPrint=David Smith/DSCF0009.JPG/Mar05/Retailer Name
[Print]
PrintCode=5x7
PrintQty=2
[Print]
PrintCode=6x4
PrintQty=1

[ImageInfo]
OriginalPath=\\kioska\request\0000009\CD\Home\MyGarden.jpg

[ImageInfo]
OriginalPath=\\kioska\request\0000009\CD\Home\MyHouse.jpg

[ImageInfo]
OriginalPath=\\kioska\request\0000009\CD\Venice 2004\MyHoliday.jpg

[ImageInfo]
OriginalPath=\\kioska\request\0000009\CD\Venice 2004\Gondolier.jpg
```

Expected results for 12345.txt

- If order 12345 already existed, new images and prints will be added to the order. If order 12345 did not previously exist, a new order will be created with these images.
- Two CDs will be made for this order.
- All prints will be made on the printer named **LP7600B**.
- Prints in this order will be produced with a glossy surface.
- Automatic color correction will be applied to each print.
- The customer's name is David Smith, and his e-mail address and phone number are available, along with the timestamp for the order's due time.
- Two images (G:\photos\DSCF0004.JPG and G:\photos\DSCF0009.JPG) will be added to order 12345.
- One 6x4 print will be ordered for the first image.
- For the first image, this text will be printed as Line 2 of the backprint: **David Smith/DSCF0004.JPG/Mar05/Retailer Name**
- Two 5x7 prints and one 6x4 print will be ordered for the second image.
- This text will be printed as Line 2 of the backprint for the second image: **David Smith/DSCF0009.JPG/Mar05/Retailer Name**
- The following files will be written to the two CDs for this order:
 - MyGarden.jpg
 - MyHouse.jpg
 - MyHoliday.jpg
 - Gondolier.jpg

Note: **DSCF0004.JPG** and **DSCF0009.JPG** will not be written to the CDs as such. If they were created from the files to be written to CD (listed with `OriginalPath`), they will be included in their unedited format.

Sample Files – Duplex

8 x 10-inch Duplex Product

```
[OrderInfo]
Order_ID=Sample1
ImagePath=D:\Images
[ImageInfo]
ImageFile=image1.jpg
[Print]
PrintCode=SampleProductName
PrintQty=1
[ImageInfo]
ImageFile=image1.jpg
[Print]
PrintCode=SampleProductName
PrintQty=1
```

Expected Result

One print with an image printed on each side.

Sample File – 8.5 x 11-inch Calendar

```
[OrderInfo]
Order_ID=300078
ImagePath=\\PIC-DELL\Performance test images <----- NOTE: This has to be
an actual directory on the host computer
Surface=
CustomerName=Whatever You Want
Phone=Any Number
Email=anything
DueTime=03/28/2011 14:37:47 PM

OriginalPath=\\PIC-DELL\Performance test images\3_RedOne.jpg <----- NOTE:
These have to be actual directories on the host computer
[Print]
PrintCode=85x11CAL
PrintQty=1

[ImageInfo]
ImageFile=3_RedOne.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\3_RedOne.JPG
[Print]
PrintCode=85x11CAL
PrintQty=1
```

```
[ImageInfo]
ImageFile=3_RedTwo.JPG
BackPrint=Any
```

```
[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\3_RedTwo.JPG
[Print]
PrintCode=85x11CAL
PrintQty=1
[Print]
PrintCode=85x11CAL
PrintQty=1
```

```
[ImageInfo]
ImageFile=3_RedTwo.jpg
BackPrint=Any
```

```
[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\3_RedTwo.jpg
[Print]
PrintCode=85x11CAL
PrintQty=1
```

```
[ImageInfo]
ImageFile=3_RedTwo.JPG
BackPrint=Any
```

```
[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\3_RedTwo.JPG
[Print]
PrintCode=85x11CAL
PrintQty=1
```

```
[ImageInfo]
ImageFile=3g.jpg
BackPrint=Any
```

```
[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\3g.jpg
[Print]
PrintCode=85x11CAL
PrintQty=1
```

```
[ImageInfo]
ImageFile=3h.jpg
BackPrint=Any
```

```
[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\3h.jpg
[Print]
PrintCode=85x11CAL
PrintQty=1
```

[ImageInfo]
ImageFile=3i.jpg
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\3i.jpg
[Print]
PrintCode=85x11CAL
PrintQty=1

[ImageInfo]
ImageFile=3j.jpg
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\3j.jpg
[Print]
PrintCode=85x11CAL
PrintQty=1

[ImageInfo]
ImageFile=3k.jpg
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\3k.jpg
[Print]
PrintCode=85x11CAL
PrintQty=1

[ImageInfo]
ImageFile=3l.jpg
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\3l.jpg
[Print]
PrintCode=85x11CAL
PrintQty=1

[ImageInfo]
ImageFile=3m.jpg
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\3m.jpg
[Print]
PrintCode=85x11CAL
PrintQty=1

[ImageInfo]
ImageFile=3n.jpg

BackPrint=Any

Expected Result

8.5 x 11-inch Calendar – 13 prints (with cover):

- One cover and image for January
- 11 pages with images on both sides of a page
- Last page with December calendar printed on the front and back cover

Sample File – 8.5 x 11-inch Photo Book

```
[OrderInfo]
Order_ID=300079
ImagePath=\\PIC-DELL\Performance test images <----- NOTE: this has to be an
actual directory on the host computer
Surface=
CustomerName=Whatever You Want
Phone=Any Number
Email=anything
DueTime=03/28/2011 14:37:58 PM
```

```
[ImageInfo]
ImageFile=0o.jpg
BackPrint=Any
```

```
[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\0o.jpg <--- NOTE: these have
to be actual directories on the host computer
[Print]
PrintCode=85x11PZR
PrintQty=1
```

```
[ImageInfo]
ImageFile=0p.jpg
BackPrint=Any
```

```
[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\0p.jpg
[Print]
PrintCode=85x11PZR
PrintQty=1
```

```
[ImageInfo]
ImageFile=10re.JPG
BackPrint=Any
```

```
[ImageInfo]
```

OriginalPath=\\PIC-DELL\\Performance test images\\10re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=10x7In.bmp
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\10x7In.bmp
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=10x7Out.bmp
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\10x7Out.bmp
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=11re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\11re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=12re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\12re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=13re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\\Performance test images\\13re.JPG
[Print]
PrintCode=85x11PZR


```
PrintQty=1

[ImageInfo]
ImageFile=14re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\14re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=15re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\15re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=16re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\16re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=17re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\17re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=18re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\18re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
```

```
ImageFile=19re.JPG
BackPrint=Any

[ImageInfo]
OriginalPath=\\PIC-DELL\Performance test images\19re.JPG
[Print]
PrintCode=85x11PZR
PrintQty=1

[ImageInfo]
ImageFile=1_OFF.JPG
BackPrint=Any
```

Expected Result

Photo book with five pages – one image printed on each side of a page – 10 images total.

Sample File – 5 x 7-inch Folded Card

```
[OrderInfo]
Order_ID=11122
ImagePath=D:\Performance test images\Card Border
Surface=SK_80_CV
CustomerName=
Phone=
Email=
DueTime=02/24/2011 15:45:54 PM

[ImageInfo]
ImageFile=2-BD-Test-10x7.jpg
BackPrint=
[Print]
PrintCode=10x7FCRD
PrintQty=1

[ImageInfo]
ImageFile=BD-Test-10x7.jpg
BackPrint=
[Print]
PrintCode=10x7FCRD
PrintQty=1

[ImageInfo]
OriginalPath=D:\Performance test images\Card Border\2-BD-Test-10x7.jpg

[ImageInfo]
OriginalPath=D:\Performance test images\Card Border\BD-Test-10x7.jpg
```

Expected Result

5 x 7-inch folded card prints on a 7 x 10-inch paper with images printed on both sides:

- Side 1: Image for the front and back cover (the card is folded after printing)
- Side 2: Image(s) for card interior



FUJIFILM North America Corporation

200 Summit Lake Drive | Valhalla, New York 10595
