

PAIN MANAGEMENT PROTOCOL					
PHYSICAL					
1. MSKI – PRICE. 2. Fracture immobilization/reduction. 3. Dress all wounds and burns. 4. Tourniquet – Consider conversion/replacement as per protocols.					
PSYCHOLOGICAL					
Reassure, Distract, Employ					
PHARMACOLOGICAL					
PAIN SCORE	GRADE	ANALGESIA OPTIONS	DOSE	MAX DOSE	
1	Mild	Paracetamol	1g QDS	4g in 24hrs	
		Ibuprofen	400mg TDS	1.2g in 24hrs	
2	Moderate	Co-Codamol 30/500mg tabs*	2 Tabs QDS	8 tabs in 24 hrs	
		OR			
		Paracetamol IV* Give Over 15mins 2 Drops/Sec (Standard giving set) +/- Codeine Phosphate	1g QDS 30-60mg QDS	4g in 24 hrs 240mg in 24 hrs	
<i>*Check Paracetamol dose already given in other preparations.</i>					
3	Severe	Fentanyl (Oral transmucosal lozenge)	800 mcg QDS	INITIAL DOSE 1 over 15 mins repeat after 30mins if required MAINTENANCE 1 every 4-6hrs	
		Methoxyflurane (Penthrox ®)	3ml OD	Effect = 25 - 30 mins. Do not repeat without MO advice	
IF PAIN REMAINS UNCONTROLLED – MO SUPPORTED ADVANCED ANALGESIA MAY BE REQUIRED. SEE ADVANCED ANALGESIA PROTOCOL .					