

PROCEDURAL SEDATION CHECKLIST

PREPARATION

PREOXYGENATION AND SUFFICIENT OXYGEN CYLINDERS	CHECK
PERSONNEL AND PROCEDURE (e.g. SPLINT) READY?	CHECK
SUCTION AVAILABLE AND WORKING	CHECK
AIRWAY EQUIPMENT AND BAG-VALVE MASK READY	CHECK
VASCULAR ACCESS SECURED AND FLUSHED	CHECK

MONITORING

SpO ₂ ABOVE >95%	CHECK
CONTINUOUS ECG MONITORING	CHECK
ETCO ₂ WAVEFORM FROM NASAL CAPNOGRAPHY	CHECK
NIBP CYCLING EVERY 3 MINUTES	CHECK
SBP >100mmHg AND RADIAL PULSES PRESENT?	CHECK

DRUGS

KETAMINE DOSE AND VOLUME	RESPONSE
MIDAZOLAM REQUIRED?	RESPONSE

IF ALL OF CHECKLIST IS COMPLETE THEN PROCEED WITH SEDATION

KETAMINE DOSE NOT TO EXCEED:

0.5mg/kg IV

2mg/kg IN

5mg/kg IM

CONTRAINDICATIONS OF PROCEDURAL SEDATION ARE:
CIRCULATORY COMPROMISED PATIENTS (SHOCK), SBP <100mmHg
UNABLE TO MAINTAIN AIRWAY OR EXPECTED DIFFICULT AIRWAY
UNABLE TO ASSESS BREATHING OR VENTILATE PATIENT