

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show



source



outline



image report

Options...

Check by

text input

☐ CSS

```
<a href="/contact">Contact Developer</a>
<span>&nbsp;</span>
<a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page"
  rel="noreferrer noopener" target="_blank"><i class="fab fa-github-square fa-lg"></i></a>
</div>
</footer>
<!-- JavaScript links -->
<!-- Link to JQuery JavaScript file -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
  integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
defer>
</script>
<!-- Link to Bootstrap JavaScript files -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-gtEjrD/SeCtmISkJKNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4" crossorigin="anonymous">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1.  ␣
2.  <!DOCTYPE html>␣
3.  <html lang="en">␣
4.  <head>␣
5.      <!-- Metadata -->␣
6.      <meta charset="UTF-8">␣
7.      <meta name="viewport" content="width=device-width, initial-scale=1.0">␣
8.      <meta http-equiv="X-UA-Compatible" content="ie=edge">␣
9.      <meta name="description" ␣
10.         content="FreeFrom - Find, rate, review and add products which are free from one or more common allergens.">␣
11.      <meta name="keywords" ␣
12.         content="Allergy, Allergen, Intolerance, Allergy Database, ␣
13.         Allergen Database, Intolerance Database, ">␣
14.      <meta name="author" content="Richard Ash">␣
15.      <meta name="viewport" content="width=device-width, initial-scale=1">␣
16.      <!-- Link to Dove Favicon -->␣
17.      <link rel="shortcut icon" href="static/images/dove-favicon.ico" type="image/x-icon"> ␣
18.      <!-- Link to Bootstrap 5.0.1 CDN -->␣
19.      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet" ␣
20.         integrity="sha384-+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPPrVMTNDbiYZCxYbOO17+AMvyTG2x"
crossorigin="anonymous">␣
21.      <!-- Link to Google Fonts -->␣
22.      <link rel="preconnect" href="https://fonts.gstatic.com">␣
23.      <!-- Link to Architects Daughter font -->␣
24.      <link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">␣
25.      <!-- Link to Montserrat font -->␣
26.      <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap" ␣
27.         rel="stylesheet">␣
28.      <!-- Link to Open Sans font -->␣
29.      <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap" ␣
30.         rel="stylesheet">␣
31.      <!-- Link to Font Awesome Kit -->␣
32.      <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>␣
33.      <!-- Link to DataTables CSS -->␣
34.      <link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta1/dist/css/bootstrap.min.css">␣
35.      <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">␣
36.      <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">␣
37.      <!-- Link to Custom CSS -->␣
38.      ␣
39.      <link rel="stylesheet" href="/static/css/style.css">␣
40.      ␣
41.      <title>FreeFrom</title>␣

```

```

42. </head>↵
43. <body>↵
44.   <header>↵
45.     <!-- Bootstrap navbar -->↵
46.     <nav class="navbar navbar-expand-lg navbar-dark">↵
47.       <div class="container-fluid">↵
48.         <a class="navbar-brand logo" href="/">FreeFrom↵
49.           ↵
50.         </a>↵
51.         <button class="navbar-toggler" type="button" data-bs-toggle="collapse"↵
52.           data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false"↵
53.           aria-label="Toggle navigation">↵
54.           <span class="navbar-toggler-icon"></span>↵
55.         </button>↵
56.         <div class="collapse navbar-collapse" id="navbarNavDropdown">↵
57.           <ul class="navbar-nav ms-auto">↵
58.             <li class="nav-item">↵
59.               <a class="nav-link active" aria-current="page" href="/">Home</a>↵
60.             </li>↵
61.             <!-- If signed in user has admin privileges -->↵
62.             ↵
63.             <!-- Show allergens menu -->↵
64.             <li class="nav-item dropdown">↵
65.               <a class="nav-link dropdown-toggle" href="#" id="allergenDropdown" role="button"
data-bs-toggle="dropdown"↵
66.                 aria-expanded="false">↵
67.                 Allergens↵
68.               </a>↵
69.               <ul class="dropdown-menu" aria-labelledby="allergenDropdown">↵
70.                 <li>↵
71.                   <a class="dropdown-item" href="/allergen_add">Add Allergen</a>↵
72.                 </li>↵
73.                 <li>↵
74.                   <a class="dropdown-item" href="/allergen_edit">Edit Allergen</a>↵
75.                 </li>↵
76.                 <li>↵
77.                   <hr class="dropdown-divider">↵
78.                 </li>↵
79.                 <li>↵
80.                   <a class="dropdown-item" href="/allergen_delete">Delete Allergen</a>↵
81.                 </li>↵
82.               </ul>↵
83.             </li>↵
84.             <!-- Show categories menu -->↵
85.             <li class="nav-item dropdown">↵
86.               <a class="nav-link dropdown-toggle" href="#" id="categoryDropdown" role="button" ↵
87.                 data-bs-toggle="dropdown" aria-expanded="false">↵

```

```

88.         Categories↵
89.     </a>↵
90.     <ul class="dropdown-menu" aria-labelledby="categoryDropdown">↵
91.         <li>↵
92.             <a class="dropdown-item" href="/category_add">Add Category</a>↵
93.         </li>↵
94.         <li>↵
95.             <a class="dropdown-item" href="/categories_edit">Edit Category</a>↵
96.         </li>↵
97.         <li>↵
98.             <hr class="dropdown-divider">↵
99.         </li>↵
100.        <li>↵
101.            <a class="dropdown-item" href="/categories_delete">Delete Category</a>↵
102.        </li>↵
103.    </ul>↵
104. </li>↵
105. ↵
106. <!-- If user is signed in -->↵
107. ↵
108.     <!-- Show Sign Out on menu -->↵
109.     <li class="nav-item">↵
110.         <a class="nav-link" href="/signout">Sign Out</a>↵
111.     </li> ↵
112.     ↵
113. </ul>↵
114. </div>↵
115. </div>↵
116. </nav> ↵
117. </header>↵
118. <!-- Flash Messages -->↵
119. <section id="flash-messages" aria-label="Flash Messages"> ↵
120.     <!-- Iterate over messages object and display flash messages -->↵
121.     ↵
122.     ↵
123.     ↵
124. </section>↵
125. ↵
126. <!--Import form error macro -->↵
127. ↵
128. <!-- Product view -->↵
129. <section id="product-view" class="container-sm" aria-label="Product View">↵
130.     <!-- If user is not signed in -->↵
131.     ↵
132.     <div class="row">↵
133.         <!-- Product view form -->↵
134.         <form id="product-view-form" method="POST" ↵

```

```

135.      action="/view/60c30bdc8c137a1d611addaf"><↵
136.      <div class="row">↵
137.          <div class="col-md-3"></div>↵
138.          <div class="col-12 col-md-6 pt-4">↵
139.              <!-- WForms name field -->↵
140.              <label class="form-label input-label" for="name">Product</label>↵
141.              <input class="form-control form-control-lg form-control-readonly input-title" id="name"
name="name" readonly type="text" value="digestives">↵
142.          </div>↵
143.      </div>↵
144.      <div class="row">↵
145.          <div class="col-md-3"></div>↵
146.          <div class="col-12 col-md-6 pt-4">↵
147.              <!-- WForms category field -->↵
148.              <label class="form-label input-label" for="category">Category</label>↵
149.              <input class="form-control form-control-lg form-control-readonly input-title" id="category"
name="category" readonly type="text" value="biscuits">↵
150.          </div> ↵
151.          <div class="col-md-3"></div>↵
152.      </div>↵
153.      <div class="row">↵
154.          <div class="col-md-3"></div>↵
155.          <div class="col-12 col-md-6 pt-4">↵
156.              <!-- WForms manufacturer field -->↵
157.              <label class="form-label input-label" for="manufacturer">Manufacturer</label>↵
158.              <input class="form-control form-control-lg form-control-readonly input-title"
id="manufacturer" name="manufacturer" readonly type="text" value="mcvities">↵
159.          </div> ↵
160.          <div class="col-md-3"></div>↵
161.      </div>↵
162.      <div class="row">↵
163.          <div class="col-md-3"></div>↵
164.          <div class="col-12 col-md-6 pt-4">↵
165.              <!-- WForms freefrom field -->↵
166.              <label class="form-label input-label" for="freefrom">Free From</label>↵
167.              <input class="form-control form-control-lg input-title" id="freefrom" name="freefrom"
readonly type="text" value="nut, peanut, soy">↵
168.          </div> ↵
169.          <div class="col-md-3"></div>↵
170.      </div>↵
171.      <!-- If user is signed in -->↵
172.      ↵
173.      <div class="row">↵
174.          <div class="col-md-3"></div>↵
175.          <div class="col-12 col-md-6 pt-2">↵
176.              <!-- WForms review field -->↵
177.              <label class="form-label input-label" for="review">Your Review</label>↵

```

```

178.         <textarea class="form-control form-control-lg input-title" cols="5" id="review"
name="review" required rows="5"><
179. Great tasting biscuits, my all time favourites :)</textarea><
180.         <!-- Display form errors --><
181.         <
182.     <
183. <
184.         </div><
185.         <div class="col-md-3"></div><
186.     </div><
187.     <div class="row"><
188.         <div class="col-md-3"></div><
189.         <div class="col-12 col-md-6 pt-4 rating"><
190.             <!-- WForms rating field, not displayed --><
191.             <label class="form-label input-label" for="rating">Your Rating</label> <
192.             <input class="d-none" id="rating" name="rating" type="text" value="4"><
193.             <!-- Rating star icons --><
194.             <span>&nbsp;</span><
195.                 <i id="star-1" class="far fa-star"></i> <
196.                 <i id="star-2" class="far fa-star"></i><
197.                 <i id="star-3" class="far fa-star"></i><
198.                 <i id="star-4" class="far fa-star"></i><
199.                 <i id="star-5" class="far fa-star"></i><
200.             <!-- Display form errors --><
201.             <
202.         <
203. <
204.             <span class="pr-4">&nbsp;</span><
205.             <!-- If user has reviewed product before --><
206.             <
207.                 <!-- Show update button --><
208.                 <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Update</button><
209.                 <
210.             </div><
211.             <div class="col-md-3"></div><
212.         </div><
213.         <div class="row pt-4 pb-2"><
214.             <div class="col-md-3"></div><
215.             <div class="col-12 col-md-6 pt-4"><
216.                 <!-- Back button redirects to product search --><
217.                 <a href="/search" <
218.                     class="btn btn-lg btn-secondary" role="button">Back</a><
219.                 <!-- If user is signed in --><
220.                 <
221.                     <!-- Show Edit Product button --><
222.                     <a href="/edit/60c30bdc8c137a1d611addaf" <
223.                         class="btn btn-lg btn-danger btn-fireopal" role="button">Edit<

```

```

224.         Product</a><↵
225.         <!-- Show Add Product button --><↵
226.         <a href="/add" <↵
227.             class="btn btn-lg btn-danger btn-orangeyellow" role="button">Add Product</a><↵
228.         <↵
229.     </div><↵
230.     <div class="col-md-3"></div><↵
231. </div><↵
232. <↵
233. </form><↵
234. </div><↵
235. </section><↵
236. <!-- Product reviews --><↵
237. <section id="reviews" class="container-sm" aria-label="Product Reviews"><↵
238.     <div class="row pt-4"><↵
239.         <div class="col-md-3"></div><↵
240.         <div class="col-12 col-md-6 pt-2"><↵
241.             <!-- If product has been reviewed by other users --><↵
242.             <↵
243.                 <!-- Review heading --><↵
244.                 <h3 class="section-heading">Reviews</h3><↵
245.             <↵
246.             <!-- Reviews DataTable --><↵
247.             <table id="reviewsTable" <↵
248.                 class="table table-striped responsive results-table" style="width:100%"><↵
249.                 <!-- Table header --><↵
250.                 <thead><↵
251.                     <tr class="table-primary results-table-header"><↵
252.                         <th data-priority="1">User Name</th><↵
253.                         <th data-priority="2">Rating</th><↵
254.                         <th data-priority="3">Review</th><↵
255.                     </tr><↵
256.                 </thead><↵
257.                 <tbody><↵
258.                     <!-- If product has been reviewed by other users --><↵
259.                     <↵
260.                     <↵
261.                     <tr class="table-light results-table-row"><↵
262.                         <!-- username --><↵
263.                         <td>testadmin1</td><↵
264.                         <!-- If product has been rated --><↵
265.                         <↵
266.                         <!-- If rating is 0.0 --><↵
267.                         <↵
268.                         <td class="table-rating"><↵
269.                             <span class="d-none">4</span><↵
270.                             <i class="fas fa-star"></i><↵

```

```

271.         <i class="fas fa-star"></i>↵
272.         <i class="fas fa-star"></i>↵
273.         <i class="fas fa-star"></i>↵
274.         <i class="far fa-star"></i>↵
275.     </td>↵
276.     <!-- If rating is 5.0 -->↵
277.     ↵
278.     <!-- Else if product is not rated -->↵
279.     ↵
280.     <td>Great tasting biscuits, my all time favourites :)</td>↵
281. </tr>↵
282. ↵
283. <tr class="table-light results-table-row">↵
284.     <!-- username -->↵
285.     <td>testuser1</td>↵
286.     <!-- If product has been rated -->↵
287.     ↵
288.         <!-- If rating is 0.0 -->↵
289.         ↵
290.         <td class="table-rating">↵
291.             <span class="d-none">4</span>↵
292.             <i class="fas fa-star"></i>↵
293.             <i class="fas fa-star"></i>↵
294.             <i class="fas fa-star"></i>↵
295.             <i class="fas fa-star"></i>↵
296.             <i class="far fa-star"></i>↵
297.         </td>↵
298.         <!-- If rating is 5.0 -->↵
299.         ↵
300.         <!-- Else if product is not rated -->↵
301.         ↵
302.         <td>Great biccies :)</td>↵
303.     </tr>↵
304. ↵
305. <tr class="table-light results-table-row">↵
306.     <!-- username -->↵
307.     <td>testuser2</td>↵
308.     <!-- If product has been rated -->↵
309.     ↵
310.         <!-- If rating is 0.0 -->↵
311.         ↵
312.         <td class="table-rating">↵
313.             <span class="d-none">5</span>↵
314.             <i class="fas fa-star"></i>↵
315.             <i class="fas fa-star"></i>↵
316.             <i class="fas fa-star"></i>↵
317.             <i class="fas fa-star"></i>↵

```



```

318.         <i class="fas fa-star"></i>↵
319.     </td>↵
320. ↵
321.     <!-- Else if product is not rated -->↵
322. ↵
323.     <td>Lovely crunchy biscuits</td>↵
324. </tr>↵
325. ↵
326. ↵
327. </tbody>↵
328. </table>↵
329. </div>↵
330. <div class="col-md-3"></div>↵
331. </div>↵
332. </section>↵
333. ↵
334. <!-- Footer -->↵
335. <footer class="container-sm">↵
336.     <div class="container-footer pt-4 pb-4 text-center">↵
337.         <a href="/contact">Contact Developer</a>↵
338.         <span>&nbsp;</span>↵
339.         <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" ↵
340.             rel="noreferrer noopener" target="_blank"><i class="fab fa-github-square fa-lg"></i></a>↵
341.     </div>↵
342. </footer>↵
343. <!-- JavaScript links -->↵
344. <!-- Link to JQuery JavaScript file -->↵
345. <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" ↵
346.     integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
defer>↵
347. </script>↵
348. <!-- Link to Bootstrap JavaScript files -->↵
349. <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ↵
350.     integrity="sha384-gtEjrD/SeCtmISkJKNUaakMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4" crossorigin="anonymous"
defer>↵
351. </script>↵
352. <!-- Link to DataTables JavaScript files -->↵
353. <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js" defer></script>↵
354. <script src="https://cdn.datatables.net/1.10.24/js/dataTables.bootstrap5.min.js" defer></script>↵
355. <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js" defer></script>↵
356. <!-- Link to custom JavaScript files -->↵
357. ↵
358. <script src="/static/js/events.js" defer></script>↵
359. ↵
360. </body>↵
361. </html>

```

Used the HTML parser.

Total execution time 45 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.25