

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page"
  rel="noreferrer noopener" target="_blank"><i class="fab fa-github-square fa-lg"></i></a>
</div>
</footer>
<!-- JavaScript links -->
<!-- Link to JQuery JavaScript file -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
  integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
defer>
</script>
<!-- Link to Bootstrap JavaScript files -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-gtEjrD/SeCtmISkJKNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4" crossorigin="anonymous"
defer>
</script>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1.  ␣
2.  <!DOCTYPE html>␣
3.  <html lang="en">␣
4.  <head>␣
5.      <!-- Metadata -->␣
6.      <meta charset="UTF-8">␣
7.      <meta name="viewport" content="width=device-width, initial-scale=1.0">␣
8.      <meta http-equiv="X-UA-Compatible" content="ie=edge">␣
9.      <meta name="description" ␣
10.         content="FreeFrom - Find, rate, review and add products which are free from one or more common allergens.">␣
11.      <meta name="keywords" ␣
12.         content="Allergy, Allergen, Intolerance, Allergy Database, ␣
13.         Allergen Database, Intolerance Database, ">␣
14.      <meta name="author" content="Richard Ash">␣
15.      <meta name="viewport" content="width=device-width, initial-scale=1">␣
16.      <!-- Link to Dove Favicon -->␣
17.      <link rel="shortcut icon" href="static/images/dove-favicon.ico" type="image/x-icon"> ␣
18.      <!-- Link to Bootstrap 5.0.1 CDN -->␣
19.      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet" ␣
20.         integrity="sha384-+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOO17+AMvyTG2x"
crossorigin="anonymous">␣
21.      <!-- Link to Google Fonts -->␣
22.      <link rel="preconnect" href="https://fonts.gstatic.com">␣
23.      <!-- Link to Architects Daughter font -->␣
24.      <link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">␣
25.      <!-- Link to Montserrat font -->␣
26.      <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap" ␣
27.         rel="stylesheet">␣
28.      <!-- Link to Open Sans font -->␣
29.      <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap" ␣
30.         rel="stylesheet">␣
31.      <!-- Link to Font Awesome Kit -->␣
32.      <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>␣
33.      <!-- Link to DataTables CSS -->␣
34.      <link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta1/dist/css/bootstrap.min.css">␣
35.      <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">␣
36.      <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">␣
37.      <!-- Link to Custom CSS -->␣
38.      ␣
39.      <link rel="stylesheet" href="/static/css/style.css">␣
40.      ␣
41.      <title>FreeFrom</title>␣

```

```

42. </head>↵
43. <body>↵
44.   <header>↵
45.     <!-- Bootstrap navbar -->↵
46.     <nav class="navbar navbar-expand-lg navbar-dark">↵
47.       <div class="container-fluid">↵
48.         <a class="navbar-brand logo" href="/">FreeFrom↵
49.           ↵
50.         </a>↵
51.         <button class="navbar-toggler" type="button" data-bs-toggle="collapse"↵
52.           data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false"↵
53.           aria-label="Toggle navigation">↵
54.           <span class="navbar-toggler-icon"></span>↵
55.         </button>↵
56.         <div class="collapse navbar-collapse" id="navbarNavDropdown">↵
57.           <ul class="navbar-nav ms-auto">↵
58.             <li class="nav-item">↵
59.               <a class="nav-link active" aria-current="page" href="/">Home</a>↵
60.             </li>↵
61.             <!-- If signed in user has admin privileges -->↵
62.             ↵
63.             <!-- Show allergens menu -->↵
64.             <li class="nav-item dropdown">↵
65.               <a class="nav-link dropdown-toggle" href="#" id="allergenDropdown" role="button"
data-bs-toggle="dropdown"↵
66.                 aria-expanded="false">↵
67.                 Allergens↵
68.               </a>↵
69.               <ul class="dropdown-menu" aria-labelledby="allergenDropdown">↵
70.                 <li>↵
71.                   <a class="dropdown-item" href="/allergen_add">Add Allergen</a>↵
72.                 </li>↵
73.                 <li>↵
74.                   <a class="dropdown-item" href="/allergen_edit">Edit Allergen</a>↵
75.                 </li>↵
76.                 <li>↵
77.                   <hr class="dropdown-divider">↵
78.                 </li>↵
79.                 <li>↵
80.                   <a class="dropdown-item" href="/allergen_delete">Delete Allergen</a>↵
81.                 </li>↵
82.               </ul>↵
83.             </li>↵
84.             <!-- Show categories menu -->↵
85.             <li class="nav-item dropdown">↵
86.               <a class="nav-link dropdown-toggle" href="#" id="categoryDropdown" role="button" ↵
87.                 data-bs-toggle="dropdown" aria-expanded="false">↵

```

```

88.         Categories↵
89.     </a>↵
90.     <ul class="dropdown-menu" aria-labelledby="categoryDropdown">↵
91.         <li>↵
92.             <a class="dropdown-item" href="/category_add">Add Category</a>↵
93.         </li>↵
94.         <li>↵
95.             <a class="dropdown-item" href="/categories_edit">Edit Category</a>↵
96.         </li>↵
97.         <li>↵
98.             <hr class="dropdown-divider">↵
99.         </li>↵
100.        <li>↵
101.            <a class="dropdown-item" href="/categories_delete">Delete Category</a>↵
102.        </li>↵
103.    </ul>↵
104. </li>↵
105. ↵
106. <!-- If user is signed in -->↵
107. ↵
108.     <!-- Show Sign Out on menu -->↵
109.     <li class="nav-item">↵
110.         <a class="nav-link" href="/signout">Sign Out</a>↵
111.     </li> ↵
112.     ↵
113. </ul>↵
114. </div>↵
115. </div>↵
116. </nav> ↵
117. </header>↵
118. <!-- Flash Messages -->↵
119. <section id="flash-messages" aria-label="Flash Messages"> ↵
120.     <!-- Iterate over messages object and display flash messages -->↵
121.     ↵
122.     ↵
123.     ↵
124. </section>↵
125. ↵
126. <!-- Import form error macro -->↵
127. ↵
128. <!-- Product add -->↵
129. <section id="product-add" class="container-sm" aria-label="Product Add">↵
130.     <div class="row">↵
131.         <!-- Product add form -->↵
132.         <form id="product-add-form" method="POST" action="/add">↵
133.             <div class="row">↵
134.                 <div class="col-md-3"></div>↵

```

```

135.         <!-- WTForms name field -->↵
136.         <div class="col-12 col-md-6 pt-4">↵
137.             <label class="form-label input-label" for="name">Product</label>↵
138.             <input class="form-control form-control-lg input-title" id="name" name="name" required
type="text" value="">↵
139.         <!-- Display form errors -->↵
140.         ↵
141.     ↵
142. ↵
143.         </div> ↵
144.         <div class="col-md-3"></div>↵
145.     </div>↵
146.     <!-- Category selector -->↵
147.     <div class="row">↵
148.         <div class="col-md-3"></div>↵
149.         <div class="col-12 col-md-6 pt-4">↵
150.             <label class="form-label input-label" for="categorySelector">Category</label>↵
151.             <select class="form-select form-select-lg input-title" id="categorySelector" ↵
152.                 name="categorySelector" aria-label="Category Selector">↵
153.                 <!-- If product_category is passed through as an argument -->↵
154.                 ↵
155.                 <!-- Else display category... in selector -->↵
156.                 <option selected>category...</option>↵
157.                 ↵
158.                 <!-- If product_category is passed through as an argument -->↵
159.                 ↵
160.                 <!-- Else iterate over categories and populate drop down category selector --> ↵
161.                 ↵
162.                 <option value="biscuits">biscuits</option>↵
163.                 ↵
164.                 <option value="bread">bread</option>↵
165.                 ↵
166.                 <option value="cakes">cakes</option>↵
167.                 ↵
168.                 <option value="cereal">cereal</option>↵
169.                 ↵
170.                 <option value="crisps">crisps</option>↵
171.                 ↵
172.                 <option value="drinks">drinks</option>↵
173.                 ↵
174.                 ↵
175.             </select>↵
176.         </div> ↵
177.         <div class="col-md-3"></div>↵
178.     </div>↵
179.     <div class="row">↵
180.         <div class="col-md-3"></div>↵

```

```

181.         <div class="col-12 col-md-6 pt-4">↵
182.             <!-- WForms manufacturer field -->↵
183.             <label class="form-label input-label" for="manufacturer">Manufacturer</label>↵
184.             <input class="form-control form-control-lg input-title" id="manufacturer"
name="manufacturer" required type="text" value="">↵
185.             <!-- Display form errors -->↵
186.             ↵
187.         ↵
188.     ↵
189.         </div> ↵
190.         <div class="col-md-3"></div>↵
191.     </div>↵
192.     <div class="row">↵
193.         <div class="col-md-3"></div>↵
194.         <div class="col-12 col-md-6 pt-4">↵
195.             <!-- WForms freefrom field, not displayed -->↵
196.             <label class="form-label input-label" for="freefrom">Free From</label> ↵
197.             <input class="d-none" id="freefrom" name="freefrom" type="text" value="">↵
198.             <div class="div px-4 pb-2">↵
199.                 <!-- Allergen selector -->↵
200.                 ↵
201.                 <div class="form-check form-check-inline">↵
202.                     <!-- If selected_allergens is passed through as an argument -->↵
203.                     ↵
204.                     <!-- Else show checkbox as unchecked -->↵
205.                     <input class="form-check-input" type="checkbox" id="dairyCheckbox" ↵
206.                         value="dairy" name="dairyCheckbox">↵
207.                     ↵
208.                     <label class="form-check-label" for="dairyCheckbox">dairy</label>↵
209.                 </div>↵
210.                 ↵
211.                 <div class="form-check form-check-inline">↵
212.                     <!-- If selected_allergens is passed through as an argument -->↵
213.                     ↵
214.                     <!-- Else show checkbox as unchecked -->↵
215.                     <input class="form-check-input" type="checkbox" id="eggCheckbox" ↵
216.                         value="egg" name="eggCheckbox">↵
217.                     ↵
218.                     <label class="form-check-label" for="eggCheckbox">egg</label>↵
219.                 </div>↵
220.                 ↵
221.                 <div class="form-check form-check-inline">↵
222.                     <!-- If selected_allergens is passed through as an argument -->↵
223.                     ↵
224.                     <!-- Else show checkbox as unchecked -->↵
225.                     <input class="form-check-input" type="checkbox" id="fishCheckbox" ↵
226.                         value="fish" name="fishCheckbox">↵

```

```

227.         ↵
228.         <label class="form-check-label" for="fishCheckbox">fish</label>↵
229.     </div>↵
230. ↵
231.     <div class="form-check form-check-inline">↵
232.         <!-- If selected_allergens is passed through as an argument -->↵
233.         ↵
234.             <!-- Else show checkbox as unchecked -->↵
235.             <input class="form-check-input" type="checkbox" id="glutenCheckbox"↵
236.                 value="gluten" name="glutenCheckbox">↵
237.             ↵
238.             <label class="form-check-label" for="glutenCheckbox">gluten</label>↵
239.         </div>↵
240. ↵
241.     <div class="form-check form-check-inline">↵
242.         <!-- If selected_allergens is passed through as an argument -->↵
243.         ↵
244.             <!-- Else show checkbox as unchecked -->↵
245.             <input class="form-check-input" type="checkbox" id="lactoseCheckbox"↵
246.                 value="lactose" name="lactoseCheckbox">↵
247.             ↵
248.             <label class="form-check-label" for="lactoseCheckbox">lactose</label>↵
249.         </div>↵
250. ↵
251.     <div class="form-check form-check-inline">↵
252.         <!-- If selected_allergens is passed through as an argument -->↵
253.         ↵
254.             <!-- Else show checkbox as unchecked -->↵
255.             <input class="form-check-input" type="checkbox" id="lupinCheckbox"↵
256.                 value="lupin" name="lupinCheckbox">↵
257.             ↵
258.             <label class="form-check-label" for="lupinCheckbox">lupin</label>↵
259.         </div>↵
260. ↵
261.     <div class="form-check form-check-inline">↵
262.         <!-- If selected_allergens is passed through as an argument -->↵
263.         ↵
264.             <!-- Else show checkbox as unchecked -->↵
265.             <input class="form-check-input" type="checkbox" id="molluscCheckbox"↵
266.                 value="mollusc" name="molluscCheckbox">↵
267.             ↵
268.             <label class="form-check-label" for="molluscCheckbox">mollusc</label>↵
269.         </div>↵
270. ↵
271.     <div class="form-check form-check-inline">↵
272.         <!-- If selected_allergens is passed through as an argument -->↵
273.         ↵

```

```

274.         <!-- Else show checkbox as unchecked -->↵
275.         <input class="form-check-input" type="checkbox" id="mustardCheckbox"↵
276.             value="mustard" name="mustardCheckbox">↵
277.         ↵
278.         <label class="form-check-label" for="mustardCheckbox">mustard</label>↵
279.     </div>↵
280. ↵
281.     <div class="form-check form-check-inline">↵
282.         <!-- If selected_allergens is passed through as an argument -->↵
283.         ↵
284.             <!-- Else show checkbox as unchecked -->↵
285.             <input class="form-check-input" type="checkbox" id="nutCheckbox"↵
286.                 value="nut" name="nutCheckbox">↵
287.             ↵
288.             <label class="form-check-label" for="nutCheckbox">nut</label>↵
289.         </div>↵
290. ↵
291.     <div class="form-check form-check-inline">↵
292.         <!-- If selected_allergens is passed through as an argument -->↵
293.         ↵
294.             <!-- Else show checkbox as unchecked -->↵
295.             <input class="form-check-input" type="checkbox" id="oatCheckbox"↵
296.                 value="oat" name="oatCheckbox">↵
297.             ↵
298.             <label class="form-check-label" for="oatCheckbox">oat</label>↵
299.         </div>↵
300. ↵
301.     <div class="form-check form-check-inline">↵
302.         <!-- If selected_allergens is passed through as an argument -->↵
303.         ↵
304.             <!-- Else show checkbox as unchecked -->↵
305.             <input class="form-check-input" type="checkbox" id="peanutCheckbox"↵
306.                 value="peanut" name="peanutCheckbox">↵
307.             ↵
308.             <label class="form-check-label" for="peanutCheckbox">peanut</label>↵
309.         </div>↵
310. ↵
311.     <div class="form-check form-check-inline">↵
312.         <!-- If selected_allergens is passed through as an argument -->↵
313.         ↵
314.             <!-- Else show checkbox as unchecked -->↵
315.             <input class="form-check-input" type="checkbox" id="sesameCheckbox"↵
316.                 value="sesame" name="sesameCheckbox">↵
317.             ↵
318.             <label class="form-check-label" for="sesameCheckbox">sesame</label>↵
319.         </div>↵
320. ↵

```



```

321. <div class="form-check form-check-inline">↵
322.   <!-- If selected_allergens is passed through as an argument -->↵
323.   ↵
324.     <!-- Else show checkbox as unchecked -->↵
325.     <input class="form-check-input" type="checkbox" id="soyCheckbox"↵
326.       value="soy" name="soyCheckbox">↵
327.     ↵
328.     <label class="form-check-label" for="soyCheckbox">soy</label>↵
329. </div>↵
330. ↵
331. <div class="form-check form-check-inline">↵
332.   <!-- If selected_allergens is passed through as an argument -->↵
333.   ↵
334.     <!-- Else show checkbox as unchecked -->↵
335.     <input class="form-check-input" type="checkbox" id="sulphitesCheckbox"↵
336.       value="sulphites" name="sulphitesCheckbox">↵
337.     ↵
338.     <label class="form-check-label" for="sulphitesCheckbox">sulphites</label>↵
339. </div>↵
340. ↵
341. <div class="form-check form-check-inline">↵
342.   <!-- If selected_allergens is passed through as an argument -->↵
343.   ↵
344.     <!-- Else show checkbox as unchecked -->↵
345.     <input class="form-check-input" type="checkbox" id="wheatCheckbox"↵
346.       value="wheat" name="wheatCheckbox">↵
347.     ↵
348.     <label class="form-check-label" for="wheatCheckbox">wheat</label>↵
349. </div>↵
350. ↵
351. <div class="form-check form-check-inline">↵
352.   <!-- If selected_allergens is passed through as an argument -->↵
353.   ↵
354.     <!-- Else show checkbox as unchecked -->↵
355.     <input class="form-check-input" type="checkbox" id="yeastCheckbox"↵
356.       value="yeast" name="yeastCheckbox">↵
357.     ↵
358.     <label class="form-check-label" for="yeastCheckbox">yeast</label>↵
359. </div>↵
360. ↵
361. </div>↵
362. </div>↵
363. <div class="col-md-3"></div>↵
364. </div>↵
365. <div class="row">↵
366.   <div class="col-md-3"></div>↵
367.   <div class="col-12 col-md-6 pt-2">↵

```

```

368.         <!-- WForms review field -->↵
369.         <label class="form-label input-label" for="review">Your Review</label>↵
370.         <textarea class="form-control form-control-lg input-title" cols="5" id="review"
name="review" required rows="5">↵
371.     </textarea>↵
372.         <!-- Display form errors -->↵
373.         ↵
374.     ↵
375. ↵
376.         </div> ↵
377.         <div class="col-md-3"></div>↵
378.     </div>↵
379.     <div class="row">↵
380.         <div class="col-md-3"></div>↵
381.         <div class="col-12 col-md-6 pt-4 rating">↵
382.             <!-- WForms rating field -->↵
383.             <label class="form-label input-label" for="rating">Your Rating</label> ↵
384.             <input class="d-none" id="rating" name="rating" type="text" value="">↵
385.             <!-- Rating star icons -->↵
386.             <span>&nbsp;</span>↵
387.             <i id="star-1" class="far fa-star"></i> ↵
388.             <i id="star-2" class="far fa-star"></i>↵
389.             <i id="star-3" class="far fa-star"></i>↵
390.             <i id="star-4" class="far fa-star"></i>↵
391.             <i id="star-5" class="far fa-star"></i>↵
392.             <!-- Display form errors -->↵
393.             ↵
394.         ↵
395.     ↵
396.         </div> ↵
397.         <div class="col-md-3"></div>↵
398.     </div>↵
399.     <div class="row">↵
400.         <div class="col-md-3"></div>↵
401.         <div class="col-12 col-md-6 pt-4">↵
402.             <!-- Add button submits form -->↵
403.             <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Add</button>↵
404.             <!-- Cancel button redirects to product search -->↵
405.             <a href="/search" role="button"
class="btn btn-lg btn-secondary">Cancel</a>↵
406.         </div>↵
407.         <div class="col-md-3"></div>↵
408.     </div>↵
409. </form>↵
410. </div>↵
411. </section>↵
412. ↵
413. ↵

```

```
414.     <!-- Footer -->↵
415.     <footer class="container-sm">↵
416.         <div class="container-footer pt-4 pb-4 text-center">↵
417.             <a href="/contact">Contact Developer</a>↵
418.             <span>&nbsp;</span>↵
419.             <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" ↵
420.                 rel="noreferrer noopener" target="_blank"><i class="fab fa-github-square fa-lg"></i></a>↵
421.         </div>↵
422.     </footer>↵
423.     <!-- JavaScript links -->↵
424.     <!-- Link to JQuery JavaScript file -->↵
425.     <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" ↵
426.         integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
         defer>↵
427.     </script>↵
428.     <!-- Link to Bootstrap JavaScript files -->↵
429.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ↵
430.         integrity="sha384-gtEjrD/SeCtmISkJKNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4" crossorigin="anonymous"
         defer>↵
431.     </script>↵
432.     <!-- Link to DataTables JavaScript files -->↵
433.     <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js" defer></script>↵
434.     <script src="https://cdn.datatables.net/1.10.24/js/dataTables.bootstrap5.min.js" defer></script>↵
435.     <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js" defer></script>↵
436.     <!-- Link to custom JavaScript files -->↵
437.     ↵
438.     <script src="/static/js/events.js" defer></script>↵
439.     ↵
440. </body>↵
441. </html>
```

Used the HTML parser.

Total execution time 34 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.27