Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

https://validator.w3.org/nu/#textarea

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">↔
 4. <head>←
 5.
        <!-- Metadata -->↩
 6.
        <meta charset="UTF-8">↔
        <meta name="viewport" content="width=device-width, initial-scale=1.0">←
 7.
        <meta http-equiv="X-UA-Compatible" content="ie=edge">←
 8.
        <meta name="description" content="FreeFrom - Find, rate, review and add products which are free from one or more</pre>
    common allergens.">↩
        <meta name="keywords" content="Allergy, Allergen, Intolerance, Allergy Database, ←</pre>
10.
11.
        Allergen Database, Intolerance Database, ">↩
        <meta name="author" content="Richard Ash">←
12.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
13.
14.
        <!-- Link to Favicon -->↔
15.
16.
        <!-- Link to Bootstrap 5.0.1 CDN -->↔
17.
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
    integrity="sha384-+0n0xVW2eSR50omGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYb0017+AMvyTG2x" crossorigin="anonymous">↔
18.
        <!-- Link to Google Fonts -->↔
19.
        <link rel="preconnect" href="https://fonts.gstatic.com">←
20.
        <!-- Link to Architects Daughter font -->↔
        <link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">↔
21.
        <!-- Link to Montserrat font -->↔
22.
23.
        <link href="https://fonts.googleapis.com/css2?</pre>
   family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap" rel="stylesheet">←
24.
        <!-- Link to Open Sans font -->↔
25.
        <link href="https://fonts.googleapis.com/css2?</pre>
   family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap"
    rel="stylesheet">↔
        <!-- Link to Font Awesome Kit -->↔
26.
        <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>↩
27.
28.
        <!-- Link to DataTables CSS -->↔
        <link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
   beta1/dist/css/bootstrap.min.css">↔
30.
        <link rel="stylesheet" type="text/css"</pre>
   href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">↔
        <link rel="stylesheet" type="text/css"</pre>
31.
    href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">↔
        <!-- Link to Custom CSS -->↩
32.
33.
34.
        <link rel="stylesheet" href="/static/css/style.css">←
35.
36.
        <title>FreeFrom</title>←
37. </head>←
38. <body>←
39.
        <header>←
```

https://validator.w3.org/nu/#textarea

```
40.
            <!-- Bootstrap navbar -->←
            <nav class="navbar navbar-expand-lg navbar-dark">←
41.
42.
                <div class="container-fluid">←
                    <a class="navbar-brand logo" href="/">FreeFrom <img src="/static/images/dove300x300.png" alt="white</pre>
43.
    dove" width="47" height="50"></a>↔
                    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-</pre>
44.
    target="#navbarNavDropdown"↔
45.
                        aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">↔
46.
                        <span class="navbar-toggler-icon"></span>←
47.
                    </button>←
48.
                    <div class="collapse navbar-collapse" id="navbarNavDropdown">←
49.
                        ←
50.
                            class="nav-item">↔
51.
                               <a class="nav-link active" aria-current="page" href="/">Home</a>↔
52.
                            ←
53.
                            <!-- If signed in user has admin privelages -->↔
54.
55.
                            <!-- If user is signed in -->↔
56.
57.
                                <!-- Else show Sign In on menu -->↔
58.
                                class="nav-item">↔
59.
                                    <a class="nav-link" href="/signin">Sign In</a>↔
60.
                                ←
61.
62.
                        ←
63.
                    </div>←
64.
                </div>←
65.
            </nav> ←
66.
        </header>←
67.
        <!-- Flash Messages -->↔
68.
        <section id="flash-messages" aria-label="Flash Messages"> ←
69.
            <!-- Iterate over messages object and display flash messages -->↔
70.
            ے
71.
72.
73.
        </section>←
74.
75.
    <!--Import form error macro -->↔
76. ←
77. <!-- Sign in -->↔
78. <section id="signin" class="container-sm" aria-label="Sign In">↔
79.
        <div class="row pt-5">←
80.
            <div class="col-sm-4"></div>←
81.
            <div class="col-12 col-sm-4">←
82.
                <!-- Sign in form -->↔
                <form method="POST" action="/signin">←
83.
84.
                    <div class="div pb-2">←
```

https://validator.w3.org/nu/#textarea 3/5

```
85.
                          <span class="form-label input-label">Don't have an account?&nbsp;</span>↔
 86.
                         <a href="/register" class="btn btn-lg btn-danger btn-orangevellow">Register</a>←
 87.
                     </div>←
 88.
                     <div>←
 89.
                          <div class="mb-3">↔
 90.
                              <!-- WTForms username field -->↔
                             <label class="form-label input-label" for="username">User Name</label>↔
 91.
92.
                              <input class="form-control form-control-lg input-title" id="username" name="username"</pre>
     required type="text" value="">↔
93.
                              <!-- Display form errors -->↔
 94.
 95.
 96. ←
97.
                          </div>←
98.
                     </div>↩
99.
                     <div>←
100.
                          <div class="mb-3 pb-2">←
101.
                              <!-- WTForms password field -->↔
102.
                             <label class="form-label input-label" for="password">Password</label>↔
103.
                              <input class="form-control form-control-lg input-title" id="password" name="password"</pre>
     required type="password" value="">↔
104.
                              <!-- Display form errors -->↔
105.
106.
107. ←
108.
                          </div>
                                                     \hookrightarrow
109.
                     </div>↩
110.
                     <!-- Sign in button submits form -->↔
                     <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Sign In</button>↔
111.
112.
                     <!-- Cancel button redirects to product seach -->↔
113.
                     <a href="/search" class="btn btn-lg btn-secondary">Cancel</a>←
114.
                 </form>←
115.
             </div>←
116.
             <div class="col-sm-4"></div>←
117.
         </div>←
118. </section>←
119. ←
120.
         <!-- Footer -->↔
121.
         <footer class="container-sm">←
122.
             <div class="container-footer pt-4 pb-4 text-center">←
123.
                 <a href="/contact">Contact Developer</a>↔
124.
                 <span>&nbsp;</span>←
125.
                 <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" rel="noreferrer
    noopener" target=" blank"><i class="fab fa-github-square fa-lg"></i></a>↔
126.
             </div>←
127.
         </footer>←
128.
         <!-- JavaScript links -->←
```

https://validator.w3.org/nu/#textarea 4/5

```
<!-- Link to JQuery JavaScript file -->↔
129.
130.
         <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" ←</pre>
             integrity="sha384-DfXdz2htPH01sSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
131.
     crossorigin="anonymous">↔
132.
         </script>↔
133.
         <!-- Link to Bootstrap JavaScript files -->↔
         <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ↔</pre>
134.
             integrity="sha384-gtEirD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
135.
     crossorigin="anonymous">↔
         </script>↔
136.
         <!-- Link to DataTables JavaScript files -->↔
137.
         <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js"></script>←
138.
139.
         <script src="https://cdn.datatables.net/1.10.24/js/dataTables.bootstrap5.min.js"></script>↔
         <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js"></script>↔
140.
141.
         <!-- Link to custom JavaScript files -->↔
142.
         <script src="/static/js/events.js"></script>↩
143.
144.
145. </body>←
146. </html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

About this checker • Report an issue • Version: 21.6.25

https://validator.w3.org/nu/#textarea 5/5