

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ▼ ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <!-- Metadata -->
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <meta name="description" content="FreeFrom - Find, rate, review and add products which are free from one or more
common allergens.">
  <meta name="keywords" content="Allergy, Allergen, Intolerance, Allergy Database,
Allergen Database, Intolerance Database, ">
  <meta name="author" content="Richard Ash">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- Link to Favicon -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.  <head>↵
5.      <!-- Metadata -->↵
6.      <meta charset="UTF-8">↵
7.      <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
8.      <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
9.      <meta name="description" content="FreeFrom - Find, rate, review and add products which are free from one or more
common allergens.">↵
10.     <meta name="keywords" content="Allergy, Allergen, Intolerance, Allergy Database, ↵
11.     Allergen Database, Intolerance Database, ">↵
12.     <meta name="author" content="Richard Ash">↵
13.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
14.     <!-- Link to Favicon -->↵
15.     ↵
16.     <!-- Link to Bootstrap 5.0.1 CDN -->↵
17.     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOO17+AMvyTG2x" crossorigin="anonymous">↵
18.     <!-- Link to Google Fonts -->↵
19.     <link rel="preconnect" href="https://fonts.gstatic.com">↵
20.     <!-- Link to Architects Daughter font -->↵
21.     <link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">↵
22.     <!-- Link to Montserrat font -->↵
23.     <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap" rel="stylesheet">↵
24.     <!-- Link to Open Sans font -->↵
25.     <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap"
rel="stylesheet">↵
26.     <!-- Link to Font Awesome Kit -->↵
27.     <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>↵
28.     <!-- Link to DataTables CSS -->↵
29.     <link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta1/dist/css/bootstrap.min.css">↵
30.     <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">↵
31.     <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">↵
32.     <!-- Link to Custom CSS -->↵
33.     ↵
34.     <link rel="stylesheet" href="/static/css/style.css">↵
35.     ↵
36.     <title>FreeFrom</title>↵
37. </head>↵
38. <body>↵
39.     <header>↵

```

```

40.      <!-- Bootstrap navbar -->
41.      <nav class="navbar navbar-expand-lg navbar-dark">
42.          <div class="container-fluid">
43.              <a class="navbar-brand logo" href="/">FreeFrom </a>
44.              <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNavDropdown"
45.                  aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">
46.                  <span class="navbar-toggler-icon"></span>
47.              </button>
48.              <div class="collapse navbar-collapse" id="navbarNavDropdown">
49.                  <ul class="navbar-nav ms-auto">
50.                      <li class="nav-item">
51.                          <a class="nav-link active" aria-current="page" href="/">Home</a>
52.                      </li>
53.                      <!-- If signed in user has admin privileges -->
54.                      <
55.                          <!-- Show allergens menu -->
56.                      <li class="nav-item dropdown">
57.                          <a class="nav-link dropdown-toggle" href="#" id="allergenDropdown" role="button"
data-bs-toggle="dropdown"
58.                              aria-expanded="false">
59.                              Allergens
60.                          </a>
61.                          <ul class="dropdown-menu" aria-labelledby="allergenDropdown">
62.                              <li><a class="dropdown-item" href="/allergen_add">Add Allergen</a></li>
63.                              <li><a class="dropdown-item" href="/allergen_edit">Edit Allergen</a></li>
64.                              <li>
65.                                  <hr class="dropdown-divider">
66.                              </li>
67.                              <li><a class="dropdown-item" href="/allergen_delete">Delete Allergen</a></li>
68.                          </ul>
69.                      </li>
70.                      <!-- Show categories menu -->
71.                      <li class="nav-item dropdown">
72.                          <a class="nav-link dropdown-toggle" href="#" id="categoryDropdown" role="button"
data-bs-toggle="dropdown"
73.                              aria-expanded="false">
74.                              Categories
75.                          </a>
76.                          <ul class="dropdown-menu" aria-labelledby="categoryDropdown">
77.                              <li><a class="dropdown-item" href="/category_add">Add Category</a></li>
78.                              <li><a class="dropdown-item" href="/categories_edit">Edit Category</a></li>
79.                              <li>
80.                                  <hr class="dropdown-divider">
81.                              </li>
82.                              <li><a class="dropdown-item" href="/categories_delete">Delete Category</a></li>

```

```

83.         </ul><↵
84.     </li><↵
85.     ↵
86.     <!-- If user is signed in --><↵
87.     ↵
88.         <!-- Show Sign Out on menu --><↵
89.         <li class="nav-item"><↵
90.             <a class="nav-link" href="/signout">Sign Out</a><↵
91.         </li> ↵
92.     ↵
93. </ul><↵
94. </div><↵
95. </div><↵
96. </nav> ↵
97. </header><↵
98. <!-- Flash Messages --><↵
99. <section id="flash-messages" aria-label="Flash Messages"> ↵
100.     <!-- Iterate over messages object and display flash messages --><↵
101.     ↵
102.     ↵
103.     ↵
104. </section><↵
105. ↵
106. <!--Import form error macro --><↵
107. ↵
108.     <!-- Product view --><↵
109.     <section id="product-view" class="container-sm" aria-label="Product View"><↵
110.         <!-- If user is not signed in --><↵
111.         ↵
112.         <div class="row"><↵
113.             <!-- Product view form --><↵
114.             <form id="product-view-form" method="POST" action="/view/60b13534af0161ae2c5ab7a3"><↵
115.                 <div class="row"><↵
116.                     <div class="col-md-3"></div><↵
117.                     <div class="col-12 col-md-6 pt-4"><↵
118.                         <!-- WForms name field --><↵
119.                         <label class="form-label input-label" for="name">Product</label><↵
120.                         <input class="form-control form-control-lg form-control-readonly input-title" id="name"
name="name" readonly type="text" value="jammie dodgers"><↵
121.                     </div><↵
122.                 </div><↵
123.                 <div class="row"><↵
124.                     <div class="col-md-3"></div><↵
125.                     <div class="col-12 col-md-6 pt-4"><↵
126.                         <!-- WForms category field --><↵
127.                         <label class="form-label input-label" for="category">Category</label><↵

```

```

128.         <input class="form-control form-control-lg form-control-readonly input-title" id="category"
name="category" readonly type="text" value="biscuits">↵
129.     </div> ↵
130.     <div class="col-md-3"></div>↵
131. </div>↵
132. <div class="row">↵
133.     <div class="col-md-3"></div>↵
134.     <div class="col-12 col-md-6 pt-4">↵
135.         <!-- WForms manufacturer field -->↵
136.         <label class="form-label input-label" for="manufacturer">Manufacturer</label>↵
137.         <input class="form-control form-control-lg form-control-readonly input-title"
id="manufacturer" name="manufacturer" readonly type="text" value="burtons">↵
138.     </div> ↵
139.     <div class="col-md-3"></div>↵
140. </div>↵
141. <div class="row">↵
142.     <div class="col-md-3"></div>↵
143.     <div class="col-12 col-md-6 pt-4">↵
144.         <!-- WForms freefrom field -->↵
145.         <label class="form-label input-label" for="freefrom">Free From</label>↵
146.         <input class="form-control form-control-lg input-title" id="freefrom" name="freefrom"
readonly type="text" value="dairy, nut, soy">↵
147.     </div> ↵
148.     <div class="col-md-3"></div>↵
149. </div>↵
150. <!-- If user is signed in -->↵
151. ↵
152.     <div class="row">↵
153.         <div class="col-md-3"></div>↵
154.         <div class="col-12 col-md-6 pt-2">↵
155.             <!-- WForms review field -->↵
156.             <label class="form-label input-label" for="review">Your Review</label>↵
157.             <textarea class="form-control form-control-lg input-title" cols="5" id="review"
name="review" required rows="5">↵
158. Awesome jam biscuits :)</textarea>↵
159.             <!-- Display form errors -->↵
160.             ↵
161.         ↵
162.         ↵
163.         </div>↵
164.         <div class="col-md-3"></div>↵
165.     </div>↵
166.     <div class="row">↵
167.         <div class="col-md-3"></div>↵
168.         <div class="col-12 col-md-6 pt-4 rating">↵
169.             <!-- WForms rating field, not displayed -->↵
170.             <label class="form-label input-label" for="rating">Your Rating</label> ↵

```

```

171. <input class="d-none" id="rating" name="rating" type="text" value="4">↵
172. <!-- Rating star icons -->↵
173. <span>&nbsp;</span>↵
174. <i id="star-1" class="far fa-star"></i>↵
175. <i id="star-2" class="far fa-star"></i>↵
176. <i id="star-3" class="far fa-star"></i>↵
177. <i id="star-4" class="far fa-star"></i>↵
178. <i id="star-5" class="far fa-star"></i>↵
179. <!-- Display form errors -->↵
180. ↵
181. ↵
182. ↵
183. <span class="pr-4">&nbsp;</span>↵
184. <!-- If user has reviewed product before -->↵
185. ↵
186. <!-- Show update button -->↵
187. <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Update</button>↵
188. ↵
189. </div>↵
190. <div class="col-md-3"></div>↵
191. </div>↵
192. <div class="row pt-4 pb-2">↵
193. <div class="col-md-3"></div>↵
194. <div class="col-12 col-md-6 pt-4">↵
195. <!-- Back button redirects to product search -->↵
196. <a href="/search" class="btn btn-lg btn-secondary">Back</a>↵
197. <!-- If user is signed in -->↵
198. ↵
199. <!-- Show Edit Product button -->↵
200. <a href="/edit/60b13534af0161ae2c5ab7a3" class="btn btn-lg btn-danger btn-
fireopal">Edit↵
201. <a href="/edit/60b13534af0161ae2c5ab7a3" class="btn btn-lg btn-danger btn-
Product</a>↵
202. <!-- Show Add Product button -->↵
203. <a href="/add" class="btn btn-lg btn-danger btn-orangeyellow">Add Product</a>↵
204. ↵
205. </div>↵
206. <div class="col-md-3"></div>↵
207. </div>↵
208. ↵
209. </form>↵
210. </div>↵
211. </section>↵
212. <!-- Product reviews -->↵
213. <section id="reviews" class="container-sm" aria-label="Product Reviews">↵
214. <div class="row pt-4">↵
215. <div class="col-md-3"></div>↵
216. <div class="col-12 col-md-6 pt-2">↵

```

```

217. <!-- If product has been reviewed by other users -->↵
218. ↵
219.     <!-- Review heading -->↵
220.     <h3 class="section-heading">Reviews</h3>↵
221. ↵
222. <!-- Reviews DataTable -->↵
223. <table id="reviewsTable" class="table table-striped responsive results-table" style="width:100%">↵
224.     <!-- Table header -->↵
225.     <thead>↵
226.         <tr class="table-primary results-table-header">↵
227.             <th data-priority="1">User Name</th>↵
228.             <th data-priority="2">Rating</th>↵
229.             <th data-priority="3">Review</th>↵
230.         </tr>↵
231.     </thead>↵
232.     <tbody>↵
233.         <!-- If product has been reviewed by other users -->↵
234.         ↵
235.             ↵
236.             <tr class="table-light results-table-row">↵
237.                 <!-- username -->↵
238.                 <td>testuser1</td>↵
239.                 <!-- If product has been rated -->↵
240.                 ↵
241.                 <!-- If rating is 0.0 -->↵
242.                 ↵
243.                 <td class="table-rating">↵
244.                     <span class="d-none">4</span>↵
245.                     <i class="fas fa-star"></i>↵
246.                     <i class="fas fa-star"></i>↵
247.                     <i class="fas fa-star"></i>↵
248.                     <i class="fas fa-star"></i>↵
249.                     <i class="far fa-star"></i>↵
250.                 </td>↵
251.                 <!-- If rating is 5.0 -->↵
252.                 ↵
253.                 <!-- Else if product is not rated -->↵
254.                 ↵
255.                 <td>Jam filled goodness!</td>↵
256.             </tr>↵
257.             ↵
258.             <tr class="table-light results-table-row">↵
259.                 <!-- username -->↵
260.                 <td>testadmin1</td>↵
261.                 <!-- If product has been rated -->↵
262.                 ↵
263.                 <!-- If rating is 0.0 -->↵

```

```

264.         ↵
265.         <td class="table-rating">↵
266.             <span class="d-none">4</span>↵
267.             <i class="fas fa-star"></i>↵
268.             <i class="fas fa-star"></i>↵
269.             <i class="fas fa-star"></i>↵
270.             <i class="fas fa-star"></i>↵
271.             <i class="far fa-star"></i>↵
272.         </td>↵
273.         <!-- If rating is 5.0 -->↵
274.         ↵
275.         <!-- Else if product is not rated -->↵
276.         ↵
277.         <td>Awesome jam biscuits :)</td>↵
278.     </tr>↵
279. ↵
280. <tr class="table-light results-table-row">↵
281.     <!-- username -->↵
282.     <td>testuser2</td>↵
283.     <!-- If product has been rated -->↵
284.     ↵
285.         <!-- If rating is 0.0 -->↵
286.         ↵
287.         <td class="table-rating">↵
288.             <span class="d-none">4</span>↵
289.             <i class="fas fa-star"></i>↵
290.             <i class="fas fa-star"></i>↵
291.             <i class="fas fa-star"></i>↵
292.             <i class="fas fa-star"></i>↵
293.             <i class="far fa-star"></i>↵
294.         </td>↵
295.         <!-- If rating is 5.0 -->↵
296.         ↵
297.         <!-- Else if product is not rated -->↵
298.         ↵
299.         <td>Tasty jammy biccies :)</td>↵
300.     </tr>↵
301. ↵
302. ↵
303.     </tbody>↵
304. </table>↵
305. </div>↵
306. <div class="col-md-3"></div>↵
307. </div>↵
308. </section>↵
309. ↵
310. <!-- Footer -->↵

```



```
311.     <footer class="container-sm">↵
312.         <div class="container-footer pt-4 pb-4 text-center">↵
313.             <a href="/contact">Contact Developer</a>↵
314.             <span>&nbsp;</span>↵
315.             <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" rel="noreferrer
noopenner" target="_blank"><i class="fab fa-github-square fa-lg"></i></a>↵
316.         </div>↵
317.     </footer>↵
318.     <!-- JavaScript links -->↵
319.     <!-- Link to JQuery JavaScript file -->↵
320.     <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" ↵
321.         integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous">↵
322.     </script>↵
323.     <!-- Link to Bootstrap JavaScript files -->↵
324.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ↵
325.         integrity="sha384-gtEjrD/SeCtmISkJKNUaakMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4"
crossorigin="anonymous">↵
326.     </script>↵
327.     <!-- Link to DataTables JavaScript files -->↵
328.     <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js"></script>↵
329.     <script src="https://cdn.datatables.net/1.10.24/js/dataTables.bootstrap5.min.js"></script>↵
330.     <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js"></script>↵
331.     <!-- Link to custom JavaScript files -->↵
332.     ↵
333.     <script src="/static/js/events.js"></script>↵
334.     ↵
335. </body>↵
336. </html>
```

Used the HTML parser.

Total execution time 22 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.25