Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

https://validator.w3.org/nu/#textarea

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">↔
 4. <head>←
 5.
        <!-- Metadata -->↩
 6.
        <meta charset="UTF-8">↔
        <meta name="viewport" content="width=device-width, initial-scale=1.0">←
 7.
        <meta http-equiv="X-UA-Compatible" content="ie=edge">←
 8.
        <meta name="description" content="FreeFrom - Find, rate, review and add products which are free from one or more</pre>
    common allergens.">←
        <meta name="keywords" content="Allergy, Allergen, Intolerance, Allergy Database, ←</pre>
10.
11.
        Allergen Database, Intolerance Database, ">↩
        <meta name="author" content="Richard Ash">←
12.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
13.
14.
        <!-- Link to Favicon -->↔
15.
16.
        <!-- Link to Bootstrap 5.0.1 CDN -->↔
17.
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
    integrity="sha384-+0n0xVW2eSR50omGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYb0017+AMvyTG2x" crossorigin="anonymous">↔
18.
        <!-- Link to Google Fonts -->↔
19.
        <link rel="preconnect" href="https://fonts.gstatic.com">←
20.
        <!-- Link to Architects Daughter font -->↔
        <link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">↔
21.
        <!-- Link to Montserrat font -->↔
22.
23.
        <link href="https://fonts.googleapis.com/css2?</pre>
   family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap" rel="stylesheet">←
24.
        <!-- Link to Open Sans font -->↔
25.
        <link href="https://fonts.googleapis.com/css2?</pre>
   family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap"
    rel="stylesheet">↔
        <!-- Link to Font Awesome Kit -->↔
26.
        <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>↩
27.
28.
        <!-- Link to DataTables CSS -->↔
        <link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
   beta1/dist/css/bootstrap.min.css">↔
30.
        <link rel="stylesheet" type="text/css"</pre>
   href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">↔
        <link rel="stylesheet" type="text/css"</pre>
31.
    href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">↔
        <!-- Link to Custom CSS -->↩
32.
33.
34.
        <link rel="stylesheet" href="/static/css/style.css">←
35.
36.
        <title>FreeFrom</title>←
37. </head>←
38. <body>←
39.
        <header>←
```

https://validator.w3.org/nu/#textarea

```
40.
          <!-- Bootstrap navbar -->←
41.
          <nav class="navbar navbar-expand-lg navbar-dark">←
42.
              <div class="container-fluid">←
                 <a class="navbar-brand logo" href="/">FreeFrom <img src="/static/images/dove300x300.png" alt="white</pre>
43.
   dove" width="47" height="50"></a>↔
                 <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-</pre>
44.
   target="#navbarNavDropdown"↔
                     aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">↔
45.
46.
                     <span class="navbar-toggler-icon"></span>←
47.
                 </button>←
48.
                 <div class="collapse navbar-collapse" id="navbarNavDropdown">←
49.
                     ←
50.
                        class="nav-item">↔
                            <a class="nav-link active" aria-current="page" href="/">Home</a>↔
51.
52.
                        ←
53.
                        <!-- If signed in user has admin privelages -->←
54.
55.
                            <!-- Show allergens menu -->↔
                            ←
56.
57.
                               <a class="nav-link dropdown-toggle" href="#" id="allergenDropdown" role="button"</pre>
   data-bs-toggle="dropdown"↔
58.
                                   aria-expanded="false">↔
59.
                                   Allergens←
60.
                                </a>←
61.
                                ↔
                                   <a class="dropdown-item" href="/allergen add">Add Allergen</a>

62.
63.
                                   <a class="dropdown-item" href="/allergen edit">Edit Allergen</a>
64.
                                   <1i>→
65.
                                       <hr class="dropdown-divider">←
66.
                                   ↩
67.
                                   <a class="dropdown-item" href="/allergen delete">Delete Allergen</a>
68.
                                ←
69.
                            ↔
70.
                            <!-- Show categories menu -->←
71.
                            ←
72.
                                <a class="nav-link dropdown-toggle" href="#" id="categoryDropdown" role="button"</pre>
   data-bs-toggle="dropdown"↔
73.
                                   aria-expanded="false">↩
74.
                                   Categories↩
75.
                                </a>←
76.
                                ↔
                                   <a class="dropdown-item" href="/category add">Add Category</a>
77.
78.
                                   <a class="dropdown-item" href="/categories_edit">Edit Category</a>
79.
                                   ←
80.
                                       <hr class="dropdown-divider">←
81.
                                   ←
82.
                                   <a class="dropdown-item" href="/categories delete">Delete Category</a>↔
```

https://validator.w3.org/nu/#textarea 3/6

```
83.
                                      ←
 84.
                                  ↩
 85.
                              \hookrightarrow
 86.
                              <!-- If user is signed in -->↔
 87.
 88.
                                  <!-- Show Sign Out on menu -->←
 89.
                                  class="nav-item">←
 90.
                                      <a class="nav-link" href="/signout">Sign Out</a>←
 91.
                                   ←
 92.
 93.
                          ←
 94.
                      </div>↩
 95.
                  </div>←
 96.
             </nav> ←
 97.
         </header>←
         <!-- Flash Messages -->↔
 98.
         <section id="flash-messages" aria-label="Flash Messages">
 99.
100.
             <!-- Iterate over messages object and display flash messages -->↔
101.
102.
                  \hookrightarrow
103.
104.
         </section>←
105.
106. <!-- Import form error macro -->←
107. ←
108. <!-- Contact developer -->↔
109. <section id="contact-form" class="container-sm" aria-label="Contact Form">↔
110.
         <div class="row pt-5">←
111.
             <div class="col-sm-4"></div>←
112.
             <div class="col-12 col-sm-4">←
113.
                 <!-- Contact form -->↔
                 <form method="POST" action="/contact">←
114.
115.
                      <div>←
116.
                          <div class="mb-3">↔
117.
                              <!-- WTForms name field -->↔
118.
                              <label class="form-label input-label" for="name">Name</label>←
119.
                              <input class="form-control form-control-lg input-title" id="name" name="name" required</pre>
     type="text" value="">↔
120.
                              <!-- Display form errors -->↔
121.
122.
123. ←
124.
                          </div>←
125.
                      </div>←
126.
                      <div>←
127.
                          <div class="mb-3">←
128.
                              <!-- WTForms email field -->↔
```

https://validator.w3.org/nu/#textarea 4/6

```
129.
                              <label class="form-label input-label" for="email">Email</label>↔
                              <input class="form-control form-control-lg input-title" id="email" name="email" required</pre>
130.
     type="text" value="testadmin1@gmail.com">↔
131.
                              <!-- Display form errors -->↔
132.
133.
134. ←
135.
                          </div>←
136.
                      </div>←
137.
                      <div>←
138.
                          <div class="mb-3 pb-2">←
139.
                              <!-- WTForms message field -->↔
                              <label class="form-label input-label" for="message">Message</label>←
140.
141.
                              <textarea class="form-control form-control-lg input-title" cols="5" id="message"</pre>
     name="message" required rows="8">↔
142. </textarea>↔
143.
                              <!-- Display form errors -->↔
144.
145.
146. ←
147.
                          </div>
                                                     \hookrightarrow
148.
                      </div>←
149.
                      <!-- Contact button submits form -->↔
150.
                      <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Contact</button>↔
151.
                      <!-- Cancel button redirects to product search -->←
152.
                      <a href="/search" class="btn btn-lg btn-secondary">Cancel</a>↔
153.
                 </form>←
154.
             </div>←
155.
             <div class="col-sm-4"></div>←
156.
         </div>←
157. </section>←
158. ←
159.
         <!-- Footer -->↔
160.
         <footer class="container-sm">←
161.
             <div class="container-footer pt-4 pb-4 text-center">←
162.
                 <a href="/contact">Contact Developer</a>↔
163.
                 <span>&nbsp;</span>←
164.
                 <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" rel="noreferrer
     noopener" target=" blank"><i class="fab fa-github-square fa-lg"></i></a>↔
             </div>←
165.
166.
         </footer>←
167.
         <!-- JavaScript links -->←
168.
         <!-- Link to JQuery JavaScript file -->↔
169.
         <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" ↔</pre>
170.
             integrity="sha384-DfXdz2htPH01sSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
     crossorigin="anonymous">←
171.
         </script>←
```

https://validator.w3.org/nu/#textarea 5/6

```
<!-- Link to Bootstrap JavaScript files -->↩
172.
173.
         <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ↔</pre>
             integrity="sha384-gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
174.
     crossorigin="anonymous">↔
175.
         </script>↔
176.
         <!-- Link to DataTables JavaScript files -->↔
         <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js"></script>↔
177.
         <script src="https://cdn.datatables.net/1.10.24/js/dataTables.bootstrap5.min.js"></script>↔
178.
         <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js"></script>↔
179.
         <!-- Link to custom JavaScript files -->↔
180.
181.
182.
         <script src="/static/js/events.js"></script>↩
183.
184. </body>←
185. </html>
```

Used the HTML parser.

Total execution time 16 milliseconds.

About this checker • Report an issue • Version: 21.6.25

https://validator.w3.org/nu/#textarea 6/6