
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

https://validator.w3.org/nu/#textarea

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">↔
 4. <head>←
 5.
        <!-- Metadata -->↔
 6.
        <meta charset="UTF-8">↔
        <meta name="viewport" content="width=device-width, initial-scale=1.0">←
 7.
        <meta http-equiv="X-UA-Compatible" content="ie=edge">←
 8.
 9.
        <meta name="description" ←
            content="FreeFrom - Find, rate, review and add products which are free from one or more common allergens.">↔
10.
11.
        <meta name="keywords" ←
12.
            content="Allergy, Allergen, Intolerance, Allergy Database, ↔
13.
        Allergen Database, Intolerance Database, ">↩
        <meta name="author" content="Richard Ash">←
14.
15.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
16.
        <!-- Link to Dove Favicon -->↔
        <link rel="shortcut icon" href="static/images/dove-favicon.ico" type="image/x-icon">
17.
        <!-- Link to Bootstrap 5.0.1 CDN -->↔
18.
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet" ←</pre>
19.
            integrity="sha384-+0n0xVW2eSR50omGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYb0017+AMvyTG2x"
20.
    crossorigin="anonymous">←
21.
        <!-- Link to Google Fonts -->↔
        <link rel="preconnect" href="https://fonts.gstatic.com">←
22.
23.
        <!-- Link to Architects Daughter font -->↔
24.
        <link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">←
25.
        <!-- Link to Montserrat font -->←
26.
        <link href="https://fonts.googleapis.com/css2?</pre>
   family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap"↔
27.
            rel="stylesheet">←
28.
        <!-- Link to Open Sans font -->↔
29.
        <link href="https://fonts.googleapis.com/css2?</pre>
   family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap"↔
30.
            rel="stylesheet">↔
31.
        <!-- Link to Font Awesome Kit -->↔
        <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>↔
32.
33.
        <!-- Link to DataTables CSS -->↔
34.
        <link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
    beta1/dist/css/bootstrap.min.css">↔
        <link rel="stylesheet" type="text/css"</pre>
35.
   href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">↔
        <link rel="stylesheet" type="text/css"</pre>
36.
    href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">↔
37.
        <!-- Link to Custom CSS -->←
38.
        <link rel="stylesheet" href="/static/css/style.css">←
39.
40.
41.
        <title>FreeFrom</title>←
```

https://validator.w3.org/nu/#textarea 2/7

```
42. </head>←
43. <body>←
44.
       <header>←
45.
           <!-- Bootstrap navbar -->←
          <nav class="navbar navbar-expand-lg navbar-dark">←
46.
47
              <div class="container-fluid">↔
48
                  <a class="navbar-brand logo" href="/">FreeFrom↔
49.
                      <img src="/static/images/dove94x100.png" alt="white dove" width="47" height="50">←
50.
                  </a>←
                  <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
←</pre>
51.
                     data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" ↔
52.
53.
                      aria-label="Toggle navigation">←
54.
                     <span class="navbar-toggler-icon"></span>↔
55.
                  </button>←
56.
                  <div class="collapse navbar-collapse" id="navbarNavDropdown">←
57.
                      ←
58.
                         class="nav-item">↔
59.
                             <a class="nav-link active" aria-current="page" href="/">Home</a>↔
60.
                         ←
61.
                         <!-- If signed in user has admin privelages -->↔
62.
63.
                             <!-- Show allergens menu -->↔
64.
                             ←
65.
                                 <a class="nav-link dropdown-toggle" href="#" id="allergenDropdown" role="button"</pre>
   data-bs-toggle="dropdown"↔
66.
                                    aria-expanded="false">↔
67.
                                    Allergens↔
68.
                                 </a>←
                                 ←
69.
70.
71.
                                        <a class="dropdown-item" href="/allergen add">Add Allergen</a>↔
72.
                                    ←
73.
                                    ←
74.
                                        <a class="dropdown-item" href="/allergen edit">Edit Allergen</a>↔
75.
                                    ←
76.
                                    ←
77.
                                        <hr class="dropdown-divider">←
78.
                                    ←
79.
                                    ←
80.
                                        <a class="dropdown-item" href="/allergen delete">Delete Allergen</a>↔
81.
                                    ←
82.
                                 ←
83.
                             ↩
84.
                             <!-- Show categories menu -->←
85.
                             ←
                                 <a class="nav-link dropdown-toggle" href="#" id="categoryDropdown" role="button" ←</pre>
86.
87.
                                    data-bs-toggle="dropdown" aria-expanded="false">↔
```

https://validator.w3.org/nu/#textarea

```
88.
                                       Categories←
 89.
                                   </a>←
 90.
                                   ↔
 91.
                                       ∠li>←
92.
                                          <a class="dropdown-item" href="/category add">Add Category</a>↔
 93.
                                       ↩
 94.
                                       ←
95.
                                          <a class="dropdown-item" href="/categories edit">Edit Category</a>↔
 96.
                                       ↔
97.
                                       ←
98.
                                          <hr class="dropdown-divider">←
99.
                                       ←
100.
                                       ⟨li⟩↩
101.
                                          <a class="dropdown-item" href="/categories delete">Delete Category</a>↔
102.
                                       ←
103.
                                   ←
                               ↩
104.
105.
106.
                           <!-- If user is signed in -->↔
107.
108.
                               <!-- Show Sign Out on menu -->←
109.
                               class="nav-item">↔
110.
                                   <a class="nav-link" href="/signout">Sign Out</a>←
111.
                                ←
112.
113.
                       ←
114.
                    </div>←
115.
                </div>←
116.
            </nav> ←
117.
        </header>←
118.
        <!-- Flash Messages -->↔
        <section id="flash-messages" aria-label="Flash Messages">
119.
120.
            <!-- Iterate over messages object and display flash messages -->↔
121.
122.
                \leftarrow
123.
124.
        </section>←
125.
126. <!-- Import form error macro -->↔
127. ←
128.
        <!-- Categroy edit -->↔
129.
        <section id="category-edit" class="container-sm" aria-label="Category Edit">←
130.
            <div class="row">↔
131.
                <!-- Categroy edit form -->↔
                <form id="category-edit-form" method="POST" action="/categories edit">←
132.
133.
                    <!-- Category selector -->↔
134.
                    <div class="row">↔
```

https://validator.w3.org/nu/#textarea 4/7

```
135.
                          <div class="col-md-3"></div>←
136.
                          <div class="col-12 col-md-6 pt-4">←
137.
                              <label class="form-label input-label" for="categorySelector">Category</label>↔
138.
                              <select class="form-select form-select-lg input-title" id="categorySelector"←</pre>
                                  name="categorySelector" aria-label="Category Selector">←
139.
140
                                  <!-- If existing category name is passed through as an argument -->↔
141
142.
                                       <!-- Else display category... in selector -->↔
143.
                                       <option selected>category...</option>←
144
145.
                                  <!-- Iterate over categories and populate drop down category selector -->↔
146.
147.
                                       <option value="biscuits">biscuits</option>←
148.
                                  \hookrightarrow
149.
                                       <option value="bread">bread</option>←
150.
                                  \hookrightarrow
151.
                                       <option value="cakes">cakes</option>←
152.
153.
                                       <option value="cereal">cereal</option>←
154.
155.
                                       <option value="crisps">crisps</option>←
156.
157.
                                       <option value="drinks">drinks</option>←
158.
159.
                              </select>←
160.
                          </div> ←
161.
                          <div class="col-md-3"></div>←
162.
                      </div>←
                      <div class="row">←
163.
164.
                          <div class="col-md-3"></div>←
165.
                          <div class="col-12 col-md-6 pt-4">←
166.
                              <!-- WTForms name field -->↔
167.
                              <label class="form-label input-label" for="name">New Category Name
168.
                              <input class="form-control form-control-lg input-title" id="name" name="name" required</pre>
     type="text" value="">↔
169.
                              <!-- Display form errors -->↔
170.
171.
172. ←
173.
                          </div> ←
174.
                          <div class="col-md-3"></div>←
175.
                      </div>←
176.
                      <div class="row">↔
177.
                          <div class="col-md-3"></div>←
178.
                          <div class="col-12 col-md-6 pt-4">←
179.
                              <!-- Update button submits form -->←
180.
                              <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Update</button>←
```

https://validator.w3.org/nu/#textarea 5/7

```
181.
                             <!-- Cancel button redirects to product search -->↔
182.
                             <a href="/search" class="btn btn-lg btn-secondarv"↔
183.
                                 role="button">Cancel</a>↔
184.
                         </div>←
185.
                         <div class="col-md-3"></div>←
186.
                     </div>←
187.
                 </form>←
188.
             </div>←
189.
         </section>←
190 ←
191.
         <!-- Footer -->↔
192.
         <footer class="container-sm">←
193.
             <div class="container-footer pt-4 pb-4 text-center">←
194.
                 <a href="/contact">Contact Developer</a>↔
195.
                 <span>&nbsp;</span>↔
196.
                 <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" ↔
                     rel="noreferrer noopener" target=" blank"><i class="fab fa-github-square fa-lg"></i></a>↔
197.
198.
             </div>←
199.
         </footer>←
200.
         <!-- JavaScript links -->←
201.
         <!-- Link to JOuery JavaScript file -->↔
         <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" ←</pre>
202.
             integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
203.
     defer>↩
204.
         </script>←
205.
         <!-- Link to Bootstrap JavaScript files -->↔
206.
         <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ←</pre>
207.
             integrity="sha384-gtEjrD/SeCtmISkJkNUaaKMoLD0//EJJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4" crossorigin="anonymous"
     defer>↩
208.
         </script>←
209.
         <!-- Link to DataTables JavaScript files -->↔
         <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js" defer></script>↔
210.
211.
         <script src="https://cdn.datatables.net/1.10.24/is/dataTables.bootstrap5.min.is" defer></script>↔
212.
         <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js" defer></script>↔
213.
         <!-- Link to custom JavaScript files -->↔
214.
215.
         <script src="/static/js/events.js" defer></script>←
216.
217. </body>←
218. </html>
```

Used the HTML parser.

Total execution time 26 milliseconds.

https://validator.w3.org/nu/#textarea 6/7

About this checker • Report an issue • Version: 21.7.2

https://validator.w3.org/nu/#textarea