# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options…]

Check by [text input ✔] ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
    <!-- Metadata -->
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="description" content="FreeFrom - Find, rate, review and add products which are free from one or more
common allergens.">
    <meta name="keywords" content="Allergy, Allergen, Intolerance, Allergy Database,
    Allergen Database, Intolerance Database, ">
    <meta name="author" content="Richard Ash">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Link to Favicon -->
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error** **Stray end tag** `i`.

    From line 203, column 106; to line 203, column 109

    `dd Product</i></a>↵`

Document checking completed.

Source

1. ↵
2. `<!DOCTYPE html>`↵
3. `<html lang="en">`↵
4. `<head>`↵
5.   `<!-- Metadata -->`↵
6.   `<meta charset="UTF-8">`↵
7.   `<meta name="viewport" content="width=device-width, initial-scale=1.0">`↵
8.   `<meta http-equiv="X-UA-Compatible" content="ie=edge">`↵
9.   `<meta name="description" content="FreeFrom - Find, rate, review and add products which are free from one or more common allergens.">`↵
10.   `<meta name="keywords" content="Allergy, Allergen, Intolerance, Allergy Database, `↵
11.   `Allergen Database, Intolerance Database, ">`↵
12.   `<meta name="author" content="Richard Ash">`↵
13.   `<meta name="viewport" content="width=device-width, initial-scale=1">`↵
14.   `<!-- Link to Favicon -->`↵
15.   ↵
16.   `<!-- Link to Bootstrap 5.0.1 CDN -->`↵
17.   `<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x" crossorigin="anonymous">`↵
18.   `<!-- Link to Google Fonts -->`↵
19.   `<link rel="preconnect" href="https://fonts.gstatic.com">`↵
20.   `<!-- Link to Architects Daughter font -->`↵
21.   `<link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">`↵
22.   `<!-- Link to Montserrat font -->`↵
23.   `<link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap" rel="stylesheet">`↵
24.   `<!-- Link to Open Sans font -->`↵
25.   `<link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap" rel="stylesheet">`↵
26.   `<!-- Link to Font Awesome Kit -->`↵
27.   `<script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>`↵
28.   `<!-- Link to DataTables CSS -->`↵
29.   `<link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/css/bootstrap.min.css">`↵
30.   `<link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">`↵

```
31.      <link rel="stylesheet" type="text/css"
    href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">↵
32.      <!-- Link to Custom CSS -->↵
33.      ↵
34.      <link rel="stylesheet" href="/static/css/style.css">↵
35.      ↵
36.      <title>FreeFrom</title>↵
37. </head>↵
38. <body>↵
39.     <header>↵
40.         <!-- Bootstrap navbar -->↵
41.         <nav class="navbar navbar-expand-lg navbar-dark">↵
42.             <div class="container-fluid">↵
43.                 <a class="navbar-brand logo" href="/">FreeFrom <img src="/static/images/dove300x300.png" alt="white
    dove" width="47" height="50"></a>↵
44.                 <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
    target="#navbarNavDropdown">↵
45.                     aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">↵
46.                     <span class="navbar-toggler-icon"></span>↵
47.                 </button>↵
48.                 <div class="collapse navbar-collapse" id="navbarNavDropdown">↵
49.                     <ul class="navbar-nav ms-auto">↵
50.                         <li class="nav-item">↵
51.                             <a class="nav-link active" aria-current="page" href="/">Home</a>↵
52.                         </li>↵
53.                         <!-- If signed in user has admin privelages -->↵
54.                         ↵
55.                             <!-- Show allergens menu -->↵
56.                             <li class="nav-item dropdown">↵
57.                                 <a class="nav-link dropdown-toggle" href="#" id="allergenDropdown" role="button" data-
    bs-toggle="dropdown"↵
58.                                     aria-expanded="false">↵
59.                                     Allergens↵
60.                                 </a>↵
61.                                 <ul class="dropdown-menu" aria-labelledby="allergenDropdown">↵
62.                                     <li><a class="dropdown-item" href="/allergen_add">Add Allergen</a></li>↵
63.                                     <li><a class="dropdown-item" href="/allergen_edit">Edit Allergen</a></li>↵
64.                                     <li>↵
65.                                         <hr class="dropdown-divider">↵
66.                                     </li>↵
67.                                     <li><a class="dropdown-item" href="/allergen_delete">Delete Allergen</a></li>↵
68.                                 </ul>↵
69.                             </li>↵
70.                             <!-- Show categories menu -->↵
71.                             <li class="nav-item dropdown">↵
72.                                 <a class="nav-link dropdown-toggle" href="#" id="categoryDropdown" role="button" data-
    bs-toggle="dropdown"↵
73.                                     aria-expanded="false">↵
```

```
 74.                                          Categories↵
 75.                                      </a>↵
 76.                                      <ul class="dropdown-menu" aria-labelledby="categoryDropdown">↵
 77.                                          <li><a class="dropdown-item" href="/category_add">Add Category</a></li>↵
 78.                                          <li><a class="dropdown-item" href="/categories_edit">Edit Category</a></li>↵
 79.                                          <li>↵
 80.                                              <hr class="dropdown-divider">↵
 81.                                          </li>↵
 82.                                          <li><a class="dropdown-item" href="/categories_delete">Delete Category</a></li>↵
 83.                                      </ul>↵
 84.                                  </li>↵
 85.                              ↵
 86.                              <!-- If user is signed in -->↵
 87.                              ↵
 88.                                  <!-- Show Sign Out on menu -->↵
 89.                                  <li class="nav-item">↵
 90.                                      <a class="nav-link" href="/signout">Sign Out</a>↵
 91.                                  </li> ↵
 92.                              ↵
 93.                          </ul>↵
 94.                      </div>↵
 95.                  </div>↵
 96.              </nav>   ↵
 97.          </header>↵
 98.          <!-- Flash Messages -->↵
 99.          <section id="flash-messages" aria-label="Flash Messages">   ↵
100.              <!-- Iterate over messages object and display flash messages -->↵
101.              ↵
102.                  ↵
103.              ↵
104.          </section>↵
105.          ↵
106.      <!--Import form error macro -->↵
107.      ↵
108.          <!-- Product view -->↵
109.          <section id="product-view" class="container-sm" aria-label="Product View">↵
110.              <!-- If user is not signed in -->↵
111.              ↵
112.              <div class="row">↵
113.                  <!-- Product view form -->↵
114.                  <form id="product-view-form" method="POST" action="/view/60c30bdc8c137a1d611addaf">↵
115.                      <div class="row">↵
116.                          <div class="col-md-3"></div>↵
117.                          <div class="col-12 col-md-6 pt-4">↵
118.                              <!-- WTForms name field -->↵
119.                              <label class="form-label input-label" for="name">Product</label>↵
120.                              <input class="form-control form-control-lg form-control-readonly input-title" id="name"
       name="name" readonly type="text" value="digestives">↵
```

```
121.                         </div>↵
122.                     </div>↵
123.                     <div class="row">↵
124.                         <div class="col-md-3"></div>↵
125.                         <div class="col-12 col-md-6 pt-4">↵
126.                             <!-- WTForms category field -->↵
127.                             <label class="form-label input-label" for="category">Category</label>↵
128.                             <input class="form-control form-control-lg form-control-readonly input-title" id="category"
        name="category" readonly type="text" value="biscuits">↵
129.                         </div> ↵
130.                         <div class="col-md-3"></div>↵
131.                     </div>↵
132.                     <div class="row">↵
133.                         <div class="col-md-3"></div>↵
134.                         <div class="col-12 col-md-6 pt-4">↵
135.                             <!-- WTForms manufacturer field -->↵
136.                             <label class="form-label input-label" for="manufacturer">Manufacturer</label>↵
137.                             <input class="form-control form-control-lg form-control-readonly input-title"
        id="manufacturer" name="manufacturer" readonly type="text" value="mcvities">↵
138.                         </div> ↵
139.                         <div class="col-md-3"></div>↵
140.                     </div>↵
141.                     <div class="row">↵
142.                         <div class="col-md-3"></div>↵
143.                         <div class="col-12 col-md-6 pt-4">↵
144.                             <!-- WTForms freefrom field -->↵
145.                             <label class="form-label input-label" for="freefrom">Free From</label>↵
146.                             <input class="form-control form-control-lg input-title" id="freefrom" name="freefrom" readonly
        type="text" value="nut, peanut, soy">↵
147.                         </div> ↵
148.                         <div class="col-md-3"></div>↵
149.                     </div>↵
150.                     <!-- If user is signed in -->↵
151.                         ↵
152.                     <div class="row">↵
153.                         <div class="col-md-3"></div>↵
154.                         <div class="col-12 col-md-6 pt-2">↵
155.                             <!-- WTForms review field -->↵
156.                             <label class="form-label input-label" for="review">Your Review</label>↵
157.                             <textarea class="form-control form-control-lg input-title" cols="5" id="review"
        name="review" required rows="5">↵
158. Great tasting biscuits, my all time favourites :)</textarea>↵
159.                             <!-- Display form errors -->↵
160.                                 ↵
161.     ↵
162. ↵
163.                         </div>↵
164.                         <div class="col-md-3"></div>↵
```

```
165.                              </div>↵
166.                              <div class="row">↵
167.                                  <div class="col-md-3"></div>↵
168.                                  <div class="col-12 col-md-6 pt-4 rating">↵
169.                                      <!-- WTForms rating field, not displayed -->↵
170.                                      <label class="form-label input-label" for="rating">Your Rating</label> ↵
171.                                      <input class="d-none" id="rating" name="rating" type="text" value="4">↵
172.                                          <!-- Rating star icons -->↵
173.                                          <span> </span>↵
174.                                          <i id="star-1" class="far fa-star"></i>                  ↵
175.                                          <i id="star-2" class="far fa-star"></i>↵
176.                                          <i id="star-3" class="far fa-star"></i>↵
177.                                          <i id="star-4" class="far fa-star"></i>↵
178.                                          <i id="star-5" class="far fa-star"></i>↵
179.                                      <!-- Display form errors -->↵
180.                                          ↵
181.          ↵
182.  ↵
183.                                      <span class="pr-4"> </span>↵
184.                                      <!-- If user has reviewed product before -->↵
185.                                          ↵
186.                                          <!-- Show update button -->↵
187.                                          <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Update</button>↵
188.                                          ↵
189.                                  </div>↵
190.                                  <div class="col-md-3"></div>↵
191.                              </div>↵
192.                              <div class="row pt-4 pb-2">↵
193.                                  <div class="col-md-3"></div>↵
194.                                  <div class="col-12 col-md-6 pt-4">↵
195.                                      <!-- Back button redirects to product search -->↵
196.                                      <a href="/search" class="btn btn-lg btn-secondary">Back</a>↵
197.                                      <!-- If user is signed in -->↵
198.                                          ↵
199.                                          <!-- Show Edit Product button -->↵
200.                                          <a href="/edit/60c30bdc8c137a1d611addaf" class="btn btn-lg btn-danger btn-
      fireopal">Edit↵
201.                                              Product</a>↵
202.                                          <!-- Show Add Product button -->↵
203.                                          <a href="/add" class="btn btn-lg btn-danger btn-orangeyellow">Add Product</i></a>↵
204.                                          ↵
205.                                  </div>↵
206.                                  <div class="col-md-3"></div>↵
207.                              </div>↵
208.                                  ↵
209.                          </form>↵
210.                      </div>↵
211.                  </section>↵
```

```
212.        <!-- Product reviews -->↵
213.        <section id="reviews" class="container-sm" aria-label="Product Reviews">↵
214.            <div class="row pt-4">↵
215.                <div class="col-md-3"></div>↵
216.                <div class="col-12 col-md-6 pt-2">↵
217.                    <!-- If product has been reviewed by other users -->↵
218.                    ↵
219.                        <!-- Review heading -->↵
220.                        <h3 class="section-heading">Reviews</h3>↵
221.                    ↵
222.                        <!-- Reviews DataTable -->↵
223.                        <table id="reviewsTable" class="table table-striped responsive results-table" style="width:100%">↵
224.                            <!-- Table header -->↵
225.                            <thead>↵
226.                                <tr class="table-primary results-table-header">↵
227.                                    <th data-priority="1">User Name</th>↵
228.                                    <th data-priority="2">Rating</th>↵
229.                                    <th data-priority="3">Review</th>↵
230.                                </tr>↵
231.                            </thead>↵
232.                            <tbody>↵
233.                                <!-- If product has been reviewed by other users -->↵
234.                                ↵
235.                                    ↵
236.                                        <tr class="table-light results-table-row">↵
237.                                            <!-- username -->↵
238.                                            <td>testadmin1</td>↵
239.                                            <!-- If product has been rated -->↵
240.                                            ↵
241.                                                <!-- If rating is 0.0 -->↵
242.                                                ↵
243.                                                    <td class="table-rating">↵
244.                                                        <span class="d-none">4</span>↵
245.                                                        <i class="fas fa-star"></i>↵
246.                                                        <i class="fas fa-star"></i>↵
247.                                                        <i class="fas fa-star"></i>↵
248.                                                        <i class="fas fa-star"></i>↵
249.                                                        <i class="far fa-star"></i>↵
250.                                                    </td>↵
251.                                                <!-- If rating is 5.0 -->↵
252.                                                ↵
253.                                            <!-- Else if product is not rated -->↵
254.                                            ↵
255.                                            <td>Great tasting biscuits, my all time favourites :)</td>↵
256.                                        </tr>↵
257.                                ↵
258.                                        <tr class="table-light results-table-row">↵
259.                                            <!-- username -->↵
```

```
260.          <td>testuser1</td>↵
261.          <!-- If product has been rated -->↵
262.          ↵
263.              <!-- If rating is 0.0 -->↵
264.              ↵
265.                  <td class="table-rating">↵
266.                      <span class="d-none">4</span>↵
267.                      <i class="fas fa-star"></i>↵
268.                      <i class="fas fa-star"></i>↵
269.                      <i class="fas fa-star"></i>↵
270.                      <i class="fas fa-star"></i>↵
271.                      <i class="far fa-star"></i>↵
272.                  </td>↵
273.              <!-- If rating is 5.0 -->↵
274.              ↵
275.          <!-- Else if product is not rated -->↵
276.          ↵
277.          <td>Great biccies :)</td>↵
278.      </tr>↵
279.      ↵
280.      <tr class="table-light results-table-row">↵
281.          <!-- username -->↵
282.          <td>testuser2</td>↵
283.          <!-- If product has been rated -->↵
284.          ↵
285.              <!-- If rating is 0.0 -->↵
286.              ↵
287.                  <td class="table-rating">↵
288.                      <span class="d-none">5</span>↵
289.                      <i class="fas fa-star"></i>↵
290.                      <i class="fas fa-star"></i>↵
291.                      <i class="fas fa-star"></i>↵
292.                      <i class="fas fa-star"></i>↵
293.                      <i class="fas fa-star"></i>↵
294.                  </td>↵
295.              ↵
296.          <!-- Else if product is not rated -->↵
297.          ↵
298.          <td>Lovely crunchy biscuits</td>↵
299.      </tr>↵
300.      ↵
301.      ↵
302.      </tbody>↵
303.      </table>↵
304.      </div>↵
305.      <div class="col-md-3"></div>↵
306.      </div>↵
307.      </section>↵
```

```
308.      ↵
309.      <!-- Footer -->↵
310.      <footer class="container-sm">↵
311.          <div class="container-footer pt-4 pb-4 text-center">↵
312.              <a href="/contact">Contact Developer</a>↵
313.              <span> </span>↵
314.              <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" rel="noreferrer
         noopener" target="_blank"><i class="fab fa-github-square fa-lg"></i></a>↵
315.          </div>↵
316.      </footer>↵
317.      <!-- JavaScript links -->↵
318.      <!-- Link to JQuery JavaScript file -->↵
319.      <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" ↵
320.          integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous">↵
321.      </script>↵
322.      <!-- Link to Bootstrap JavaScript files -->↵
323.      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ↵
324.          integrity="sha384-gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4" crossorigin="anonymous">↵
325.      </script>↵
326.      <!-- Link to DataTables JavaScript files -->↵
327.      <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js"></script>↵
328.      <script src="https://cdn.datatables.net/1.10.24/js/dataTables.bootstrap5.min.js"></script>↵
329.      <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js"></script>↵
330.      <!-- Link to custom JavaScript files -->↵
331.      ↵
332.      <script src="/static/js/events.js"></script>↵
333.      ↵
334. </body>↵
335. </html>
```

Used the HTML parser.

Total execution time 16 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.25