

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ▼ ☐ CSS

```
</div>
</footer>
<!-- JavaScript links -->
<!-- Link to JQuery JavaScript file -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
        integrity="sha384-DfXdz2htPH0lsSS5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
defer>
</script>
<!-- Link to Bootstrap JavaScript files -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js"
        integrity="sha384-gtEjrD/SeCtmISKJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4" crossorigin="anonymous"
defer>
</script>
<!-- Link to DataTables JavaScript files -->
<script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js" defer></script>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1.  ␣
2.  <!DOCTYPE html>␣
3.  <html lang="en">␣
4.  <head>␣
5.      <!-- Metadata -->␣
6.      <meta charset="UTF-8">␣
7.      <meta name="viewport" content="width=device-width, initial-scale=1.0">␣
8.      <meta http-equiv="X-UA-Compatible" content="ie=edge">␣
9.      <meta name="description" ␣
10.         content="FreeFrom - Find, rate, review and add products which are free from one or more common allergens.">␣
11.      <meta name="keywords" ␣
12.         content="Allergy, Allergen, Intolerance, Allergy Database, ␣
13.         Allergen Database, Intolerance Database, ">␣
14.      <meta name="author" content="Richard Ash">␣
15.      <meta name="viewport" content="width=device-width, initial-scale=1">␣
16.      <!-- Link to Dove Favicon -->␣
17.      <link rel="shortcut icon" href="static/images/dove-favicon.ico" type="image/x-icon"> ␣
18.      <!-- Link to Bootstrap 5.0.1 CDN -->␣
19.      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet" ␣
20.         integrity="sha384-+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOO17+AMvyTG2x"
crossorigin="anonymous">␣
21.      <!-- Link to Google Fonts -->␣
22.      <link rel="preconnect" href="https://fonts.gstatic.com">␣
23.      <!-- Link to Architects Daughter font -->␣
24.      <link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">␣
25.      <!-- Link to Montserrat font -->␣
26.      <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap" ␣
27.         rel="stylesheet">␣
28.      <!-- Link to Open Sans font -->␣
29.      <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap" ␣
30.         rel="stylesheet">␣
31.      <!-- Link to Font Awesome Kit -->␣
32.      <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>␣
33.      <!-- Link to DataTables CSS -->␣
34.      <link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta1/dist/css/bootstrap.min.css">␣
35.      <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">␣
36.      <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">␣
37.      <!-- Link to Custom CSS -->␣
38.      ␣
39.      <link rel="stylesheet" href="/static/css/style.css">␣
40.      ␣
41.      <title>FreeFrom</title>␣

```

```

42. </head>↵
43. <body>↵
44.   <header>↵
45.     <!-- Bootstrap navbar -->↵
46.     <nav class="navbar navbar-expand-lg navbar-dark">↵
47.       <div class="container-fluid">↵
48.         <a class="navbar-brand logo" href="/">FreeFrom↵
49.           ↵
50.         </a>↵
51.         <button class="navbar-toggler" type="button" data-bs-toggle="collapse"↵
52.           data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false"↵
53.           aria-label="Toggle navigation">↵
54.           <span class="navbar-toggler-icon"></span>↵
55.         </button>↵
56.         <div class="collapse navbar-collapse" id="navbarNavDropdown">↵
57.           <ul class="navbar-nav ms-auto">↵
58.             <li class="nav-item">↵
59.               <a class="nav-link active" aria-current="page" href="/">Home</a>↵
60.             </li>↵
61.             <!-- If signed in user has admin privileges -->↵
62.             ↵
63.             <!-- Show allergens menu -->↵
64.             <li class="nav-item dropdown">↵
65.               <a class="nav-link dropdown-toggle" href="#" id="allergenDropdown" role="button"
data-bs-toggle="dropdown"↵
66.                 aria-expanded="false">↵
67.                 Allergens↵
68.               </a>↵
69.               <ul class="dropdown-menu" aria-labelledby="allergenDropdown">↵
70.                 <li>↵
71.                   <a class="dropdown-item" href="/allergen_add">Add Allergen</a>↵
72.                 </li>↵
73.                 <li>↵
74.                   <a class="dropdown-item" href="/allergen_edit">Edit Allergen</a>↵
75.                 </li>↵
76.                 <li>↵
77.                   <hr class="dropdown-divider">↵
78.                 </li>↵
79.                 <li>↵
80.                   <a class="dropdown-item" href="/allergen_delete">Delete Allergen</a>↵
81.                 </li>↵
82.               </ul>↵
83.             </li>↵
84.             <!-- Show categories menu -->↵
85.             <li class="nav-item dropdown">↵
86.               <a class="nav-link dropdown-toggle" href="#" id="categoryDropdown" role="button" ↵
87.                 data-bs-toggle="dropdown" aria-expanded="false">↵

```

```

88.         Categories↵
89.     </a>↵
90.     <ul class="dropdown-menu" aria-labelledby="categoryDropdown">↵
91.         <li>↵
92.             <a class="dropdown-item" href="/category_add">Add Category</a>↵
93.         </li>↵
94.         <li>↵
95.             <a class="dropdown-item" href="/categories_edit">Edit Category</a>↵
96.         </li>↵
97.         <li>↵
98.             <hr class="dropdown-divider">↵
99.         </li>↵
100.        <li>↵
101.            <a class="dropdown-item" href="/categories_delete">Delete Category</a>↵
102.        </li>↵
103.    </ul>↵
104. </li>↵
105. ↵
106. <!-- If user is signed in -->↵
107. ↵
108.     <!-- Show Sign Out on menu -->↵
109.     <li class="nav-item">↵
110.         <a class="nav-link" href="/signout">Sign Out</a>↵
111.     </li> ↵
112.     ↵
113. </ul>↵
114. </div>↵
115. </div>↵
116. </nav> ↵
117. </header>↵
118. <!-- Flash Messages -->↵
119. <section id="flash-messages" aria-label="Flash Messages"> ↵
120.     <!-- Iterate over messages object and display flash messages -->↵
121.     ↵
122.     ↵
123.     ↵
124. </section>↵
125. ↵
126. <!-- Import form error macro -->↵
127. ↵
128. <!-- Allergen edit -->↵
129. <section id="allergen-edit" class="container-sm" aria-label="Allergen Edit">↵
130.     <div class="row">↵
131.         <!-- Allergen edit form -->↵
132.         <form id="allergen-edit-form" method="POST" action="/allergen_edit">↵
133.             <!-- Allergen selector -->↵
134.             <div class="row">↵

```

```
135. <div class="col-md-3"></div>↵
136. <div class="col-12 col-md-6 pt-4">↵
137.   <label class="form-label input-label" for="allergenSelector">Existing Allergen Name</label>↵
138.   <select class="form-select form-select-lg input-title" id="allergenSelector"↵
139.     name="allergenSelector" aria-label="Allergen Selector">↵
140.     <!-- If existing_allergen_name is passed through as an argument -->↵
141.     ↵
142.     <!-- Else display allergen... in selector -->↵
143.     <option selected>allergen...</option>↵
144.     ↵
145.     <!-- Iterate over allergens and populate drop down allergen selector -->↵
146.     ↵
147.     <option value="dairy">dairy</option>↵
148.     ↵
149.     <option value="egg">egg</option>↵
150.     ↵
151.     <option value="fish">fish</option>↵
152.     ↵
153.     <option value="gluten">gluten</option>↵
154.     ↵
155.     <option value="lactose">lactose</option>↵
156.     ↵
157.     <option value="lupin">lupin</option>↵
158.     ↵
159.     <option value="mollusc">mollusc</option>↵
160.     ↵
161.     <option value="mustard">mustard</option>↵
162.     ↵
163.     <option value="nut">nut</option>↵
164.     ↵
165.     <option value="oat">oat</option>↵
166.     ↵
167.     <option value="peanut">peanut</option>↵
168.     ↵
169.     <option value="sesame">sesame</option>↵
170.     ↵
171.     <option value="soy">soy</option>↵
172.     ↵
173.     <option value="sulphites">sulphites</option>↵
174.     ↵
175.     <option value="testallnew">testallnew</option>↵
176.     ↵
177.     <option value="wheat">wheat</option>↵
178.     ↵
179.     <option value="yeast">yeast</option>↵
180.     ↵
181. </select>↵
```

```

182.         </div> <←
183.         <div class="col-md-3"></div><←
184.     </div><←
185.     <div class="row"><←
186.         <div class="col-md-3"></div><←
187.         <div class="col-12 col-md-6 pt-4"><←
188.             <!-- WForms name field --><←
189.             <label class="form-label input-label" for="name">New Allergen Name</label><←
190.             <input class="form-control form-control-lg input-title" id="name" name="name" required
type="text" value=""><←
191.             <!-- Display form errors --><←
192.             <←
193.         <←
194.     <←
195.         </div> <←
196.         <div class="col-md-3"></div><←
197.     </div><←
198.     <div class="row"><←
199.         <div class="col-md-3"></div><←
200.         <div class="col-12 col-md-6 pt-4"><←
201.             <!-- Update button submits form --><←
202.             <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Update</button><←
203.             <!-- Cancel button redirects to product search --><←
204.             <a href="/search" class="btn btn-lg btn-secondary">
205.                 role="button">Cancel</a><←
206.         </div><←
207.         <div class="col-md-3"></div><←
208.     </div><←
209. </form><←
210. </div><←
211. </section><←
212. <←
213. <!-- Footer --><←
214. <footer class="container-sm"><←
215.     <div class="container-footer pt-4 pb-4 text-center"><←
216.         <a href="/contact">Contact Developer</a><←
217.         <span>&nbsp;</span><←
218.         <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" <←
219.             rel="nofollow noopener" target="_blank"><i class="fab fa-github-square fa-lg"></i></a><←
220.     </div><←
221. </footer><←
222. <!-- JavaScript links --><←
223. <!-- Link to JQuery JavaScript file --><←
224. <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" <←
225.     integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
defer><←
226. </script><←

```

```
227.     <!-- Link to Bootstrap JavaScript files -->↵
228.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ↵
229.         integrity="sha384-gtEjrD/SeCtmISkJKNUaakMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4" crossorigin="anonymous"
    defer>↵
230.     </script>↵
231.     <!-- Link to DataTables JavaScript files -->↵
232.     <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js" defer></script>↵
233.     <script src="https://cdn.datatables.net/1.10.24/js/dataTables.bootstrap5.min.js" defer></script>↵
234.     <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js" defer></script>↵
235.     <!-- Link to custom JavaScript files -->↵
236.     ↵
237.     <script src="/static/js/events.js" defer></script>↵
238.     ↵
239. </body>↵
240. </html>
```

Used the HTML parser.

Total execution time 12 milliseconds.

.....

[About this checker](#) • [Report an issue](#) • Version: 21.7.2