

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show



source



outline



image report

Options...

Check by

text input



☐ CSS

```
</div>
</footer>
<!-- JavaScript links -->
<!-- Link to JQuery JavaScript file -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
  integrity="sha384-DfXdz2htPH0lsSS5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
defer>
</script>
<!-- Link to Bootstrap JavaScript files -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-gtEjrD/SeCtmISkJKNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4" crossorigin="anonymous"
defer>
</script>
<!-- Link to DataTables JavaScript files -->
<script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js" defer></script>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1.  ␣
2.  <!DOCTYPE html>␣
3.  <html lang="en">␣
4.  <head>␣
5.      <!-- Metadata -->␣
6.      <meta charset="UTF-8">␣
7.      <meta name="viewport" content="width=device-width, initial-scale=1.0">␣
8.      <meta http-equiv="X-UA-Compatible" content="ie=edge">␣
9.      <meta name="description" ␣
10.         content="FreeFrom - Find, rate, review and add products which are free from one or more common allergens.">␣
11.      <meta name="keywords" ␣
12.         content="Allergy, Allergen, Intolerance, Allergy Database, ␣
13.         Allergen Database, Intolerance Database, ">␣
14.      <meta name="author" content="Richard Ash">␣
15.      <meta name="viewport" content="width=device-width, initial-scale=1">␣
16.      <!-- Link to Dove Favicon -->␣
17.      <link rel="shortcut icon" href="static/images/dove-favicon.ico" type="image/x-icon"> ␣
18.      <!-- Link to Bootstrap 5.0.1 CDN -->␣
19.      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet" ␣
20.         integrity="sha384-+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOO17+AMvyTG2x"
crossorigin="anonymous">␣
21.      <!-- Link to Google Fonts -->␣
22.      <link rel="preconnect" href="https://fonts.gstatic.com">␣
23.      <!-- Link to Architects Daughter font -->␣
24.      <link href="https://fonts.googleapis.com/css2?family=Architects+Daughter&display=swap" rel="stylesheet">␣
25.      <!-- Link to Montserrat font -->␣
26.      <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&display=swap" ␣
27.         rel="stylesheet">␣
28.      <!-- Link to Open Sans font -->␣
29.      <link href="https://fonts.googleapis.com/css2?
family=Architects+Daughter&family=Montserrat:wght@400;500;600&family=Open+Sans:wght@400;600;700&display=swap" ␣
30.         rel="stylesheet">␣
31.      <!-- Link to Font Awesome Kit -->␣
32.      <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>␣
33.      <!-- Link to DataTables CSS -->␣
34.      <link rel="stylesheet" type="text/css" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta1/dist/css/bootstrap.min.css">␣
35.      <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.10.24/css/dataTables.bootstrap5.min.css">␣
36.      <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/responsive/2.2.7/css/responsive.dataTables.min.css">␣
37.      <!-- Link to Custom CSS -->␣
38.      ␣
39.      <link rel="stylesheet" href="/static/css/style.css">␣
40.      ␣
41.      <title>FreeFrom</title>␣

```

```

42. </head>↵
43. <body>↵
44.   <header>↵
45.     <!-- Bootstrap navbar -->↵
46.     <nav class="navbar navbar-expand-lg navbar-dark">↵
47.       <div class="container-fluid">↵
48.         <a class="navbar-brand logo" href="/">FreeFrom↵
49.           ↵
50.         </a>↵
51.         <button class="navbar-toggler" type="button" data-bs-toggle="collapse"↵
52.           data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false"↵
53.           aria-label="Toggle navigation">↵
54.           <span class="navbar-toggler-icon"></span>↵
55.         </button>↵
56.         <div class="collapse navbar-collapse" id="navbarNavDropdown">↵
57.           <ul class="navbar-nav ms-auto">↵
58.             <li class="nav-item">↵
59.               <a class="nav-link active" aria-current="page" href="/">Home</a>↵
60.             </li>↵
61.             <!-- If signed in user has admin privileges -->↵
62.             ↵
63.             <!-- Show allergens menu -->↵
64.             <li class="nav-item dropdown">↵
65.               <a class="nav-link dropdown-toggle" href="#" id="allergenDropdown" role="button"
data-bs-toggle="dropdown"↵
66.                 aria-expanded="false">↵
67.                 Allergens↵
68.               </a>↵
69.               <ul class="dropdown-menu" aria-labelledby="allergenDropdown">↵
70.                 <li>↵
71.                   <a class="dropdown-item" href="/allergen_add">Add Allergen</a>↵
72.                 </li>↵
73.                 <li>↵
74.                   <a class="dropdown-item" href="/allergen_edit">Edit Allergen</a>↵
75.                 </li>↵
76.                 <li>↵
77.                   <hr class="dropdown-divider">↵
78.                 </li>↵
79.                 <li>↵
80.                   <a class="dropdown-item" href="/allergen_delete">Delete Allergen</a>↵
81.                 </li>↵
82.               </ul>↵
83.             </li>↵
84.             <!-- Show categories menu -->↵
85.             <li class="nav-item dropdown">↵
86.               <a class="nav-link dropdown-toggle" href="#" id="categoryDropdown" role="button" ↵
87.                 data-bs-toggle="dropdown" aria-expanded="false">↵

```

```

88.         Categories↵
89.     </a>↵
90.     <ul class="dropdown-menu" aria-labelledby="categoryDropdown">↵
91.         <li>↵
92.             <a class="dropdown-item" href="/category_add">Add Category</a>↵
93.         </li>↵
94.         <li>↵
95.             <a class="dropdown-item" href="/categories_edit">Edit Category</a>↵
96.         </li>↵
97.         <li>↵
98.             <hr class="dropdown-divider">↵
99.         </li>↵
100.        <li>↵
101.            <a class="dropdown-item" href="/categories_delete">Delete Category</a>↵
102.        </li>↵
103.    </ul>↵
104. </li>↵
105. ↵
106. <!-- If user is signed in -->↵
107. ↵
108.     <!-- Show Sign Out on menu -->↵
109.     <li class="nav-item">↵
110.         <a class="nav-link" href="/signout">Sign Out</a>↵
111.     </li> ↵
112.     ↵
113. </ul>↵
114. </div>↵
115. </div>↵
116. </nav> ↵
117. </header>↵
118. <!-- Flash Messages -->↵
119. <section id="flash-messages" aria-label="Flash Messages"> ↵
120.     <!-- Iterate over messages object and display flash messages -->↵
121.     ↵
122.     ↵
123.     ↵
124. </section>↵
125. ↵
126. <!-- Import form error macro -->↵
127. ↵
128. <!-- Category edit -->↵
129. <section id="category-edit" class="container-sm" aria-label="Category Edit">↵
130.     <div class="row">↵
131.         <!-- Category edit form -->↵
132.         <form id="category-edit-form" method="POST" action="/categories_edit">↵
133.             <!-- Category selector -->↵
134.             <div class="row">↵

```

```

135. <div class="col-md-3"></div><↵
136. <div class="col-12 col-md-6 pt-4"><↵
137.   <label class="form-label input-label" for="categorySelector">Category</label><↵
138.   <select class="form-select form-select-lg input-title" id="categorySelector"↵
139.     name="categorySelector" aria-label="Category Selector"><↵
140.     <option selected>category...</option><↵
141.     <!-- Iterate over categories and populate drop down category selector --><↵
142.     ↵
143.     <option value="biscuits">biscuits</option><↵
144.     ↵
145.     <option value="bread">bread</option><↵
146.     ↵
147.     <option value="cakes">cakes</option><↵
148.     ↵
149.     <option value="cereal">cereal</option><↵
150.     ↵
151.     <option value="crisps">crisps</option><↵
152.     ↵
153.     <option value="drinks">drinks</option><↵
154.     ↵
155.   </select><↵
156. </div> ↵
157. <div class="col-md-3"></div><↵
158. </div><↵
159. <div class="row"><↵
160.   <div class="col-md-3"></div><↵
161.   <div class="col-12 col-md-6 pt-4"><↵
162.     <!-- WForms name field --><↵
163.     <label class="form-label input-label" for="name">New Category Name</label><↵
164.     <input class="form-control form-control-lg input-title" id="name" name="name" required
type="text" value=""><↵
165.     <!-- Display form errors --><↵
166.     ↵
167.   ↵
168. ↵
169.   </div> ↵
170.   <div class="col-md-3"></div><↵
171. </div><↵
172. <div class="row"><↵
173.   <div class="col-md-3"></div><↵
174.   <div class="col-12 col-md-6 pt-4"><↵
175.     <!-- Update button submits form --><↵
176.     <button type="submit" class="btn btn-lg btn-danger btn-fireopal">Update</button><↵
177.     <!-- Cancel button redirects to product search --><↵
178.     <a href="/search" class="btn btn-lg btn-secondary"↵
179.       role="button">Cancel</a><↵
180.   </div><↵

```

```

181.         <div class="col-md-3"></div>↵
182.     </div>↵
183. </form>↵
184. </div>↵
185. </section>↵
186. ↵
187. <!-- Footer -->↵
188. <footer class="container-sm">↵
189.     <div class="container-footer pt-4 pb-4 text-center">↵
190.         <a href="/contact">Contact Developer</a>↵
191.         <span>&nbsp;</span>↵
192.         <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" ↵
193.             rel="noreferrer noopener" target="_blank"><i class="fab fa-github-square fa-lg"></i></a>↵
194.     </div>↵
195. </footer>↵
196. <!-- JavaScript links -->↵
197. <!-- Link to JQuery JavaScript file -->↵
198. <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" ↵
199.     integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"
200. defer>↵
201. <!-- Link to Bootstrap JavaScript files -->↵
202. <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.js" ↵
203.     integrity="sha384-gtEjrD/SeCtmISKJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4" crossorigin="anonymous"
204. defer>↵
205. <!-- Link to DataTables JavaScript files -->↵
206. <script src="https://cdn.datatables.net/1.10.24/js/jquery.dataTables.min.js" defer></script>↵
207. <script src="https://cdn.datatables.net/1.10.24/js/dataTables.bootstrap5.min.js" defer></script>↵
208. <script src="https://cdn.datatables.net/responsive/2.2.7/js/dataTables.responsive.min.js" defer></script>↵
209. <!-- Link to custom JavaScript files -->↵
210. ↵
211. <script src="/static/js/events.js" defer></script>↵
212. ↵
213. </body>↵
214. </html>

```

Used the HTML parser.

Total execution time 22 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.25

