## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

## Document checking completed. No errors or warnings to show.

## Source

```
1. ←
 2. ←
 3. <!doctype html>↔
 4. <html lang="en">↔
 5.
        <head>←
6.
 7. <!-- Metadata -->↔
8. <meta charset="utf-8">↔
9. <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
   fit=no">↔
10. <meta http-equiv="X-UA-Compatible" content="ie=edge">←
11. <meta name="description" ↔
12.
        content="perkulater - great quality, ethically sourced and expertly
    roasted coffee beans and ground coffee, delivered to your home.">↔
13. <meta name="keywords" ↔
        content="Coffee, Coffee Beans, Ground Coffee, Coffee Subscription, Coffee
   Beans Delivery, Coffee Delivery">↩
15. <meta name="author" content="Richard Ash">←
```

```
16. <meta name="theme-color" content="#1F1F1F">↔
17. ←
18. ←
19.
20.
21. ←
22.
23.
24.
        <!-- Link to Coffee Favicon -->↔
25.
        <link rel="shortcut icon"</pre>
    href="https://perkulater.s3.amazonaws.com/media/coffee-favicon.ico"
    type="image/x-icon">
26.
        <!-- Bootstrap CSS -->↔
27.
        link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/css/bootstrap.min.css"↔
28.
            rel="stylesheet" integrity="sha384-
    uWxY/CJNBR+1zjPWmfnSnVxwRheevXITnMqoEIeG1LJrdI0GlVs/9cVSyPYXdcSF"↔
29.
            crossorigin="anonymous">↔
30.
        <!-- Link to Google Fonts - Teko, Titillium Web and Montserrat -->↔
        <link rel="preconnect" href="https://fonts.googleapis.com">←
31.
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>←
32.
33.
        <link href="https://fonts.googleapis.com/css2?</pre>
    family=Montserrat:wght@400;600;700&family=Teko:wght@600&family=Titillium+Web:w
    ght@400;600;700&display=swap" rel="stylesheet">↔
34.
35.
            <!-- Link to Custom CSS -->↔
36.
            <link rel="stylesheet"</pre>
    href="https://perkulater.s3.amazonaws.com/static/css/base.css">↔
37.
38. ←
39.
        \downarrow
40. ←
41. ←
42. ←
43.
44. <!-- Link to Font Awesome Kit -->↔
45. <script src="https://kit.fontawesome.com/7863bec69d.js"
    crossorigin="anonymous"></script>↔
46. ←
47. ←
48.
        \leftarrow
49.
50. ←
51.
        <title>perkulater </title>↔
52.
        </head>←
53.
        <body>←
54.
            <header>←
55.
                <!-- Bootstrap Collapsing Navbar -->↔
56.
                <!-- Note - change class navbar-expand to navbar-expand-sm to
    collapse menu on small devices if required -->↔
57.
                <nav class="navbar navbar-expand-sm navbar-dark bg-black-1 pb-</pre>
    0">←
58.
                     <div class="container-fluid">↔
59.
                         <a class="navbar-brand logo-text px-3 pb-0"</pre>
    href="/products/">perkulater<img</pre>
    src="https://perkulater.s3.amazonaws.com/media/coffee-cup-icon-white.png"
    alt="Coffee Cup Icon" class="logo-image pl-1 pb-1"></a>↔
                         <button class="navbar-toggler" type="button" data-bs-</pre>
60.
    toggle="collapse"↔
61.
                             data-bs-target="#navbarNavDarkDropdown" aria-
    controls="navbarNavDarkDropdown"↔
                             aria-expanded="false" aria-label="Toggle
62.
    navigation">←
63.
                             <span class="navbar-toggler-icon"></span>↔
64.
                         </button>←
65.
                         <div class="collapse navbar-collapse"</pre>
    id="navbarNavDarkDropdown">↔
66.
                             67.
                                 <!-- There is currently only one category, Coffee
    -->←
```

```
68.
                               <!-- Category selection is functional but hidden
    until more categories are added to the site by the admin -->↔
 69.
 70.
                               di>←
 71.
                                   <form method="GET" action="/products/"</pre>
    class="d-flex p-1">↔
 72.
                                       <input class="form-control me-2"</pre>
    type="search" name="q" placeholder="Search" aria-label="Search Products">↔
 73.
                                       <button class="btn btn-outline-light btn-</pre>
    outline-green" type="submit" aria-label="Search Products"><i class="fas fa-
    search"></i></button>↔
 74.
                                   </form>←
                               ↩
 75.
 76.
                               class="nav-item dropdown">↔
                                   <a href="/basket/" class="nav-link" aria-
 77.
    label="View Basket">↔
 78.
                                       <i class="fas fa-lg fa-shopping-basket">
    </i>↩
 79.
                                   </a>←
 80.
                               ↔
 81.
                               ←
                                   <a href="#" class="nav-link dropdown-toggle"</pre>
 82.
    id="navbarUserMenu"↔
 83.
                                       data-bs-toggle="dropdown" aria-
    expanded="false" aria-label="User dropdown menu">↔
 84.
                                       <i class="fas fa-lg fa-user-circle"></i></i>
 85.
                                   </a>←
 86.
                                   dropdown-menu-end" aria-labelledby="navbarUserMenu">↔
 87.
 88.
                                               <a class="dropdown-item"
 89.
    href="/products/add/">Add Product</a>
 90.
 91.
                                           <a class="dropdown-item"
    href="/contact/">Contact</a>↔
 92.
                                           <a class="dropdown-item"
    href="/profile/">Profile</a>
                                           <a class="dropdown-item"</li>
 93.
    href="/accounts/logout/">Sign Out</a>
 94.
 95.
                                   ←
 96.
                               ↔
 97.
                            ←
 98.
                        </div>
 99.
                    </div>←
100.
                </nav>←
                <div class="col-12">←
101.
102.
                    <div class="tagline-text text-center bg-black-1 px-3 pb-1">←
103.
                        Ethically sourced and expertly roasted coffee beans and
    104.
                        <div class="divider-solid">↔
105.
                            <hr>→
106.
                        </div>↔
107.
                    </div>←
108.
                </div>←
109.
            </header>↩
110. ←
111.
112. ←
113.
114. ←
115. ←
116.
        <section id="contact" class="container-sm container-custom-sm pt-2">↔
117.
118.
            <div class="row py-4">←
119.
                <div class="col-12 container-dark pt-4 px-3">←
120.
                    <div class="row">↔
121.
                        <div class="col-12">←
```

```
122.
                              <h6 class="title-text-large text-center pt-2">Contact
     Us</h6>↩
123.
                          </div>←
124.
                          <div class="divider-opaque">↔
125.
                              <hr>→
126.
                          </div>←
127.
                     </div>↩
128.
                     <div class="row">↔
129.
                          <div class="col-12 px-3">←
130.
                              <form class="form-user dark" action="/contact/"</pre>
     method="POST" id="contact-form">←
                                  <input type="hidden" name="csrfmiddlewaretoken"</pre>
131.
     value="SfjiqeY4HfYF2kd5kTQprQC4dRnQEv7YBelvXEZB0VpRL9116f9uHxiEUBvv5naC">↔
132.
                                  <fieldset class="pt-2 px-2">←
133.
134.
135. <div id="div_id_from_email" class="mb-3"> <label for="id_from_email"
     class="form-label requiredField">↔
136.
                     Email<span class="asteriskField">*</span> </label> <input
     type="email" name="from_email" value="richardash1@gmail.com" maxlength="254"
     class="emailinput form-control" required id="id_from_email"> </div> <div</pre>
     id="div_id_subject" class="mb-3"> <label for="id_subject" class="form-label
     requiredField">↔
137.
                     Subject<span class="asteriskField">*</span> </label> <input
     type="text" name="subject" maxlength="100" class="textinput textInput form-
     control" required id="id_subject"> </div> <div id="div_id_message" class="mb-</pre>
     3"> <label for="id message" class="form-label requiredField">←
138.
                     Message<span class="asteriskField">*</span> </label> <textarea</pre>
     name="message" cols="40" rows="10" class="textarea form-control" required
     id="id_message">↔
139. </textarea> </div>↔
140. ←
141.
                                   </fieldset>
                                   <div class="row">↔
142.
143.
                                      <div class="col-6 p-3">↔
144.
                                          <div class="py-2">↔
145.
                                               <a href="/products/"↔
146.
                                                   class="btn btn-outline-light btn-
     lg btn-outline-green rounded-pill px-2 w-100">↔
147.
                                                   Keep Shopping↔
148.
                                               </a>←
149.
                                          </div>←
150.
                                      </div>←
151.
                                      <div class="col-6 p-3">↔
152.
                                          <div class="py-2">←
                                               <button type="submit" id="contact-</pre>
153.
     form-submit-button"←
154.
                                                   class="btn btn-outline-light btn-
     lg btn-outline-green rounded-pill px-2 w-100">←
155.
                                                   Send Message ←
156.
                                               </button>←
157.
                                          </div>←
158.
                                      </div>←
159.
                                  </div>←
                              </form>←
160.
161.
                          </div>←
                     </div>←
162.
163.
                 </div>←
164.
             </div>↔
165.
         </section>↔
166. ←
167. ↔
168.
             <!-- Footer -->↔
             <footer class="container-sm">↔
169.
170.
                 <div class="divider-opaque">↔
171.
                     <hr>→
                 </div>↩
172.
173.
                 <div class="row py-3">←
174.
                     ←
```

```
175.
                          perkulater is a small batch, artisan coffee roaster based
     in South London. ←
176.
                          We are committed to producing the highest quality coffee
     from the best quality beans. \leftarrow
177.
                          All of our beans are ethically sourced direct from the
     growers. ←
178.
                      ←
179.
                  </div>←
180.
                  <div class="divider-opaque">↔
181.
                      <hr>→
182.
                  </div>←
183.
                  <div class="pt-3 pb-4 text-center footer-links">←
                      <a href="https://en-gb.facebook.com/" aria-label="Link to</pre>
184.
     perkulater facebook page" \leftrightarrow
185.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-facebook-square fa-2x px-2"></i></a>↔
186.
                      <a href="https://twitter.com/home" aria-label="Link to</pre>
     perkulater twitter page" \leftarrow
187.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-twitter-square fa-2x px-2"></i></a> ↔
188.
                      <a href="https://www.instagram.com/" aria-label="Link to</pre>
     perkulater instagram page" 🕹
189.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-instagram-square fa-2x px-2"></i></a>
190.
                      <a href="https://github.com/richardhenyash" aria-label="Link</pre>
     to developer GitHub page" ↔
191.
                          rel="noreferrer noopener" target=" blank"><i class="fab
     fa-github-square fa-2x px-2"></i></a>↔
192.
                  </div>←
193.
             </footer>←
194. ←
195.
196.
197.
         <!-- JQuery JavaScript -->↔
198.
         <script↩
199.
             src="https://code.jquery.com/jquery-3.6.0.min.js"

200.
             integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="↔
201.
             crossorigin="anonymous">←
202.
         </script>↩
203.
         <!-- Bootstrap JavaScript -->↔
204.
         <script↔
205.
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/js/bootstrap.bundle.min
     .js"←
206.
             integrity="sha384-
     kQtW33rZJAHjgefvhyyzcGF3C5TFyBQBA13V1RKPf4uH+bwyzQxZ6CmMZHmNBEfJ"
     crossorigin="anonymous">↔
207.
         </script>←
208.
                  \leftarrow
209.
                  <!-- Link to Base JavaScript -->↔
210.
                  <script
     src="https://perkulater.s3.amazonaws.com/static/js/base.js"></script>←
211.
                  <!-- Link to Custom Modernizr JavaScript -->↔
212.
                  <script
     src="https://perkulater.s3.amazonaws.com/static/js/libraries/modernizr-
     custom.js"></script>↔
213.
             \leftarrow
214.
215.
         <!-- Link to Home JavaScript -->↔
216
         <script src="https://perkulater.s3.amazonaws.com/static/home/js/home.js">
     </script>↩
217.
218.
         </body>←
219. </html>
```

Used the HTML parser.

Total execution time 44 milliseconds.

About this checker • Report an issue • Version: 21.11.1