Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ←
 2. ←
 3. <!doctype html>↔
 4. <html lang="en">↔
 5.
        <head>←
6.
 7. <!-- Metadata -->↔
8. <meta charset="utf-8">↔
9. <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
   fit=no">↔
10. <meta http-equiv="X-UA-Compatible" content="ie=edge">↔
11. <meta name="description" ↔
12.
        content="perkulater - great quality, ethically sourced and expertly
    roasted coffee beans and ground coffee, delivered to your home.">↔
13. <meta name="keywords" ↔
        content="Coffee, Coffee Beans, Ground Coffee, Coffee Subscription, Coffee
   Beans Delivery, Coffee Delivery">↔
15. <meta name="author" content="Richard Ash">←
```

```
16. <meta name="theme-color" content="#1F1F1F">↔
17. ←
18. ←
19.
20.
21. ←
22.
        \downarrow
23.
24.
        <!-- Link to Coffee Favicon -->↔
25.
        <link rel="shortcut icon"</pre>
    href="https://perkulater.s3.amazonaws.com/media/coffee-favicon.ico"
    type="image/x-icon">
26.
        <!-- Bootstrap CSS -->↔
27.
        link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/css/bootstrap.min.css"↔
28.
            rel="stylesheet" integrity="sha384-
    uWxY/CJNBR+1zjPWmfnSnVxwRheevXITnMqoEIeG1LJrdI0GlVs/9cVSyPYXdcSF"↔
29.
            crossorigin="anonymous">↔
30.
        <!-- Link to Google Fonts - Teko, Titillium Web and Montserrat -->↔
        <link rel="preconnect" href="https://fonts.googleapis.com">←
31.
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>←
32.
33.
        <link href="https://fonts.googleapis.com/css2?</pre>
    family=Montserrat:wght@400;600;700&family=Teko:wght@600&family=Titillium+Web:w
    ght@400;600;700&display=swap" rel="stylesheet">↔
34.
35.
            <!-- Link to Custom CSS -->↔
36.
            <link rel="stylesheet"</pre>
    href="https://perkulater.s3.amazonaws.com/static/css/base.css">↔
37.
38. ←
39.
        ے
40
        <!-- Link to Products Custom CSS -->↔
41.
        <link rel="stylesheet"</pre>
    href="https://perkulater.s3.amazonaws.com/static/products/css/products.css">↔
42. ←
43. ←
44.
        \leftarrow
45. <!-- Link to Font Awesome Kit -->↔
46. <script src="https://kit.fontawesome.com/7863bec69d.js"
    crossorigin="anonymous"></script>↔
47. ←
48. ←
49.
        \rightarrow
50.
51. ←
52.
        <title>perkulater </title>↔
53.
        </head>↩
54.
        <body>←
55.
            <header>←
56.
                <!-- Bootstrap Collapsing Navbar -->↔
57.
                <!-- Note - change class navbar-expand to navbar-expand-sm to
    collapse menu on small devices if required -->↔
58.
                <nav class="navbar navbar-expand-sm navbar-dark bg-black-1 pb-</pre>
    0">←
59.
                     <div class="container-fluid">←
60.
                         <a class="navbar-brand logo-text px-3 pb-0"</pre>
    href="/products/">perkulater<img</pre>
    src="https://perkulater.s3.amazonaws.com/media/coffee-cup-icon-white.png"
    alt="Coffee Cup Icon" class="logo-image pl-1 pb-1"></a>↔
                         <button class="navbar-toggler" type="button" data-bs-</pre>
61.
    toggle="collapse"↔
62.
                             data-bs-target="#navbarNavDarkDropdown" aria-
    controls="navbarNavDarkDropdown"←
63.
                             aria-expanded="false" aria-label="Toggle
    navigation">↩
64.
                             <span class="navbar-toggler-icon"></span>↔
65.
                         </button>←
                         <div class="collapse navbar-collapse"</pre>
66.
    id="navbarNavDarkDropdown">↔
67.
                             ←
```

```
68.
                                <!-- There is currently only one category, Coffee
     -->←
 69.
                                <!-- Category selection is functional but hidden
    until more categories are added to the site by the admin -->↔
 70.
 71.
                                ←
 72.
                                    <form method="GET" action="/products/"</pre>
    class="d-flex p-1">↔
 73.
                                        <input class="form-control me-2"</pre>
     type="search" name="q" placeholder="Search" aria-label="Search Products">↔
 74.
                                        <button class="btn btn-outline-light btn-</pre>
    outline-green" type="submit" aria-label="Search Products"><i class="fas fa-
    search"></i></button>↔
 75.
                                    </form>←
 76.
                                ←
 77.
                                class="nav-item dropdown">↔
 78.
                                    <a href="/basket/" class="nav-link" aria-
    label="View Basket">↔
 79.
                                        <i class="fas fa-lg fa-shopping-basket">
     </i>←
 80.
                                    </a>←
 81.
                                ↔
 82.
                                ←
 83.
                                    <a href="#" class="nav-link dropdown-toggle"</pre>
    id="navbarUserMenu"↔
 84.
                                        data-bs-toggle="dropdown" aria-
    expanded="false" aria-label="User dropdown menu">↔
 85.
                                        <i class="fas fa-lg fa-user-circle"></i></i>
 86.
 87.
                                    dropdown-menu-end" aria-labelledby="navbarUserMenu">↔
 88.
 89.
 90.
                                                <a class="dropdown-item"
    href="/products/add/">Add Product</a>
 91.
 92.
                                            <a class="dropdown-item"
    href="/contact/">Contact</a>←
 93.
                                            <a class="dropdown-item"
    href="/profile/">Profile</a>↔
 94.
                                            <a class="dropdown-item"
    href="/accounts/logout/">Sign Out</a>
 95.
 96.
                                    ←
 97.
                                ↔
 98.
                            ←
                        </div>
 99.
                    </div>←
100.
                </nav>↔
101
102.
                <div class="col-12">←
103.
                    <div class="tagline-text text-center bg-black-1 px-3 pb-1">←
104.
                        Ethically sourced and expertly roasted coffee beans and
    ground coffee, delivered to your home
↔
105.
                        <div class="divider-solid">↔
106.
                            <hr>
→
107.
                        </div>←
108.
                    </div>←
109.
                </div>←
110.
            </header>↩
111. ←
112.
113. ←
114.
115. ←
116. ←
117.
118. <section id="product-add" class="container-sm container-custom pt-2">↔
119.
        <div class="row py-4">↔
120.
            <div class="col-12 container-dark pt-4 px-3">↔
121.
                <div class="row">↔
```

```
122.
                       <div class="col-12">←
123.
                           <h6 class="title-text-large text-center pt-2">Add
     Product</h6>←
124.
                       </div>←
125.
                       <div class="divider-opaque">↔
126.
                           <hr>→
127.
                       </div>↩
128.
                  </div>↩
                  <div class="row">↔
129.
130.
                       <div class="col-12 px-3 px-md-4">↔
                           <form class="form-user dark" action="/products/add/"</pre>
131.
     method="POST" enctype="multipart/form-data" id="payment-form">←
                                <input type="hidden" name="csrfmiddlewaretoken"</pre>
132.
     value="RjqRYDd8Bq3mAKvMgW2vDQGjKFhM84q0Ais4v3eFI6uyjzjI2ilATxmTrpprzWtE">↔
                                <fieldset class="pt-2">↔
133.
134.
                                    <legend class="field-label">Product
     Details</legend>←
135.
136.
137.
138. ←
139. ←
140.
141.
          <div id="div_id_category" class="mb-3">←
142.
143.
144.
                  <label for="id_category" class="form-label">←
145.
                       Category←
146.
                   </label>↩
147.
148. ←
149.
              \hookrightarrow
150. ←
151.
              پ
152.
153.
154.
155.
                                    <select name="category" class="select form-select"</pre>
156.
     id="id_category">↔
157.
       <option value="1">Coffee</option>←
158. ←
159. </select>↔
160.
161.
162.
163.
164. ←
165.
     \leftarrow
166.
167. ←
168. ←
169. ←
170. ←
171.
172. ←
173. ←
174. ←
175.
176.
177.
178.
179.
          </div>↩
180.
181. ←
182. ←
183.
                                    \leftarrow
184.
185.
186.
```

```
187. ←
188. ←
189.
190.
          <div id="div_id_name" class="mb-3">↔
191.
192.
193.
                   <label for="id_name" class="form-label requiredField">←
194.
                       Name<span class="asteriskField">*</span>↔
195.
                   </label>↩
196.
197. ←
198.
              \leftarrow
199. ←
200.
201.
202.
203.
204.
                                <input type="text" name="name" maxlength="254"</pre>
     placeholder="Name*" class="product-input textinput textInput form-control"
     required id="id_name">↔
205.
206.
207.
208. ←
209. ←
210.
211. ←
212. ←
213. ←
214. ←
215.
216. ←
217. ←
218. ←
219.
220.
221.
                   \leftarrow
222.
              \leftarrow
223.
          </div>↔
224.
225. ←
226. ←
227.
228.
229.
230.
231. ←
232. ←
233.
          <div id="div_id_friendly_name" class="mb-3">←
234.
235.
              \leftarrow
236.
237.
                   <label for="id_friendly_name" class="form-label requiredField">←
238.
                       Display Name<span class="asteriskField">*</span>↔
239.
                   </label>↩
240.
241. ←
242.
243. ←
244.
245.
246.
247.
                                <input type="text" name="friendly name"</pre>
248.
     maxlength="254" placeholder="Friendly Name*" class="product-input textinput
     textInput form-control" required id="id friendly name">↔
249.
                            \leftarrow
250.
                            \leftarrow
251.
252. ←
```

```
\leftarrow
     \leftarrow
     \leftarrow
258. ←
260. ←
          </div>↩
269. ←
270. ←
275. ←
276. ←
          <div id="div_id_friendly_price" class="mb-3">←
                   <label for="id_friendly_price" class="form-label requiredField">←
                       Display Price<span class="asteriskField">*</span>↔
                   </label>↩
285. ←
              \downarrow
287. ←
                                <input type="text" name="friendly_price" value="£7.50</pre>
     - 250g" maxlength="100" placeholder="Friendly Price*" class="product-input
     textinput textInput form-control" required id="id_friendly_price">↔
296. ←
     \leftarrow
299. ←
300. ←
301. ←
302. ←
303.
304. ←
305. ←
306. ←
307.
308.
309.
310.
311.
          </div>←
312.
313. ←
314. ←
315.
316.
                                          \leftarrow
317.
318.
319. ←
320. ←
```

```
321.
322.
          <div id="div_id_description_full" class="mb-3">←
323.
324.
325.
                   <label for="id_description_full" class="form-label</pre>
     requiredField">↔
326.
                       Full Description<span class="asteriskField">*</span>↔
327.
                   </label>↩
328.
329. ←
330.
331. ←
332.
              \leftarrow
333.
334.
335.
336.
                                <textarea name="description_full" cols="40" rows="10"</pre>
     placeholder="Full Description*" class="product-input textarea form-control"
     required id="id_description_full">↔
337. </textarea>↩
338.
339.
340.
341. ←
342. ←
343.
344. ←
345. ←
346. ←
347. ←
348.
349. ←
350. ←
351. ←
352.
353.
354.
                   \leftarrow
355.
              \leftarrow
356.
          </div>↔
357.
358. ←
359. ←
360.
361.
362.
363.
364. ←
365.
366.
367.
          <div id="div_id_description_short" class="mb-3">←
368.
              \leftarrow
369.
                   <label for="id_description_short" class="form-label</pre>
370.
     requiredField">←
371.
                       Short Description<span class="asteriskField">*</span>↔
372.
                   </label>↩
373.
374. ←
375.
376. ←
377.
378.
379.
380.
                                <input type="text" name="description short"</pre>
381.
     maxlength="254" placeholder="Short Description*" class="product-input
     textinput textInput form-control" required id="id_description_short">←
382
383.
                            ب
384.
```

<input type="text" name="description_delimiter"</pre>

```
442.
     443.
     444.
                 </div>←
     445.
     446. ←
     447. ←
     448.
    449.
     450.
https://validator.w3.org/nu/#textarea
```

```
451.
                                             <h2 class="pt-2">Image</h2>↔
452.
                                             <div class="py-2 mt-2">↔
453.
         <span class="btn btn-outline-light btn-lg btn-outline-green btn-file px-</pre>
454.
              Select Image <input id="new_image" type="file" name="image"
     accept="image/*">↔
455.
          </span>↔
456. </div>↔
457. <div class="py-1">↔
458.
         <strong><span class="text-small text-bold fg-blue" id="filename_image">
     </span></strong>↔
459. </div>←
460.
461.
                                    ے
462.
463.
                                             <h2 class="pt-2">Alternative Image</h2>↔
464.
                                             <div class="py-2 mt-2">↔
465.
         <span class="btn btn-outline-light btn-lg btn-outline-green btn-file px-</pre>
              Select Image <input id="new_image_alt" type="file" name="image alt"
466.
     accept="image/*">↔
467.
          </span>←
468. </div>↔
469. <div class="py-1">←
470.
          <strong><span class="text-small text-bold fg-blue"</pre>
     id="filename_image_alt"></span></strong>↔
471. </div>←
472.
473.
474.
                                </fieldset>←
                                <fieldset class="pt-2" id="coffee-details">←
475.
476.
                                    <legend class="field-label">Coffee
     Details</legend>←
477.
478. ←
479. <div id="div id country" class="mb-3"> <label for="id country" class="form-
     label requiredField">↔
480.
                       Country Of Origin<span class="asteriskField">*</span> </label>
     <input type="text" name="country" maxlength="254" autofocus
placeholder="Country Of Origin*" class="coffee-input textinput textInput form-</pre>
     control" required id="id_country"> </div> <div id="div_id_farm" class="mb-3">
     <label for="id_farm" class="form-label requiredField">←
                       Farm<span class="asteriskField">*</span> </label> <input
481.
     type="text" name="farm" maxlength="100" placeholder="Farm*" class="coffee-
input textinput textInput form-control" required id="id_farm"> </div> <div</pre>
     id="div id owner" class="mb-3"> <label for="id owner" class="form-label
     requiredField">↔
482.
                       Owner<span class="asteriskField">*</span> </label> <input
     type="text" name="owner" maxlength="100" placeholder="Owner*" class="coffee-
input textinput textInput form-control" required id="id_owner"> </div> <div</pre>
     id="div id variety" class="mb-3"> <label for="id variety" class="form-label
     requiredField">←
483
                       Variety<span class="asteriskField">*</span> </label> <input
     type="text" name="variety" maxlength="100" placeholder="Variety*"
     class="coffee-input textinput textInput form-control" required
     id="id_variety"> </div> <div id="div_id_altitude" class="mb-3"> <label
     for="id altitude" class="form-label requiredField">←
484.
                       Altitude<span class="asteriskField">*</span> </label> <input
     tvpe="text" name="altitude" maxlength="20" placeholder="Altitude*"
     class="coffee-input textinput textInput form-control" required
     id="id altitude"> </div> <div id="div id town" class="mb-3"> <label
     for="id_town" class="form-label requiredField">↔
485.
                       Town<span class="asteriskField">*</span> </label> <input
     type="text" name="town" maxlength="100" placeholder="Town*" class="coffee-
     input textinput textInput form-control" required id="id town"> </div> <div
     id="div id region" class="mb-3"> <label for="id region" class="form-label
     requiredField">↔
486.
                       Region<span class="asteriskField">*</span> </label> <input
     type="text" name="region" maxlength="100" placeholder="Region*" class="coffee-
```

input textinput textInput form-control" required id="id region"> </div> <div

```
id="div_id_flavour_profile" class="mb-3"> <label for="id_flavour_profile"
     class="form-label requiredField">\leftrightarrow
487.
                     Flavour Profile<span class="asteriskField">*</span> </label>
     <input type="text" name="flavour_profile" maxlength="254" placeholder="Flavour</pre>
     Profile*" class="coffee-input textinput textInput form-control" required
     id="id_flavour_profile"> </div>↔
488.
489.
                              </fieldset>↩
490.
                              <div class="row pt-3">↔
491.
                                  <div class="col-6 pb-4">←
492.
                                      <div class="text-center py-2">←
                                           <a href="/products/"↔
493.
                                              class="btn btn-outline-light btn-lg
494.
     btn-outline-green rounded-pill px-2 w-100">↔
495.
                                              View Products↔
496.
                                          </a>←
497.
                                      </div>←
498.
                                  </div>↔
499.
                                  <div class="col-6 pb-4">↔
                                      <div class="text-center py-2">←
500.
501.
                                          <button id="product-add-submit-button"</pre>
     type="submit"↔
502.
                                               class="btn btn-outline-light btn-lg
     btn-outline-green rounded-pill px-2 w-100">←
503.
                                              Add Product↔
504.
                                          </button>←
505.
                                      </div>←
506.
                                  </div>↩
507.
                              </div>↩
508.
                          </form>
509.
                      </div> ←
510.
                 </div>↩
511.
             </div>↩
512.
         </div>↩
513. </section>↔
514. ←
515. ←
516.
             <!-- Footer -->↔
517.
             <footer class="container-sm">←
518.
                 <div class="divider-opaque">↔
519.
                      <hr>→
520.
                 </div>←
521.
                 <div class="row py-3">←
522.
                      ←
523.
                          perkulater is a small batch, artisan coffee roaster based
     in South London. ←
524.
                          We are committed to producing the highest quality coffee
     from the best quality beans. \leftarrow
525.
                          All of our beans are ethically sourced direct from the
     growers. ←
526.
                      ←
527.
                 </div>←
528.
                 <div class="divider-opaque">↔
529.
                      <hr>→
530.
                 </div>←
531.
                 <div class="pt-3 pb-4 text-center footer-links">←
532.
                     <a href="https://en-gb.facebook.com/" aria-label="Link to</pre>
     perkulater facebook page" ↔
533.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-facebook-square fa-2x px-2"></i></a>↔
534.
                     <a href="https://twitter.com/home" aria-label="Link to</pre>
     perkulater twitter page" ↔
                          rel="noreferrer noopener" target=" blank"><i class="fab
535.
     fa-twitter-square fa-2x px-2"></i></a> ↔
536.
                     <a href="https://www.instagram.com/" aria-label="Link to</pre>
     perkulater instagram page" ↔
537.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-instagram-square fa-2x px-2"></i></a>
538.
                      <a href="https://github.com/richardhenyash" aria-label="Link</pre>
     to developer GitHub page" ↔
```

```
539.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-github-square fa-2x px-2"></i></a>↔
540.
                 </div>←
541.
             </footer>←
542. ←
543.
544.
545.
         <!-- JQuery JavaScript -->↔
546.
         <script↔
547.
             src="https://code.jquery.com/jquery-3.6.0.min.js"

548.
             integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="↔
             crossorigin="anonymous">↔
549.
550.
         </script>←
551.
         <!-- Bootstrap JavaScript -->↔
552.
         <script↔
553.
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/js/bootstrap.bundle.min
     .js"↩
             integrity="sha384-
554.
     kQtW33rZJAHjgefvhyyzcGF3C5TFyBQBA13V1RKPf4uH+bwyzQxZ6CmMZHmNBEfJ"
     crossorigin="anonymous">↔
555.
         </script>↔
556.
557.
                 <!-- Link to Base JavaScript -->↔
558.
                 <script
     src="https://perkulater.s3.amazonaws.com/static/js/base.js"></script>↔
559
                 <!-- Link to Custom Modernizr JavaScript -->↔
560.
                 <script
     src="https://perkulater.s3.amazonaws.com/static/js/libraries/modernizr-
     custom.js"></script>↔
561.
             \leftarrow
562.
             ب
563.
         <!-- Link to Products JavaScript -->↔
564.
     src="https://perkulater.s3.amazonaws.com/static/products/js/products.js">
     </script>↩
565.
566.
         </body>←
567. </html>
```

Used the HTML parser.

Total execution time 74 milliseconds.

About this checker • Report an issue • Version: 21.11.1