

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

crossorigin="anonymous"></script><!-- Bootstrap JavaScript --><script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-kQtW33rZJAHjgefvyhzyzcgGF3C5TFyBQBA13V1RKPf4uH+bwyzQxZ6CmMZHmNBEfJ" crossorigin="anonymous"></script><!-- Link to Base JavaScript --><script src="https://perkulater.s3.amazonaws.com/static/js/base.js"></script><!-- Link to Custom Modernizr JavaScript --><script src="https://perkulater.s3.amazonaws.com/static/js/libraries/modernizr-custom.js"></script>

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

### Source

```
1.  <
2.  <
3.  <!doctype html><
4.  <html lang="en"><
5.    <head><
6.      <
7.  <!-- Metadata --><
8.  <meta charset="utf-8"><
9.  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no"><
10. <meta http-equiv="X-UA-Compatible" content="ie=edge"><
11. <meta name="description" <
12.   content="perkulater - great quality, ethically sourced and expertly roasted coffee beans and ground coffee, delivered to your home."><
13. <meta name="keywords" <
14.   content="Coffee, Coffee Beans, Ground Coffee, Coffee Subscription, Coffee Beans Delivery, Coffee Delivery"><
15. <meta name="author" content="Richard Ash"><
16. <meta name="theme-color" content="#1F1F1F"><
17. <
```

```
18. ↵
19.   ↵
20.   ↵
21. ↵
22.   ↵
23.   <!-- Include External CSS -->↵
24.   ↵
25. <!-- Link to Coffee Favicon -->↵
26. <link rel="shortcut icon" href="https://perkulater.s3.amazonaws.com/media/coffee-favicon.ico" type="image/x-icon"> ↵
27. <!-- Bootstrap CSS -->↵
28. <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/css/bootstrap.min.css"↵
29.     rel="stylesheet" integrity="sha384-uWxY/CJNBR+1zjPwMfnSnVxwRheevXITnMqoEIEG1LJrdI0G1Vs/9cVSyPYXdcSF"↵
30.     crossorigin="anonymous">↵
31. <!-- Link to Google Fonts - Teko, Titillium Web and Montserrat -->↵
32. <link rel="preconnect" href="https://fonts.googleapis.com">↵
33. <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
34. <link href="https://fonts.googleapis.com/css2?family=Montserrat:wght@400;600;700&family=Teko:wght@600&family=Titillium+Web:wght@400;600;700&display=swap" rel="stylesheet">↵
35. ↵
36.   <!-- Link to Custom CSS -->↵
37.   <link rel="stylesheet" href="https://perkulater.s3.amazonaws.com/static/css/base.css">↵
38.   ↵
39. ↵
40.   ↵
41.   ↵
42. ↵
43.   <!-- Include Core JavaScript -->↵
44.   ↵
45. <!-- Link to Font Awesome Kit -->↵
46. <script src="https://kit.fontawesome.com/7863bec69d.js" crossorigin="anonymous"></script>↵
47. ↵
48. ↵
49.   ↵
50.   ↵
51. ↵
52.   <title>perkulater </title>↵
53.   </head>↵
54.   <body>↵
55.     <header>↵
56.       <!-- Bootstrap Collapsing Navbar -->↵
57.       <nav class="navbar navbar-expand-sm navbar-dark bg-black-1 pb-0">↵
58.         <div class="container-fluid">↵
59.           <!-- perkulater Logo -->↵
60.           <a class="navbar-brand logo-text px-3 pb-0" href="/products/">perkulater</a>↵
61.           <button class="navbar-toggler" type="button" data-bs-toggle="collapse"↵
62.             data-bs-target="#navbarNavDarkDropdown" aria-controls="navbarNavDarkDropdown"↵
63.             aria-expanded="false" aria-label="Toggle navigation">↵
64.             <span class="navbar-toggler-icon"></span>↵
65.           </button>↵
66.           <div class="collapse navbar-collapse" id="navbarNavDarkDropdown">↵
67.             <ul class="navbar-nav ms-auto px-3">↵
68.               <!-- There is currently only one category, Coffee -->↵
69.               <!-- Category selection is functional, but is hidden until more categories are added to the site by the admin -->↵
70.               ↵
71.               <!-- Search Products -->↵
72.               <li>↵
73.                 <form method="GET" action="/products/" class="d-flex p-1">↵
74.                   <input class="form-control search-input me-2" type="search" name="q" placeholder="Search" aria-label="Search Products">↵
75.                   <button class="btn btn-outline-light btn-outline-green" type="submit" aria-label="Search Products"><i class="fas fa-search"></i>↵
↵
76.                 </form>↵
77.               </li>↵
78.               <!-- Basket -->↵
79.               <li class="nav-item dropdown">↵
80.                 <a href="/basket/" class="nav-link" aria-label="View Basket">↵
81.                   <i class="fas fa-lg fa-shopping-basket"></i>↵
82.                 </a>↵
83.               </li>↵
84.               <!-- User Menu -->↵
```

```
85.         <li class="nav-item dropdown">↵
86.             <a href="#" class="nav-link dropdown-toggle" id="navbarUserMenu" ↵
87.                 data-bs-toggle="dropdown" aria-expanded="false" aria-label="User dropdown menu">↵
88.                 <i class="fas fa-lg fa-user-circle"></i>↵
89.             </a>↵
90.             <ul class="dropdown-menu dropdown-menu-dark dropdown-menu-end" aria-labelledby="navbarUserMenu">↵
91.                 ↵
92.                 <li><a class="dropdown-item" href="/contact/">Contact</a></li>↵
93.                 <li><a class="dropdown-item" href="/accounts/login/?next=/accounts/signup/">Sign In</a></li>↵
94.                 <li><a class="dropdown-item" href="/accounts/signup/">Sign Up</a></li>↵
95.                 ↵
96.             </ul>↵
97.         </li>↵
98.     </ul>↵
99. </div>↵
100. </div>↵
101. </nav>↵
102. <!-- Tagline -->↵
103. <div class="col-12">↵
104.     <div class="tagline-text text-center bg-black-1 px-3 pb-1">↵
105.         <p>Ethically sourced and expertly roasted coffee beans and ground coffee, delivered to your home</p>↵
106.         <!-- Divider -->↵
107.         <div class="divider-solid">↵
108.             <hr>↵
109.         </div>↵
110.     </div>↵
111. </div>↵
112. </header>↵
113. ↵
114. <!-- Toast Messages -->↵
115. ↵
116. ↵
117. ↵
118. ↵
119. ↵
120. ↵
121. <section id="sign-in" class="container-sm container-custom-sm form-user py-4 px-3">↵
122.     <div class="row">↵
123.         <div class="col-12">↵
124.             <h1 class="py-2">Sign Up</h1>↵
125.         </div>↵
126.     </div>↵
127.     <div class="row">↵
128.         <div class="col-12">↵
129.             <p>Already have an account? Then please <a class="form-user-link" href="/accounts/login/">Sign In</a>.</p>↵
130.         </div>↵
131.     </div>↵
132.     <div class="row pb-3">↵
133.         <div class="col-12">↵
134.             <form class="signup" id="signup_form" method="post" action="/accounts/signup/">↵
135.                 <input type="hidden" name="csrfmiddlewaretoken" value="Qk13n3rNgDPaiKgECVdpHrpBS1bYDS7XY1vYTqo1K0vSQi4NYqJZV1UBhb0vhkBQ">↵
136.                 ↵
137.                 ↵
138.                 <div id="div_id_email" class="mb-3"> <label for="id_email" class="form-label requiredField">↵
139.                     E-mail<span class="asteriskField">*</span> </label> <input type="email" name="email" placeholder="E-mail address" autocomplete="email" class="textinput ↵
140.                     textInput form-control" required id="id_email"> </div> <div id="div_id_email2" class="mb-3"> <label for="id_email2" class="form-label requiredField">↵
141.                     E-mail (again)<span class="asteriskField">*</span> </label> <input type="email" name="email2" placeholder="E-mail address confirmation" class="textinput ↵
142.                     textInput form-control" required id="id_email2"> </div> <div id="div_id_username" class="mb-3"> <label for="id_username" class="form-label requiredField">↵
143.                     Username<span class="asteriskField">*</span> </label> <input type="text" name="username" placeholder="Username" autocomplete="username" minlength="4" ↵
144.                     maxlength="150" class="textinput textInput form-control" required id="id_username"> </div> <div id="div_id_password1" class="mb-3"> <label for="id_password1" class="form- ↵
145.                     label requiredField">↵
146.                     Password<span class="asteriskField">*</span> </label> <input type="password" name="password1" placeholder="Password" autocomplete="new-password" ↵
147.                     class="textinput textInput form-control" required id="id_password1"> </div> <div id="div_id_password2" class="mb-3"> <label for="id_password2" class="form-label ↵
148.                     requiredField">↵
149.                     Password (again)<span class="asteriskField">*</span> </label> <input type="password" name="password2" placeholder="Password (again)" class="textinput ↵
150.                     textInput form-control" required id="id_password2"> </div>↵
151.                 </div>↵
152.             </form>↵
153.         </div>↵
154.     </div>↵
155. </section>↵
156. </div>↵
```

```
147.         <button class="btn btn-lg btn-outline-light btn-outline-green" type="submit">Sign Up</button>↵
148.     </div>↵
149. </form>↵
150. </div>↵
151. </div>↵
152. </section>↵
153. ↵
154. ↵
155.     <!-- Footer -->↵
156.     <footer class="container-sm fixed-bottom">↵
157.         <!-- Divider -->↵
158.         <div class="divider-opaque">↵
159.             <hr>↵
160.         </div>↵
161.         <!-- Tagline -->↵
162.         <div class="row py-3">↵
163.             <p class="tagline-text footer-text text-center">↵
164.                 perkulater is a small batch, artisan coffee roaster based in South London. ↵
165.                 We are committed to producing the highest quality coffee from the best quality beans. ↵
166.                 All of our beans are ethically sourced direct from the growers.↵
167.             </p>↵
168.         </div>↵
169.         <!-- Divider -->↵
170.         <div class="divider-opaque">↵
171.             <hr>↵
172.         </div>↵
173.         <!-- Social Media Links -->↵
174.         <div class="pt-3 pb-4 text-center footer-links">↵
175.             <a href="https://en-gb.facebook.com/" aria-label="Link to perkulater facebook page" ↵
176.                 rel="noreferrer noopener" target="_blank"><i class="fab fa-facebook-square fa-2x px-2"></i></a>↵
177.             <a href="https://twitter.com/home" aria-label="Link to perkulater twitter page" ↵
178.                 rel="noreferrer noopener" target="_blank"><i class="fab fa-twitter-square fa-2x px-2"></i></a> ↵
179.             <a href="https://www.instagram.com/" aria-label="Link to perkulater instagram page" ↵
180.                 rel="noreferrer noopener" target="_blank"><i class="fab fa-instagram-square fa-2x px-2"></i></a> ↵
181.             <a href="https://github.com/richardhenyash" aria-label="Link to developer GitHub page" ↵
182.                 rel="noreferrer noopener" target="_blank"><i class="fab fa-github-square fa-2x px-2"></i></a>↵
183.         </div>↵
184.     </footer>↵
185. ↵
186. ↵
187.     <!-- Include External JavaScript -->↵
188.     ↵
189. <!-- JQuery JavaScript -->↵
190. <script↵
191.     src="https://code.jquery.com/jquery-3.6.0.min.js"↵
192.     integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="↵
193.     crossorigin="anonymous">↵
194. </script>↵
195. <!-- Bootstrap JavaScript -->↵
196. <script↵
197.     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/js/bootstrap.bundle.min.js"↵
198.     integrity="sha384-kQtW33rZJAHjgefvyhczGF3C5TFyBQBA13V1RKPf4uH+bwyzQxZ6CmMZHmNBEfJ" crossorigin="anonymous">↵
199. </script>↵
200. ↵
201.     <!-- Link to Base JavaScript -->↵
202.     <script src="https://perkulator.s3.amazonaws.com/static/js/base.js"></script>↵
203.     <!-- Link to Custom Modernizr JavaScript -->↵
204.     <script src="https://perkulator.s3.amazonaws.com/static/js/libraries/modernizr-custom.js"></script>↵
205.     ↵
206.     ↵
207.     ↵
208. </body>↵
209. </html>
```

Used the HTML parser.

Total execution time 22 milliseconds.

