

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ css

```

<!doctype html>
<html lang="en">
  <head>

  <!-- Metadata -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <meta name="description"
    content="perkulator - great quality, ethically sourced and expertly roasted
    coffee beans and ground coffee, delivered to your home.">
  <meta name="keywords"

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1. ↵
2. ↵
3. <!doctype html>↵
4. <html lang="en">↵
5.   <head>↵
6.   ↵
7. <!-- Metadata -->↵
8. <meta charset="utf-8">↵
9. <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
  fit=no">↵
10. <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
11. <meta name="description" ↵
12.   content="perkulator - great quality, ethically sourced and expertly
  roasted coffee beans and ground coffee, delivered to your home.">↵
13. <meta name="keywords" ↵
14.   content="Coffee, Coffee Beans, Ground Coffee, Coffee Subscription, Coffee
  Beans Delivery, Coffee Delivery">↵
15. <meta name="author" content="Richard Ash">↵

```

```

16. <meta name="theme-color" content="#1F1F1F">↵
17. ↵
18. ↵
19.     ↵
20.     ↵
21. ↵
22.     ↵
23.         ↵
24.         <!-- Link to Coffee Favicon -->↵
25.         <link rel="shortcut icon"
href="https://perkulater.s3.amazonaws.com/media/coffee-favicon.ico"
type="image/x-icon"> ↵
26.         <!-- Bootstrap CSS -->↵
27.         <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/css/bootstrap.min.css"↵
28.         rel="stylesheet" integrity="sha384-
uWxY/CJNBR+1zjPWmfSnVxwRheevXITnMqoEIEG1LJrdI0G1Vs/9cVSyPYXdcSF"↵
29.         crossorigin="anonymous">↵
30.         <!-- Link to Google Fonts - Teko, Titillium Web and Montserrat -->↵
31.         <link rel="preconnect" href="https://fonts.googleapis.com">↵
32.         <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
33.         <link href="https://fonts.googleapis.com/css2?
family=Montserrat:wght@400;600;700&family=Teko:wght@600&family=Titillium+Web:w
ght@400;600;700&display=swap" rel="stylesheet">↵
34. ↵
35.         <!-- Link to Custom CSS -->↵
36.         <link rel="stylesheet"
href="https://perkulater.s3.amazonaws.com/static/css/base.css">↵
37.     ↵
38. ↵
39.     ↵
40.     ↵
41. ↵
42.     ↵
43. <!-- Link to Font Awesome Kit -->↵
44. <script src="https://kit.fontawesome.com/7863bec69d.js"
crossorigin="anonymous"></script>↵
45. ↵
46. ↵
47.     ↵
48.     ↵
49. ↵
50.     <title>perkulater </title>↵
51.     </head>↵
52.     <body>↵
53.         <header>↵
54.             <!-- Bootstrap Collapsing Navbar -->↵
55.             <!-- Note - change class navbar-expand to navbar-expand-sm to
collapse menu on small devices if required -->↵
56.             <nav class="navbar navbar-expand-sm navbar-dark bg-black-1 pb-
0">↵
57.                 <div class="container-fluid">↵
58.                     <a class="navbar-brand logo-text px-3 pb-0"
href="/products/">perkulater</a>↵
59.                     <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"↵
60.                         data-bs-target="#navbarNavDarkDropdown" aria-
controls="navbarNavDarkDropdown"↵
61.                         aria-expanded="false" aria-label="Toggle
navigation">↵
62.                         <span class="navbar-toggler-icon"></span>↵
63.                     </button>↵
64.                     <div class="collapse navbar-collapse"
id="navbarNavDarkDropdown">↵
65.                         <ul class="navbar-nav ms-auto px-3">↵
66.                             <!-- There is currently only one category, Coffee
-->↵

```

```

67.         <!-- Category selection is functional but hidden
        until more categories are added to the site by the admin -->
68.         ↵
69.         <li>↵
70.             <form method="GET" action="/products/"
        class="d-flex p-1">↵
71.                 <input class="form-control me-2"
        type="search" name="q" placeholder="Search" aria-label="Search Products">↵
72.                 <button class="btn btn-outline-light btn-
        outline-green" type="submit" aria-label="Search Products"><i class="fas fa-
        search"></i></button>↵
73.             </form>↵
74.         </li>↵
75.         <li class="nav-item dropdown">↵
76.             <a href="/basket/" class="nav-link" aria-
        label="View Basket">↵
77.                 <i class="fas fa-lg fa-shopping-basket">
        </i>↵
78.             </a>↵
79.         </li>↵
80.         <li class="nav-item dropdown">↵
81.             <a href="#" class="nav-link dropdown-toggle"
        id="navbarUserMenu">↵
82.                 data-bs-toggle="dropdown" aria-
        expanded="false" aria-label="User dropdown menu">↵
83.                 <i class="fas fa-lg fa-user-circle"></i>↵
84.             </a>↵
85.             <ul class="dropdown-menu dropdown-menu-dark
        dropdown-menu-end" aria-labelledby="navbarUserMenu">↵
86.                 ↵
87.                 <li><a class="dropdown-item"
        href="/contact/">Contact</a></li>↵
88.                 <li><a class="dropdown-item"
        href="/accounts/login/?next=/accounts/signup/">Sign In</a></li>↵
89.                 <li><a class="dropdown-item"
        href="/accounts/signup/">Sign Up</a></li>↵
90.                 ↵
91.             </ul>↵
92.         </li>↵
93.     </ul>↵
94. </div>↵
95. </div>↵
96. </nav>↵
97. <div class="col-12">↵
98.     <div class="tagline-text text-center bg-black-1 px-3 pb-1">↵
99.         <p>Ethically sourced and expertly roasted coffee beans and
        ground coffee, delivered to your home</p>↵
100.         <div class="divider-solid">↵
101.             <hr>↵
102.         </div>↵
103.     </div>↵
104. </div>↵
105. </header>↵
106. ↵
107. ↵
108. ↵
109. ↵
110. ↵
111. ↵
112. ↵
113. <section id="sign-in" class="container-sm container-custom-sm form-user py-4
        px-3">↵
114.     <div class="row">↵
115.         <div class="col-12">↵
116.             <h1 class="py-2">Sign Up</h1>↵
117.         </div>↵
118.     </div>↵
119.     <div class="row">↵
120.         <div class="col-12">↵

```

```

121.      <p>Already have an account? Then please <a class="form-user-link"
href="/accounts/login/">sign in</a>.</p>↵
122.    </div>↵
123.  </div>↵
124.  <div class="row pb-3">↵
125.    <div class="col-12">↵
126.      <form class="signup" id="signup_form" method="post"
action="/accounts/signup/">↵
127.        <input type="hidden" name="csrfmiddlewaretoken"
value="kMdEk5MI9fVezeVW3DpahlqBKE0EXuI8erFPaPI8x75Qa8yT3Clrn21P5tGLS565">↵
128.        ↵
129.        ↵
130.      <div id="div_id_email" class="mb-3"> <label for="id_email" class="form-label
requiredField">↵
131.        E-mail<span class="asteriskField">*</span> </label> <input
type="email" name="email" placeholder="E-mail address" autocomplete="email"
class="textinput textInput form-control" required id="id_email"> </div> <div
id="div_id_email2" class="mb-3"> <label for="id_email2" class="form-label
requiredField">↵
132.        E-mail (again)<span class="asteriskField">*</span> </label>
<input type="email" name="email2" placeholder="E-mail address confirmation"
class="textinput textInput form-control" required id="id_email2"> </div> <div
id="div_id_username" class="mb-3"> <label for="id_username" class="form-label
requiredField">↵
133.        Username<span class="asteriskField">*</span> </label> <input
type="text" name="username" placeholder="Username" autocomplete="username"
minlength="4" maxlength="150" class="textinput textInput form-control"
required id="id_username"> </div> <div id="div_id_password1" class="mb-3">
<label for="id_password1" class="form-label requiredField">↵
134.        Password<span class="asteriskField">*</span> </label> <input
type="password" name="password1" placeholder="Password" autocomplete="new-
password" class="textinput textInput form-control" required id="id_password1">
</div> <div id="div_id_password2" class="mb-3"> <label for="id_password2"
class="form-label requiredField">↵
135.        Password (again)<span class="asteriskField">*</span> </label>
<input type="password" name="password2" placeholder="Password (again)"
class="textinput textInput form-control" required id="id_password2"> </div>↵
136.      ↵
137.      ↵
138.    <div class="form-row pt-2">↵
139.      <button class="btn btn-lg btn-outline-light btn-outline-green"
type="submit">Sign Up</button>↵
140.    </div>↵
141.  </form>↵
142. </div>↵
143. </div>↵
144. </section>↵
145. ↵
146. ↵
147.    <!-- Footer -->↵
148.    <footer class="container-sm">↵
149.      <div class="divider-opaque">↵
150.        <hr>↵
151.      </div>↵
152.      <div class="row py-3">↵
153.        <p class="tagline-text text-center">↵
154.          perkulater is a small batch, artisan coffee roaster based
in South London. ↵
155.          We are committed to producing the highest quality coffee
from the best quality beans. ↵
156.          All of our beans are ethically sourced direct from the
growers.↵
157.        </p>↵
158.      </div>↵
159.      <div class="divider-opaque">↵
160.        <hr>↵
161.      </div>↵
162.      <div class="pt-3 pb-4 text-center footer-links">↵
163.        <a href="https://en-gb.facebook.com/" aria-label="Link to
perkulater facebook page" ↵

```

```

164.         rel="noreferrer noopener" target="_blank"><i class="fab
fa-facebook-square fa-2x px-2"></i></a><↵
165.         <a href="https://twitter.com/home" aria-label="Link to
perkulater twitter page" <↵
166.         rel="noreferrer noopener" target="_blank"><i class="fab
fa-twitter-square fa-2x px-2"></i></a> <↵
167.         <a href="https://www.instagram.com/" aria-label="Link to
perkulater instagram page" <↵
168.         rel="noreferrer noopener" target="_blank"><i class="fab
fa-instagram-square fa-2x px-2"></i></a> <↵
169.         <a href="https://github.com/richardhenyash" aria-label="Link
to developer GitHub page" <↵
170.         rel="noreferrer noopener" target="_blank"><i class="fab
fa-github-square fa-2x px-2"></i></a><↵
171.     </div><↵
172. </footer><↵
173. <↵
174.     <↵
175.     <↵
176.     <!-- JQuery JavaScript --><↵
177.     <script><↵
178.         src="https://code.jquery.com/jquery-3.6.0.min.js"<↵
179.         integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="<↵
180.         crossorigin="anonymous"><↵
181.     </script><↵
182.     <!-- Bootstrap JavaScript --><↵
183.     <script><↵
184.         src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/js/bootstrap.bundle.min
.js"<↵
185.         integrity="sha384-
kQtW33rZJAHjgefvyhyyzcGF3C5TFyBQBA13V1RKPf4uH+bwyzQxZ6CmMZHMNBfJ"
crossorigin="anonymous"><↵
186.     </script><↵
187.     <↵
188.     <!-- Link to Base JavaScript --><↵
189.     <script
src="https://perkulater.s3.amazonaws.com/static/js/base.js"></script><↵
190.     <!-- Link to Custom Modernizr JavaScript --><↵
191.     <script
src="https://perkulater.s3.amazonaws.com/static/js/libraries/modernizr-
custom.js"></script><↵
192.     <↵
193.     <↵
194.     <↵
195. </body><↵
196. </html>

```

Used the HTML parser.

Total execution time 12 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.11.14