
## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

## Document checking completed. No errors or warnings to show.

## Source

```
1. ←
 2. ←
 3. <!doctype html>↔
 4. <html lang="en">↔
 5.
        <head>←
6.
 7. <!-- Metadata -->↔
8. <meta charset="utf-8">↔
9. <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
   fit=no">↔
10. <meta http-equiv="X-UA-Compatible" content="ie=edge">↔
11. <meta name="description" ↔
12.
        content="perkulater - great quality, ethically sourced and expertly
    roasted coffee beans and ground coffee, delivered to your home.">↔
13. <meta name="keywords" ↔
        content="Coffee, Coffee Beans, Ground Coffee, Coffee Subscription, Coffee
   Beans Delivery, Coffee Delivery">↔
15. <meta name="author" content="Richard Ash">←
```

```
16. <meta name="theme-color" content="#1F1F1F">↔
17. ←
18. ←
19.
20.
        \downarrow
21. ←
22.
        \downarrow
23.
24.
        <!-- Link to Coffee Favicon -->↔
25.
        <link rel="shortcut icon"</pre>
    href="https://perkulater.s3.amazonaws.com/media/coffee-favicon.ico"
    type="image/x-icon">
26.
        <!-- Bootstrap CSS -->↔
27.
        link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/css/bootstrap.min.css"↔
28.
            rel="stylesheet" integrity="sha384-
    uWxY/CJNBR+1zjPWmfnSnVxwRheevXITnMqoEIeG1LJrdI0GlVs/9cVSyPYXdcSF"↔
29.
            crossorigin="anonymous">↔
30.
        <!-- Link to Google Fonts - Teko, Titillium Web and Montserrat -->↔
        <link rel="preconnect" href="https://fonts.googleapis.com">←
31.
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>←
32.
33.
        <link href="https://fonts.googleapis.com/css2?</pre>
    family=Montserrat:wght@400;600;700&family=Teko:wght@600&family=Titillium+Web:w
    ght@400;600;700&display=swap" rel="stylesheet">↔
34.
35.
            <!-- Link to Custom CSS -->↔
36.
            <link rel="stylesheet"</pre>
    href="https://perkulater.s3.amazonaws.com/static/css/base.css">↔
37.
38.
39.
        \Box
40.
        \downarrow
41. ←
42.
43. <!-- Link to Font Awesome Kit -->↔
   <script src="https://kit.fontawesome.com/7863bec69d.js"</pre>
    crossorigin="anonymous"></script>↔
45.
46. ←
47.
        \downarrow
48.
        \leftarrow
49. ←
50.
        <title>perkulater </title>↔
51.
        </head>↩
52.
        <body>←
53.
            <header>←
54.
                 <!-- Bootstrap Collapsing Navbar -->↔
                 <!-- Note - change class navbar-expand to navbar-expand-sm to
55.
    collapse menu on small devices if required -->↔
56.
                 <nav class="navbar navbar-expand-sm navbar-dark bg-black-1 pb-</pre>
    0">←
57.
                     <div class="container-fluid">↔
58.
                         <a class="navbar-brand logo-text px-3 pb-0"</pre>
    href="/products/">perkulater<img</pre>
    src="https://perkulater.s3.amazonaws.com/media/coffee-cup-icon-white.png"
    alt="Coffee Cup Icon" class="logo-image pl-1 pb-1"></a>↔
                         <button class="navbar-toggler" type="button" data-bs-</pre>
59.
    toggle="collapse"↔
60.
                             data-bs-target="#navbarNavDarkDropdown" aria-
    controls="navbarNavDarkDropdown"↔
                             aria-expanded="false" aria-label="Toggle
61.
    navigation">←
62.
                             <span class="navbar-toggler-icon"></span>←
63.
                         </button>←
64.
                         <div class="collapse navbar-collapse"</pre>
    id="navbarNavDarkDropdown">↔
65.
                             ↔
66.
                                  <!-- There is currently only one category, Coffee
    -->←
```

```
67.
                                <!-- Category selection is functional but hidden
    until more categories are added to the site by the admin -->↔
68.
69.
                                di>←
70.
                                    <form method="GET" action="/products/"</pre>
    class="d-flex p-1">↔
71.
                                        <input class="form-control me-2"</pre>
    type="search" name="q" placeholder="Search" aria-label="Search Products">↔
72.
                                        <button class="btn btn-outline-light btn-</pre>
    outline-green" type="submit" aria-label="Search Products"><i class="fas fa-
    search"></i></button>↔
73.
                                    </form>←
74.
                                ↔
75.
                                class="nav-item dropdown">↔
                                    <a href="/basket/" class="nav-link" aria-
76.
    label="View Basket">↔
77.
                                        <i class="fas fa-lg fa-shopping-basket">
    </i>←
78.
                                    </a>←
79.
                                ↔
80.
                                ↔
                                    <a href="#" class="nav-link dropdown-toggle"</pre>
81.
    id="navbarUserMenu"↔
82.
                                        data-bs-toggle="dropdown" aria-
    expanded="false" aria-label="User dropdown menu">↔
83.
                                        <i class="fas fa-lg fa-user-circle"></i></i>
84.
                                    </a>←
85.
                                    dropdown-menu-end" aria-labelledby="navbarUserMenu">←
86
87.
                                            <a class="dropdown-item"
    href="/contact/">Contact</a>↔
88.
                                            <a class="dropdown-item"
    href="/accounts/login/?next=/accounts/login/">Sign In</a>↔
89.
                                            <a class="dropdown-item"
    href="/accounts/signup/">Sign Up</a>
90.
                                    ←
91.
92.
                                ←
93.
                            ←
94.
                        </div>
95.
                    </div>←
96.
                </nav>↔
97.
                <div class="col-12">←
98.
                    <div class="tagline-text text-center bg-black-1 px-3 pb-1">↔
99.
                        Ethically sourced and expertly roasted coffee beans and
    ground coffee, delivered to your home↔
100.
                        <div class="divider-solid">↔
101.
                            <hr>
<
102.
                        </div>↩
103.
                    </div>↩
                </div>←
104.
105.
            </header>↩
106. ←
107.
108. ←
109.
110.
            ے
111. ←
112.
    <section id="sign-in" class="container-sm container-custom-sm form-user py-4</pre>
    px-3">↔
114.
      <div class="row">↔
        <div class="col-12">↔
115.
116.
          <h1 class="py-2">Sign In</h1>↔
117.
         </div>←
      </div>←
118.
      <div class="row">↔
119.
120.
        <div class="col-12">↔
121.
```

```
122.
123.
             If you have not created an account yet, then please↔
             <a class="form-user-link" href="/accounts/signup/?</pre>
124.
     next=%2Fproducts%2F">Sign Up</a> first.↔
125.
126.
         </div>↩
127.
       </div>↩
128.
       <div class="row pb-3">↔
129.
         <div class="col-12">←
           \label{login} $$ \form\ class="login\ form-user"\ method="POST"\ action="/accounts/login/"> \hookrightarrow $$ \ \ \ \ \ 'input\ type="hidden"\ name="csrfmiddlewaretoken"
130.
131.
     value="kjkf4ENuv9xvwvJBGFsL7TCBW64TUEue3imsB401CPYHfkxxs1LQnAibDQcylwxS">↔
132
133. ↩
134. <div id="div_id_login" class="mb-3"> <label for="id_login" class="form-label
     requiredField">←
135.
                      Login<span class="asteriskField">*</span> </label> <input
     type="text" name="login" placeholder="Username or e-mail" autocomplete="email"
     class="textinput textInput form-control" required id="id_login"> </div> <div</pre>
     id="div_id_password" class="mb-3"> <label for="id_password" class="form-label</pre>
     requiredField">↔
                      Password<span class="asteriskField">*</span> </label> <input
136.
     type="password" name="password" placeholder="Password" autocomplete="current-
     password" class="textinput textInput form-control" required id="id_password">
     </div> <div class="mb-3"> <div id="div_id_remember" class="mb-3"> <input
     type="checkbox" name="remember" class="checkboxinput form-check-input"
     id="id remember"> <label for="id remember" class="form-check-label">↔
137.
                          Remember Me←
138.
                      </label> </div> </div>↔
139. ←
140.
141.
                <input type="hidden" name="next" value="/products/" />

142.
143.
             <div class="form-row pt-2">←
144.
                <button class="btn btn-lg btn-outline-light btn-outline-green"</pre>
     type="submit">Sign In</button>←
145.
                <span class="px-1"></span>↔
146.
                <a class="btn btn-lg btn-outline-light btn-outline-green"</pre>
     href="/accounts/password/reset/">Forgot Password?</a>↔
147.
             </div>←
148.
             <input type="hidden" name="next" value="/products/" />

149.
           </form>←
150.
         </div>↩
151.
       </div>←
152. </section>↔
153. ←
154. ←
155.
             <!-- Footer -->↔
156.
             <footer class="container-sm">←
157.
                  <div class="divider-opaque">←
158.
                      <hr>→
159.
                  </div>↩
160.
                  <div class="row py-3">↔
161.
                      ←
162.
                          perkulater is a small batch, artisan coffee roaster based
     in South London. ←
163.
                          We are committed to producing the highest quality coffee
     from the best quality beans. \leftrightarrow
164.
                          All of our beans are ethically sourced direct from the
     growers.↔
165.
                      ←
166.
                  </div>←
167.
                  <div class="divider-opaque">↔
168.
                      <hr>→
169.
                  </div>←
170.
                  <div class="pt-3 pb-4 text-center footer-links">←
                      <a href="https://en-gb.facebook.com/" aria-label="Link to</pre>
171.
     perkulater facebook page" ↔
172.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-facebook-square fa-2x px-2"></i></a>↔
```

```
<a href="https://twitter.com/home" aria-label="Link to</pre>
173.
     perkulater twitter page" \leftrightarrow
174.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-twitter-square fa-2x px-2"></i></a> ↔
175.
                      <a href="https://www.instagram.com/" aria-label="Link to</pre>
     perkulater instagram page" \leftrightarrow
176.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-instagram-square fa-2x px-2"></i></a>
177.
                      <a href="https://github.com/richardhenyash" aria-label="Link</pre>
     to developer GitHub page" ↔
178.
                          rel="noreferrer noopener" target="_blank"><i class="fab
     fa-github-square fa-2x px-2"></i></a>↔
179.
                  </div>←
180.
             </footer>←
181. ←
182.
183.
         <!-- JQuery JavaScript -->↔
184.
185.
         <script↔
186.
             src="https://code.jquery.com/jquery-3.6.0.min.js"

187.
             integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="↔
188.
             crossorigin="anonymous">↔
189.
         </script>←
190.
         <!-- Bootstrap JavaScript -->↔
191.
         <script↔
192
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.2/dist/js/bootstrap.bundle.min
             integrity="sha384-
193.
     kQtW33rZJAHjgefvhyyzcGF3C5TFyBQBA13V1RKPf4uH+bwyzQxZ6CmMZHmNBEfJ"
     crossorigin="anonymous">↔
194.
         </script>↩
195.
196.
                  <!-- Link to Base JavaScript -->↔
197.
                  <script
     src="https://perkulater.s3.amazonaws.com/static/js/base.js"></script>↔
198.
                  <!-- Link to Custom Modernizr JavaScript -->↔
199.
                  <script
     src="https://perkulater.s3.amazonaws.com/static/js/libraries/modernizr-
     custom.js"></script>↔
200.
              ب
201.
              ب
202.
203.
         </body>←
204. </html>
```

Used the HTML parser.

Total execution time 19 milliseconds.

About this checker • Report an issue • Version: 21.11.14