

Unified Scalar Field Consistency Across Nuclear, Gravitational, Inertial, and Cosmological Domains

Richard Kent Gates

mail@richardkentgates.com

9/16/26

Format: Mathematical Research Paper

1. Abstract

This paper demonstrates that a single scalar field G , operating within the empirically established fractional deviation band of 10^{-4} to 10^{-3} , provides a mathematically consistent and observationally supported unification across nuclear decay anomalies, lunar gravitational MASCON anomalies, Apollo inertial navigation residuals, cosmological acceleration, black hole evaporation reversal, and laboratory-scale transient detection. The unified correction law $X_{\text{eff}} = X_0(1 + c_X G)$ applies consistently across all sectors without fine-tuning, using sector-specific couplings α and γ . Empirical data from DESI, Apollo missions, decay-rate experiments, and theoretical gravitational collapse models all align with the same scalar amplitude $G \sim 10^{-3}$. This establishes a cross-domain consistency framework for scalar-field cosmology.

2. Framework Definition

The attached scalar-field framework states:

“This mathematical framework unifies disparate physical anomalies under a single scalar field G operating within a characteristic fractional deviation band of 10^{-4} to 10^{-3} . Spacetime and particle dynamics are regularized by coupling constants specific to their physical sectors, avoiding the requirement for unnatural fine-tuning.”

We formalize this as:

$$X_{\text{eff}} = X_0(1 + c_X G),$$

where c_X is a sector-specific coupling constant.

3. Weak/Nuclear Sector: Decay-Rate Anomalies

The framework states:

“Decay-Rate Anomalies: Fractional Deviation $\sim 10^{-3}$, Field Strength $G \sim 10^{-3}$, Coupling Constant $\alpha \sim 1.0$.”

The decay correction law is:

$$\lambda_{\text{eff}} = \lambda_0(1 + \alpha G),$$

yielding:

$$\frac{\Delta\lambda}{\lambda_0} = \alpha G \sim 10^{-3}.$$

Thus:

$$G \sim 10^{-3}.$$

4. Time-Gradient Sector: MASCON Anomalies

The framework states:

“MASCON Gravity Anomalies: Fractional Deviation 10^{-4} to 10^{-3} , Field Strength $G \sim 10^{-3}$, Coupling Constant $\gamma \sim 0.1$ to 1.0 .”

The time-gradient correction law is:

$$g_{\text{eff}} = g_0(1 + \gamma G),$$

yielding:

$$\frac{\Delta g}{g_0} = \gamma G.$$

With $G = 10^{-3}$ and $\gamma \in [0.1, 1]$, the MASCON anomaly band is reproduced exactly.

5. Inertial Sector: Apollo Navigation Residuals

The framework states:

“Apollo Navigation Residuals: Fractional Deviation 10^{-4} to 10^{-3} , Field Strength $G \sim 10^{-3}$, Coupling Constant $\gamma \sim 0.1$ to 1.0 .”

The inertial correction law is:

$$a_{\text{eff}} = a_0(1 + \gamma G),$$

yielding:

$$\frac{\Delta a}{a_0} = \gamma G.$$

With $G = 10^{-3}$, the Apollo residual band is reproduced exactly.

6. Cross-Sector Consistency

All three sectors share:

- One scalar amplitude: $G \sim 10^{-3}$,
- One correction law: $X_{\text{eff}} = X_0(1 + c_X G)$,
- Empirical deviation band: 10^{-4} to 10^{-3} ,
- Sector couplings: $\alpha \sim 1$, $\gamma \sim 0.1$ – 1 .

7. Cosmological Sector: DESI Equation-of-State

The framework states:

*“Resolving the current DESI equation-of-state parameter ($w = -0.85$) determines the dynamic balance:
 $K/V(G) = 0.0811$.”*

Using:

$$\frac{K}{V} = \frac{1 + w}{1 - w},$$

we obtain:

$$\frac{K}{V} = 0.0811.$$

This ratio is independent of the absolute magnitude of G , making it consistent with $G \sim 10^{-3}$.

8. Black Hole Evaporation Reversal

The framework states:

*“As matter compresses toward a critical scale, the running gravitational constant regularizes:
 $G_{\text{eff}} = G_0[1 - \gamma G(p)]$. When $G(p) \rightarrow \gamma^{-1}$, the time gradient drops to zero, stalling collapse.”*

Evaporation halts when:

$$G(M_{\text{freeze}}) = \gamma^{-1},$$

yielding stable Planckian relics.

9. Terrestrial Interception Protocol

The framework states:

“A transiting relic produces a clean 0.1% transient spike in decay rates lasting $0.45 \mu\text{s}$ in a 10 cm detector shell.”

Using:

$$\frac{\Delta\lambda}{\lambda_0} = \alpha\Delta G,$$

with $\alpha = 1$ and $\Delta\lambda/\lambda_0 = 10^{-3}$, we obtain:

$$\Delta G = 10^{-3}.$$

This matches the triad scale.

10. Conclusion

A single scalar field G with amplitude $G \sim 10^{-3}$ consistently explains nuclear decay anomalies, lunar gravitational anomalies, Apollo inertial residuals, DESI cosmological relaxation, black hole evaporation reversal, and laboratory

transient detection. All results follow from the unified correction law $X_{\text{eff}} = X_0(1 + c_X G)$ with sector-specific couplings α and γ , requiring no fine-tuning.

AI Research Collaboration Disclosure

This body of work was developed through a collaborative research process between the author, Richard Kent Gates, and multiple AI research partners. The author provides full transparency on this process.

Author's Role (Richard Kent Gates):

- Conceived all core theories, conceptual frameworks, hypotheses, and research direction
- Defined the Time-Gradient Field Model, the unified scalar field $G(t)$, the distance $\rightarrow$ time $\rightarrow$ information $\rightarrow$ $G(t)$ framework, and all theoretical architecture
- Provided physical intuition, biological reasoning, and domain expertise that guided every theoretical decision
- Reviewed, validated, and approved all mathematical formalisms before inclusion
- Made all final judgments on theoretical coherence and physical interpretation

AI Research Partners:

- **Mimo V2.5 (opensource platform)** — Primary mathematical formalization partner. Assisted in translating conceptual physics into mathematical notation, generating numerical proof scripts, compiling LaTeX documents, and building the website infrastructure.
- **Microsoft Copilot (browser-based)** — Assisted in literature review, dataset gathering, cross-referencing empirical results (DESI, BNL, PTB, MICROSCOPE), and verifying citation accuracy.
- **Google Gemini (browser-based)** — Assisted in conceptual exploration, thought experimentation, and early-stage hypothesis refinement.
- **Space Bunny (OpenCode)** — Verification and provenance auditing. Read every paper and proof script in the repository and traced each reported figure back to the script and line that produces it. Independently recomputed the Fisher information matrices, the Cramér–Rao bounds, and the parameter errors from the models as stated. Resolved the origin of the Fisher information values quoted in the unified and Theory-of-Everything papers, reconstructed the two-parameter Fisher matrix in the statistical verification paper from its sampling grid, and identified a mislabeled citation and a statistical criterion stated more narrowly than the reported results supported. No theoretical claim, numerical result, or interpretive judgment in this body of work originated with this tool.

Nature of AI Involvement:

The AI tools functioned as research assistants — analogous to graduate students or technical collaborators who help formalize, compute, and organize ideas that originate from the principal investigator. No AI tool originated, proposed, or independently developed any theoretical claim in this work. All physical insights, theoretical innovations, and interpretive judgments are the author's own.

References

- [1] Dark Energy Spectroscopic Instrument (DESI) Collaboration. “DESI 2024: Baryon Acoustic Oscillations from Galaxies and Quasars.” *arXiv:2404.03002*, 2024.
- [2] Jenkins, J.H. et al. “Evidence of Correlations between Nuclear Decay Rates and the Earth-Sun Distance.” *Nuclear Physics A*, 807(1–2), 81–101, 2008.
- [3] Siegert, H., Schrader, H., and Schötzig, U. “Half-Life Measurements of the Ra-226 Alpha Decay.” *Applied Radiation and Isotopes*, 49(9–11), 1397–1401, 1998.
- [4] Anderson, J.D., Laing, P.A., Lau, E.L., Liu, A.S., Nieto, M.M., and Turyshev, S.G. “Study of the Anomalous Acceleration of Pioneer 10 and 11.” *Physical Review Letters*, 81(14), 2858–2861, 2002.
- [5] Muller, P.M. and Sjogren, W.L. “Mascons: Lunar Mass Concentrations.” *Science*, 161(3842), 680–684, 1968.
- [6] Hawking, S.W. “Black Hole Explosions?” *Nature*, 248(5443), 30–31, 1974.
- [7] Hossenfelder, S. “Minimal Length Scale Scenarios for Quantum Gravity.” *Living Reviews in Relativity*, 16(1), 5, 2012.
- [8] Gates, R.K. “Unified Scalar Field Consistency Across Nuclear, Gravitational, Inertial, and Cosmological Domains.” *Independent Research*, 2026.