

A Trustworthy  
One-stop Animal Husbandry  
And Veterinary  
Products Supplier

# LEVAH

Agriculture 2018|2019



# LEVAH

Shanghai LEVAH International Trading Co.,Ltd.  
Room 709, No. 1187 Akesu Road, Jiading District, 201801 P.R.China.  
Tel: +86-21-59101260 59569527 Fax: +86-21-59569527  
Email: [info@levah.com](mailto:info@levah.com) Website: [www.levah.com](http://www.levah.com)

## About LEVAH

Shanghai Levah International Trading Co.,Ltd. is one of the leading manufacturers and suppliers of Agriculture, Equine Supplies, Electric Fencing, Pet Supplies, Protective Equipment, etc. We are currently making OEM products for over 30 customers worldwide, some of them are the world-renowned names from Australia, Germany, Hungary, United Kingdom, Ireland, France, Canada, USA, Russia, Ukraine. we are capable of sourcing from reliable and selected manufacturer, keep quality and prices under control so as to supply the suitable products to the oversea market.

At Levah, we strive to create higher value and offer best one station service for our customers all the time. Delivery on time and at a competitive price. In order to accomplish this, we have established strict quality inspection process which include strict inspections of raw materials, approval of batch production samples, standard inspection of manufacturing process, random quality inspection during production and quality inspection in warehouse before shipment. Additionally, all products can be tested upon our customer's requirements to ensure that only qualified products leave our factory. And more, our location enables us to offer competitive price because here in Yangtze River Delta Region, we have rich component resources and convenient transportation.

We have about 200 manufacturers has business connection with us, some of them produce for us exclusively. Different from the manufacturers, we are cautious of the product specification, as some manufacturers are inclined to exaggerate, instead of sales "tactics", we simply describe a product's abilities candidly. All items have strengths and weaknesses. We state both. Our experience and contacts within China can help you reduce the risks of non-performance or sub-standard performance. We always do our best to continually improve your return-on-investment. We try to treat customers as we would wish to be treated.

Choose our service and you will get future-proofed product, we will try our best to meet your requirement on quality. We are ready to help you with whatever you may need. if you have any question, please feel free to contact us.

## What We Do?

1. OEM and ODM products used in agriculture, electric fencing, equine supplies, pet supplies, protective equipment, etc.
2. Metal processing, plastic processing, rubber processing and mould making, etc.
3. Sourcing existed products used in the industries same as above.





## LEVAH

### Veterinary Continuous Syringe **VC240108**

1ml, 2ml, 5mL  
with bottle adapter



### Veterinary Continuous Syringe **VC240107**

1ml, 2ml, 5mL.  
with tubing



### Veterinary Continuous Syringe **VC218108**

1ml, 2ml, 5mL.  
with bottle adapter



### Veterinary Continuous Syringe **VC218107**

1ml, 2ml, 5mL.  
with tubing.



### Fix Dose Continuous Syringe **VC219126**

0.2ml, 0.25ml, 0.3ml, 0.4ml, 0.5ml, 0.6ml, 0.75ml.



### Veterinary Continuous Syringe **VC219127**

1ml.  
adjustable at 0.1-1mL.



### Veterinary Continuous Syringe **VC219116**

0.2ml, 0.25ml, 0.3ml  
0.4ml, 0.5ml, 0.6ml, 0.75ml



### Veterinary Continuous Syringe **VC219118**

2ml, 5mL.  
with tubing



### Veterinary Continuous Syringe **VC219117**

1ml, 2ml, 5ml, 10ml  
with bottle adapter




**Plastic Steel Drug Feeding Syringe**  
**VC219120**

1ml, 2ml, 5ml, 10ml



**Veterinary Continuous Syringe**  
**VC219121**

1ml, 2ml.



**Veterinary Continuous Syringe**  
**VC219122**

1ml, 2ml.



**Pistol Metal Automatic Syringe**  
**VC240050**

50ml  
with calibration.



**Veterinary Metal Automatic Syringe**  
**VC240115**

10ml, 20ml, 30ml, 50ml  
made of chromate plated brass.



**Veterinary Continuous Syringe**  
**VC219136**

10ml, 20ml.



**Veterinary Continuous Syringe**  
**VC240109**

5ml  
adjustable at 0.2~5ml



**Veterinary Continuous Syringe**  
**VC240110**

5ml  
adjustable at 0.2~5ml.



**Veterinary Continuous Syringe**  
**VC290132**

2ml, 3ml, 5ml.



**Veterinary Continuous Syringe**  
**VC218118**

5ml, 10ml, 30ml



**Veterinary Continuous Syringe**  
**VC240256**

1ml, 2ml, 5ml.  
with bottle adapter



**Veterinary Continuous Syringe**  
**VC219125**

1ml  
adjustable at 0.1~1ml.



**Veterinary Continuous Syringe**  
**VC218101**

double-barreled  
left is 0.5ml, right is 1ml.



## 10ml 不可调

**VP240509**10ml TPX/PC  
without graduation.

## 20ml 不可调

**VP240510**20ml TPX/PC  
without graduation.

## 30ml 不可调

**VP240511**30ml TPX/PC  
without graduation.

## 50ml 不可调

**VP240512**50ml TPX/PC  
without graduation.

## 10ml 可调

**VP240513**10ml TPX/PC  
with graduation.

## 20ml 可调

**VP240514**20ml TPX/PC  
with graduation.

## 30ml 可调

**VP240515**30ml TPX/PC  
with graduation.

## 50ml 可调

**VP240516**50ml TPX/PC  
with graduation.Plastic Steel Syringe  
with Drencher Tube**VC218309**5ml, 10ml, 20ml, 30ml, 50ml  
TPXVeterinary  
Continuous Syringe**VC218310**materials: TPX.  
dose: 10ml, 20ml, 30ml, 50ml.  
luer-lock adapter.Multi-Use Veterinary Syringe  
TPX/PC**VP219312**Three-Way Valve,  
10ml, 20ml, 30ml, 50ml.Veterinary  
Disposable Syringe**VN2801302 - 2ml**  
**VN2801305 - 5ml**  
**VN2801310 - 10ml**  
**VN2801320 - 20ml**with or without needle  
dose: 2ml, 5ml, 10ml, 20ml.  
luer-lock or luer slip. sterile.Syringe With  
Hard Cartridge**VN34514**1cc, 3cc, 6cc, 12cc, 20cc, 35cc, 60cc  
luer lock or luer slip  
autoclavable in hard pack.  
color coded cap for identification.Chip  
Syringe**VN34515**fit for all kinds of chips.  
one time use, sterile, non-pyrogenic,  
autoclavable components. ultra-sharp,  
tri-bevelled, anti-coring,  
stainless steel needle.

**Metal Syringe  
For Phthisic**

**VM218201**

2.5ml, for cow.  
accuracy: 1 ~ 2.5ml.  
luer-lock.



**High Accuracy  
Metal Syringe**

**VM218202**

20 ml.  
accuracy: 1 ~ 20 ml.  
luer-lock.



**Veterinary  
Metal Syringe**

**VM218203**

10ml, 20ml, 30ml, 40ml, 50ml, 100ml  
without luer-lock.



**Veterinary  
Metal Syringe**

**VM218204**

10ml, 20ml, 30ml, 40ml, 50ml, 100ml  
with luer-lock.



**Veterinary  
Continuous Drencher**

**CD21811410 -10ml**  
**CD21811420 -20ml**  
**CD21811450 -50ml**

10ml, 20ml, 50ml.  
made of plastic steel.  
easy of operation.  
Unbreakable plastic barrel  
with spare pipe and needle.



**Veterinary  
Continuous Drencher**

**CD21811905 -5ml**  
**CD21811910 -10ml**  
**CD21811930 -30ml**

5ml, 10ml, 30ml.  
made of chrome plated brass.



**Vaccin  
Continuous Drencher**

**CD218120**

5ml  
made of chrome plated brass.



**Vaccin  
Continuous Drencher**

**CD2190104 -5ml**  
**CD2190110 -10ml**  
**CD2190120 -20ml**

5ml, 10ml, 20ml.  
made of chrome plated brass.



**Veterinary  
Continuous Drencher**

**CD240219**

5ml  
made of chrome plated brass.



**Veterinary  
Continuous Drencher**

**CD240221**

50ml  
made of plastic  
easy of operation.



### Disposable Aluminum Hub Needle

#### VN34501

ultra-sharp, tri-bevelled, anti-coring needle.  
precision luer-lock aluminum hub.  
stainless steel cannula.  
coated with a silicon polymer.  
two pieces rigid pack. sterile.



### Disposable PP Hub Needle

#### VN34502

translucent, colour-coded luer lock hub, colour-coded cap on rigid pack.  
ultra-sharp, tri-bevelled, anti-coring needle.  
stainless steel cannula.  
sterile, nonpyrogenic, autoclavable components.  
single package or blister package.



### Disposable Poly Hub With Aluminum Insert Needle

#### VN34503

ultra-sharp, tri-bevelled, anti-coring needle.  
stainless steel cannula.  
metal insert increases needle strength for animal health  
application. coated with a silicon polymer.  
two pieces rigid pack.  
sterile.



### Disposable Transfer Needle

#### VN34504

double-ended stainless steel needle with special  
anti-coring bevels. smooth, rounded aluminum hub.  
short butt end for evacuation.  
sterile.



### Copper Rectangle Hub Needle

**VN34511 - CX=C11 11mm luer-lock copper hub.**  
**Vn34513 - CX=C13 13mm luer-lock copper hub.**  
**Vn34514 - CX=C14 14mm luer-lock copper hub.**  
**Vn34516 - CX=C16 16mm luer-lock copper hub.**  
**Vn34518 - CX=C18 18mm luer-lock copper hub.**  
**VN34520 - CX=C20 20mm luer-lock copper hub.**

needle & hub rivet connection in five direction.  
tri-beveled.  
luer-lock copper hub.  
different size are available.



Item No.	Needle Gauge and Length		Box/Case/Carton
	D x L (G x inch)	D x L (mm x mm)	
CX.2050	14G x 2"	2.0 x 50	12/144/7200
CX.2040	14G x 1 1/2"	2.0 x 40	12/144/7200
CX.2025	14G x 1"	2.0 x 25	12/144/7200
CX.2020	14G x 3/4"	2.0 x 20	12/144/7200
CX.2015	14G x 5/8"	2.0 x 15	12/144/7200
CX.1850	15G x 2"	1.8 x 50	12/144/7200
CX.1840	15G x 1 1/2"	1.8 x 40	12/144/7200
CX.1825	15G x 1"	1.8 x 25	12/144/7200
CX.1820	15G x 3/4"	1.8 x 20	12/144/7200
CX.1815	15G x 5/8"	1.8 x 15	12/144/7200
CX.1650	16G x 2"	1.6 x 50	12/144/7200
CX.1640	16G x 1 1/2"	1.6 x 40	12/144/7200
CX.1625	16G x 1"	1.6 x 25	12/144/7200
CX.1620	16G x 3/4"	1.6 x 20	12/144/7200
CX.1615	16G x 5/8"	1.6 x 15	12/144/7200
CX.1450	17G x 2"	1.4 x 50	12/144/7200
CX.1440	17G x 1 1/2"	1.4 x 40	12/144/7200
CX.1420	17G x 3/4"	1.4 x 20	12/144/7200
CX.1415	17G x 5/8"	1.4 x 15	12/144/7200
CX.1240	18G x 1 1/2"	1.2 x 40	12/144/7200
CX.1225	18G x 1"	1.2 x 25	12/144/7200
CX.1220	18G x 3/4"	1.2 x 20	12/144/7200
CX.1215	18G x 5/8"	1.2 x 15	12/144/7200
CX.1213	18G x 1/2"	1.2 x 13	12/144/7200
CX.1040	19G x 1 1/2"	1.0 x 40	12/144/7200
CX.1025	19G x 1"	1.0 x 25	12/144/7200
CX.1020	19G x 3/4"	1.0 x 20	12/144/7200
CX.1015	19G x 5/8"	1.0 x 15	12/144/7200
CX.1013	19G x 1/2"	1.0 x 13	12/144/7200
CX.0940	20G x 1 1/2"	0.9 x 40	12/144/7200
CX.0925	20G x 1"	0.9 x 25	12/144/7200
CX.0920	20G x 3/4"	0.9 x 20	12/144/7200
CX.0915	20G x 5/8"	0.9 x 15	12/144/7200
CX.0913	20G x 1/2"	0.9 x 13	12/144/7200

**Copper Large Round Knurled Hub Needle**
**VN34530**

copper round knurled hub (9mm & 8mm)  
tri-beveled.  
different size are available.

Item No.	Needle Gauge and Length		Box/Case/Carton
	D x L (G x inch)	D x L (mm x mm)	
LR.2040	14G x 1 1/2"	2.0 x 40	14/144/3600
LR.2030	14G x 1 1/4"	2.0 x 30	14/144/3600
LR.2025	14G x 1"	2.0 x 25	14/144/3600
LR.2020	14G x 3/4"	2.0 x 20	14/144/3600
LR.2015	14G x 5/8"	2.0 x 15	14/144/3600
LR.1840	15G x 1 1/2"	1.8 x 40	14/144/3600
LR.1830	15G x 1 1/4"	1.8 x 30	14/144/3600
LR.1825	15G x 1"	1.8 x 25	14/144/3600
LR.1820	15G x 3/4"	1.8 x 20	14/144/3600
LR.1815	15G x 5/8"	1.8 x 15	14/144/3600
LR.1640	16G x 1 1/2"	1.6 x 40	14/144/3600
LR.1630	16G x 1 1/4"	1.6 x 30	14/144/3600
LR.1625	16G x 1"	1.6 x 25	14/144/3600
LR.1620	16G x 3/4"	1.6 x 20	14/144/3600
LR.1615	16G x 5/8"	1.6 x 15	14/144/3600
LR.1440	17G x 1 1/2"	1.4 x 40	14/144/3600
LR.1430	17G x 1 1/4"	1.4 x 30	14/144/3600
LR.1425	17G x 1"	1.4 x 25	14/144/3600
LR.1420	17G x 3/4"	1.4 x 20	14/144/3600
LR.1415	17G x 5/8"	1.4 x 15	14/144/3600
LR.1240	18G x 1 1/2"	1.2 x 40	14/144/3600
LR.1225	18G x 1"	1.2 x 25	14/144/3600
LR.1220	18G x 3/4"	1.2 x 20	14/144/3600
LR.1215	18G x 5/8"	1.2 x 15	14/144/3600
LR.1213	18G x 1/2"	1.2 x 13	14/144/3600
LR.1040	19G x 1 1/2"	1.0 x 40	14/144/3600
LR.1025	19G x 1"	1.0 x 25	14/144/3600
LR.1020	19G x 3/4"	1.0 x 20	14/144/3600
LR.1015	19G x 5/8"	1.0 x 15	14/144/3600
LR.1013	19G x 1/2"	1.0 x 13	14/144/3600
LR.0940	20G x 1 1/2"	0.9 x 40	14/144/3600
LR.0925	20G x 1"	0.9 x 25	14/144/3600
LR.0920	20G x 3/4"	0.9 x 20	14/144/3600
LR.0915	20G x 5/8"	0.9 x 15	14/144/3600
LR.0913	20G x 1/2"	0.9 x 13	14/144/3600
LR.0740	22G x 1 1/2"	0.7 x 40	14/144/3600
LR.0725	22G x 1"	0.7 x 25	14/144/3600
LR.0720	22G x 3/4"	0.7 x 20	14/144/3600
LR.0715	22G x 5/8"	0.7 x 15	14/144/3600
LR.0713	22G x 1/2"	0.7 x 13	14/144/3600
LR.0710	22G x 3/8"	0.7 x 10	14/144/3600


**Disposable Sterile Needle**
**VN28009**

disposable needle for injection, sterile.



O.D.	Gauge	Pipe Outside Diameter	Pipe Length	Color
0.4	27G	5/8"		
0.45	26G	5/8"		
0.5	25G	3/4"		
0.55	24G	1"		
0.6	23G	1 1/8", 1 1/4"		
0.7	22G	1 1/8", 1 1/4"		
0.8	21G	1 3/8", 1 1/2"		
0.9	20G	1 1/2"		
1.2	18G	1 1/8", 1 1/2"		
1.6	16G	1 1/2"		



**Round Head Operation Scissor**  
**VN32452**

Size: 12.5cm, 14cm, 16cm, 18cm, 20cm, 22cm.  
Made of stainless steel.



**Sharp Head Operation Scissor**  
**VN32451**

Size: 14cm, 16cm, 18cm, 20cm, 22cm  
made of stainless steel.



**Curved Head Operation Scissor**  
**VN33753**

Size: 14cm, 16cm, 18cm, 20cm, 22cm  
made of stainless steel.



**Needle Holder**  
**VN32404**

Size: 12.5cm, 14cm, 16cm, 18cm, 20cm, 22cm.  
Made of stainless steel.



**Hemostatic Forceps**  
**VN32414**

Size: 12.5cm, 14cm, 16cm, 18cm, 20cm, 22cm  
made of stainless steel.



**Operating Blade**  
**VN32402**

different size and shape are available  
made of stainless steel.  
Operation Blade.



**Surgical Knife Handle**  
**VN32401**

3# -12.5cm  
4# -14cm  
7# -16cm  
made of stainless steel.



**Conjoined Operation Knife**  
**VN32407**

16cm  
sharp head or round head.



**Dressing Forceps**  
**VN32405**

12.5cm, 14cm, 16cm, 20cm, 25cm, 30cm.  
made of stainless steel



**Tissue Forceps**  
**VN32406**

12.5cm, 14cm, 16cm, 20cm, 25cm, 30cm.  
made of stainless steel.



**Vaccum Blood Collection Tube**

**VN28010C -Pro-coagulation tube**

**VN28010E -EDTA tube**

pro-coagulation tube: 3ml, 5ml.  
EDTA tube: 3ml, 5ml, 10ml.



**Veterinary Briefcase**  
**VN32409**

Outer Size: 45cm x 23cm x 30cm



**Disposable Blood Collector And Tube**  
**VN28008**

sterilized by EO gas, no toxic,  
discard after use,  
pyrogen free, valid for 3 years,  
maximum centrifugal  
speed: 5000 turns/min.  
5ml, 10ml,etc.



**Rumen Trocar**  
**VN32408**

needle diameter: 9mm or 7mm.  
made of stainless steel.



**Cattle Speculum**  
**VN32456**

used for cattle.  
made of stainless steel.




**Veterinary Suitcase**  
**VN62001**

Outer Size: 53cm x 24cm x 45cm



**Veterinary Container**  
**VN62301**

Outer Size: 53cm x 24cm x 45cm



**Sheep Speculum**  
**VN32455**

used for sheep.  
made of stainless steel.



**Veterinary Endoscope**  
**VN32458**

1. Estimate livestock estrus, the best fertilization period,  
false pregnancy estrus, inflammation of the uterus.  
2. Urethral orifice inspection.  
3. Rectal palpation.  
4. Laryngeal and pharyngeal inspection.  
5. Abdominal examination.  
6. Dystocia examination



**Obstetric Forceps**  
**OS32401**

made of stainless steel.



**Obstetrical Chain**  
**OS32402**

obstetric chain: 1m, 1.5m.  
made of stainless steel.



**Bloodless Castrator For Lamb, Pig**  
**VS32409**

with a tightening key.  
made of stainless steel.  
size: 23cm, 30cm, 35cm,etc.



**Bloodless Castrator For Lamb**  
**VS32410**

bloodless castrator for calves, horse or hulls.  
with a tightening key.  
made of high quality forged steel.  
size: 40cm for calves and horses.  
48cm for bulls and horses



**Stainless Steel Bloodless Castrator**  
**VS32413**

made of stainless steel.  
length: 46cm.



**Carbon Steel Bloodless Castrator**  
**VS32414**

made of carbon steel.  
length: 36cm.



**Elastrator Stretching Forceps**  
**VS21816**

made of plastic steel.



**Elastrator Stretching Forceps**  
**VS32415**

made of zinc alloy.



**Combi Castration Forceps**  
**VS32412**

made of stainless steel  
the long handle is 19cm, the short handle is 14cm.



**Tail Docker For Lamb, Piglet**  
**VS32411**

made of stainless steel.  
19.5cm is for lamb and piglet.  
27cm is for heavy lamb and piglet.



**Electric Livestock Prod**  
**SP612250**

shaft: 22", 32", 36", 42", 52"


**Electric Livestock Prod With Torch**  
**SP612330**

shaft: 22", 32", 36", 42", 52"


**Sorting Panel**
**SP26301** -120 x 76 x 3.15 cm  
**SP26302** -94 x 76 x 3.15 cm  
**SP26303** -76 x 46 x 3.15 cm

made of first regrind HDPE materials.


**Tooth Cutter**  
**BM32412**

made of stainless steel.  
with plain handle or knurl handle,  
bending notch or straight notch.  
length: 12.5cm, 13cm, 13.5cm, 14cm,etc.


**Cow Immobilizer**
**BM32421E** -electro-galvanised steel tube  
**BM32421H** -hot dipped galvanised steel tube  
**BM32421S** -stainless steel tube  
cos kick stop, extra strong.  
adjustable with spring lock.  
prevents kicking at milking and udder treatment.

**Pig Holder**  
**BM32422**

made of stainless steel, super quality.  
length of stainless steel tube: >64.5cm.  
length of steel rope:>50cm


**Bull Ring**  
**BM32417**

made of stainless steel or brass.  
inner diameter: 50mm, 60mm, 70mm,  
80mm, 90mm, 100mm,etc.  
different size are available.


**Calf Weaner**
**RT30205**    **RT25505**

made of plastic


**Ox Nose Thorn**
**RT30204**    **RT71204**

made of plastic


**Bull Holder With Rope**  
**BM32409**

bull made of stainless steel.  
with 1.5m rope.


**Harms Style Bull Holder**  
**BM32404**

made of forged nickel steel.  
length: 19cm.


**Bull Holder With Chain**
**BM32410** -carbon steel  
**BM32411** -stainless steel  
made of carbon steel or stainless steel.  
chain length: 40cm

**Cow Magnet**  
**RT28603**

1. round alnico cow magnet, D19 x 75 mm  
2. round ferrit cow magnet, D13.7 x 75 mm


**Bull Holder**  
**BM32402**


used to clamp ox's nose.  
good quality.


**Spring Bull Holder**  
**BM32403**

used to clamp ox's nose.


**Sorting Paddle**  
**SP70502**

length: 105cm  
with soft rubber grip.


**Sorting Paddle**  
**SP26302**

made of plastic


**Handy Livestock Prod**  
**SP61201**

input voltage: 6V.  
input current: 0.4A.  
power: 2.4W.  
output: transient voltage: 4000V, current: 0.1mA.




**Cattle Stomach Cleaner**  
**RT32401**

apparatus for fetching materials from cattle stomach.



**Cow Lifting Frame**  
**RT30201**

Plastic pipe diameter: 40mm.  
Length of middle pole: 660mm.  
Length of the rocker: 230mm (not the hand).  
Length of the thread: 245mm.



**R125 Infrared Heat Bulb**

IR2030101 150W, top red  
IR2030103 150W, clear  
IR2030105 150W, all red  
IR2030102 250W, top red  
IR2030104 250W, clear  
IR2030106 250W, all red

made of high borate hard glass, splash proof.  
E27 nickel-plated brass base.  
100W, 150W, 250W, etc.  
never-loose base, 6 month non-stop life.  
average life: 5000 hours.



**PAR38 Infrared Heat Bulb**

IR10101 100W, red  
IR10102 150W, red  
IR10103 175W, red  
IR10104 100W, clear  
IR10105 150W, clear  
IR10106 175W, clear

made of molded glass bulb, robust version.  
E27 imported brass head.  
all-purpose, splash proof.  
average: 5000 hours.



**BR38 Infrared Bulb**

IR21501 -100W Top Red  
IR21502 -150W Top Red  
IR21503 -175W Top Red  
IR21504 -100W Clear  
IR21505 -150W Clear  
IR21506 -175W Clear

E27 nickel-plated brass base.  
all purpose, splash proof.  
average life: 5000 hours.



**Infrared Lampshade**  
**LS62202**

For maximum 250W infrared bulb  
2.4m cable + 2m chain + 3 way  
switch (100%, 60% and off)



**Infrared Lampshade**  
**LS62201**

For maximum 250W infrared bulb  
2.4m cable + 2m chain + 3 way  
switch (100%, 60% and off)



**Infrared Lampshade**  
**LS34701**

For maximum 275W infrared bulb  
size: diameter: 22cm, height: 25cm  
2.0m cable + 1m chain + 3 way  
switch (100%, 50% and off)



**Infrared Lampshade**  
**LS34702**

For maximum 275W infrared bulb  
size: diameter: 30cm, height: 25cm  
2.0m cable + 1m chain + 3 way  
switch (100%, 50% and off)



**Professional Brood Warmer**  
**BW26202**

automatically temperature control.  
adjustable temperature  
from 1°C to 99°C.  
with a key intelligent ventilation.  
with upper and lower limited  
temperature alarm.  
material: aluminum alloy  
size: 50\*50\*18CM  
voltage: 220V/50Hz power: 2700W.



**Patio Heater**  
**PH33001**

230V, 1000W.  
with gold coated lamp, no UV.  
weather proof rating: IP54  
size: 400 x 190 x 180mm



### Oval Pig Drinking Bowls

- PB26301** -214mm Suitable for piglets  
**PB26302** -270mm Suitable for weaner/finisher  
**PB26303** -290mm Suitable for finisher

made of stainless steel #304  
 water inlet: 1/2" stainless steel.



### Round Pig Drinking Bowls

- PD26301** -120mm good for piglets  
**PD26302** -140mm good for weaner  
**PD26303** -160mm good for slaughter  
**PD26304**-200mm good for sow

made of stainless steel #304  
 water inlet: 1/2" stainless steel.



### Piglet Feeder

- PF274101** -250 x 65 mm  
**PF274102** -255 x 45 mm  
**PF274103** -290 x 70 mm

materials: stainless steel 201.  
 thickness: 1.2mm



### Pig Nipple Drinker

- PN214**  
**PN272**  
**PN273**  
**CN273**

made of stainless steel or brass.  
 various types are available.



### 65L Feeder For Piglet

- PF26301** -65L

materials:  
 bottom: stainless steel 304, hopper: HDPE,  
 hot dipped galvanised bracket.  
 size: 725 x 470 x 980 mm  
 capacity: 70L  
 weight: 18.6 kgs



### PF26302 -100L Power Feeder

- PF26302**

materials:  
 bottom: stainless steel 304, hopper: HDPE,  
 hot dipped galvanised bracket.  
 size: 900 x 620 x 1120 mm  
 capacity: 100L  
 weight: 23 kgs



### 100L Granulated Feeder For Finishing

- PF26303** -100L Granulated Feeder

materials:  
 bottom: stainless steel 304, hopper: HDPE,  
 hot dipped galvanised bracket.  
 size: 900 x 620 x 1120 mm  
 capacity: 100L  
 weight: 23 kgs



### Plastic Pig Feeder


- PF70504**

plastic automatic pig feeder 2.5 kgs



### Horizon Driving Box **AF26306**

stainless steel case,  
apply to tube diameter of 60/75mm.  
transparent distance: 250m ~ 300m.  
motor power: 1.8 KW, 2.2 KW, 38 r/min.




### Vertical Driving Box **AF26307**

stainless steel case,  
apply to tube diameter of 60/75mm.  
transparent distance: 400m ~ 450m.  
motor power: 2.2 ~ 3.0 KW, 36.84 r/min.



### Big Outlet Drop Feeder **AF26301**

materials: ABS and PP materials  
outlet: 150 x 150mm



### Feed Trough **FT12903**

materials: stainless steel  
size: 82 x 52.5 x 56 cm



### Sow Feed Trough **FT21603S -420 x 355 x 230 mm** **FT21603B -530 x 390 x 230 mm**

Stainless Steel Fisher Feeder  
Materials: 304 Stainless steel Pipe.  
Water inlet: 1/2" stainless steel.



### China Feed Trough **FT26302**

Materials: Stainless Steel 304  
Size: 455 x 370 x 230 mm  
Thickness: 1mm or 1.2mm




### Drop Feeder **AF26302**

hopper with a capacity of 6L or 8L



### Corner **AF26303**

Apply for 47mm, 60mm, 63mm tube.



### Chain Feed Line / Wire Rope Disc **AF26304 Chain Feed Line** **AF26305 Wire Rope Disc**

chain feed line wire rope disc



### Europe Feed Trough **FT26301**

Materials: Stainless Steel 304  
Size: 530 x 390 x 230 mm  
Thickness: 1.2mm  
Net weight: 3.3kgs (including the accessories)




### Slatted Floor **SF12901 -PP 60 x 60cm** **SF12904 -PP 40 x 60cm** **SF12907 -PP 40 x 30cm**

made of PP or Iron  
seamless, wide seam, etc



### Cooling Pad **CP33201**

Height(mm): 1000, 1500, 1800, 2000  
Width(mm): 300, 600, 900  
Thickness(mm): 100, 150, 200, 300, 600  
Flute height(mm): 7  
Ripple Angle: 45 \* 45 Color: Brown



### Tube Clip **AF26311**

stainless steel materials.  
length: 150mm, apply to tube 60mm.  
apply to 3mm, 5mm wire.



### Feed Hopper **AF26308**

made of stainless steel.



### Feed Connector **AF26310**

made of PP  
apply to the tube  
diameter: 60mm or 75mm.



### Outlet With Shut-Off **AF26309**

made of PP, with shut-off.  
with size of 60mm, 75mm pipe application.

### Heating Plate **HP40801**

220V, 120W, mould pressing.  
with switch (120W, 60W, 0).  
size: 50 x 90 cm , 55 x 100cm.



**Cohesive Elastic Bandage**

**FC3010401** - 2.5cm x 450cm  
**FC3010402** - 5.0cm x 450cm  
**FC3010403** - 7.5cm x 450cm  
**FC3010404** - 10cm x 450cm

adheres to itself, non-sticky to hair or skin.  
no pins or clips needed.  
nonwoven materials, hand tear.

**No Chew Bandage**

**FC3010501** - 2.5cm x 450cm  
**FC3010502** - 5.0cm x 450cm  
**FC3010503** - 7.5cm x 450cm  
**FC3010504** - 10cm x 450cm

This bandage is with the bittering agent,  
so this bandage with a bitter taste,  
which can reduce the risk of the animal biting  
the dressing.

**Cold Wrap Bandage**

**FC29111**

Keep cool for hours cold elastic bandage  
Length: 3.2cm, 3.5cm or customized.  
Width: 7.5cm, 10cm or customized. Elasticity: 1:2

**Hoof Poultice Dressing**

**FC29121**

horseshoe shaped -size: 13.5cm x 14.5cm  
rectangle shaped -size: 20cm x 40cm

**Cotton Wood Roll**

**FC29122**

made of 100% cotton.  
45cm x 2.3m

**Hoof Block**

**FC70509** -wood

**FC61109** -rubber

made of wood or rubber.  
wooded hoof block: FC70509  
rubber hoof block: FC61109

**Rechargeable Safety Dehorner**

**FC61201**

Integrated microprocessor technology  
featuring constant heat and time control.  
250 buds to be removed per charge.  
it's ready to dehorn with only 4 seconds of pre-heating.  
8 seconds per cauterization.  
with high performance rechargeable battery.

**Electric Dehorner**

**FC30201**

230V/200W, maximum temperature: 525°C  
230V/250W, maximum temperature: 700°C  
shell materials: stainless steel.  
complies with ROHS, REACH and CE.

**Hoof Knives**

**FC32402**

The blade is made of stainless steel.  
R -right side hoof knife.  
L -left side hoof knife.  
D -double sides hoof knife.

**Hoof Checking Plier**

**FC32407**

made of stainless steel.  
length: 35cm.

**Hoof Plier**

**FC32408**

made of alloy steel.

**Hoof Pincer**

**FC32403**

blade: 65Mn steel.  
handle: medium carbons steel.  
length: 48cm

**Hoof Nail Clinch**

**FC32406**

made of medium carbon steel.

**Hoof Trimmer**

**FC32405**

materials: #65 cold steel, better than #45 steel.  
made by forging, better than casting.  
length: 40cm.



**Stainless Steel / Galvanized Steel Drinking Bowls****WB30201 -stainless steel  
WB30202 -galvanized steel**

materials: 1.0mm stainless steel 304 or galvanized steel. capacity: 4L  
size: 28 x 27 x 14cm.  
materials of connector: brass or plastic.

**Nylon Drinking Bowls****WB30203**

capacity: 4L  
size: 28 x 27 x 14cm  
made of nylon  
with brass connector or plastic connector.

**Float Valve Assembly****WB30205 -Plastic  
WB30206 -brass**

size: 1/2"

**Drinking Bowls****WB22407**

materials: cast iron.  
power coated surface or enamel surface.  
long pressure tongue materials: stainless steel.  
water capacity: 1.8L

**Drinking Bowls****WB22408**

materials: cast iron.  
power coated surface or enamel surface.  
water capacity: 2.8L

**80L Anti-frost Drinking Tank****WB70504**

size: L 100cm x W 60cm x H 56cm.  
drinking depth: 45cm.  
can supply 25 cattle drinking.

**Drinking Bowls****WB22409**

materials: stainless steel.  
capacity: 2.8L  
1/2" brass connector.

**Drinking Bowls****WB22415**

materials: stainless steel.  
capacity: 0.9L

**Drinking Bowls****WB22410**

materials: plastic  
capacity: 0.9L  
plastic connector or brass connector.

**Drinking Bowls****WB22411**

materials: cast iron  
capacity: 0.9L  
plastic connector or brass connector.

**Drinking Bowls****WB22414**

materials: cast iron.  
capacity: 0.4L

**Drinking Bowls****WB22412**


materials: plastic  
capacity: 4L

**Drinking Bowls****WB21613**

materials: plastic  
with 1/2" stainless steel nipple drinker.  
length: 110mm  
height: 75mm


**Drinking Bowls****WB25516**

materials: PP/PE  
capacity: 2.6L  
color: green.




**Ear Tag Without Laser Printing**  
**EM21801**


A: 76 x 120mm B: 72 x 82mm  
 C: 60 x 70mm D: 42 x 50mm  
 E: 18 x 53mm F: 75 x 9mm  
 G: (Φ 27 - Φ30) x 25mm/30mm.


**Ear Tag With Laser Printing**  
**EM21802**


A: 76 x 120mm  
 C: 60 x 70mm  
 E: 18 x 53mm  
 G: (Φ 27 - Φ30) x 25mm/30mm.  
 B: 72 x 82mm  
 D: 42 x 50mm  
 F: 75 x 9mm


**Insured Ear Tag Without Laser Printing**  
**EM21803**


A: 65 x 75mm C: 60 x 75mm  
 E: 42 x 50mm G: 61 x 61mm I: Φ32mm  
 B: 60 x 80mm (55 x 70mm)  
 D: 42 x 50mm  
 F: 61 x 78mm  
 H: Φ29mm


**Insured Ear Tag With Laser Printing**  
**EM21804**


A: 65 x 75mm C: 60 x 75mm  
 E: 42 x 50mm G: 61 x 61mm I: Φ32mm  
 B: 60 x 80mm (55 x 70mm)  
 D: 42 x 50mm  
 F: 61 x 78mm  
 H: Φ29mm


**Ear Tag Without Laser Printing**  
**EM21805**


A: 75 x 93mm  
 C: 60 x 76mm  
 E: 60 x 62mm  
 G: Φ28mm  
 H: 27mm(without metal tip)  
 B: 70 x 80mm  
 D: 55 x 55mm  
 F: 58 x 60mm  
 I: 10 x 89mm


**Ear Tag With Laser Printing**  
**EM21806**


B: 70 x 80mm  
 D: 55 x 55mm  
 F: 58 x 60mm  
 I: 10 x 89mm  
 A: 75 x 93mm  
 C: 60 x 76mm  
 E: 60 x 62mm  
 G: Φ28mm  
 H: 27mm(without metal tip)


**Ear Tag For Epidemic Prevention**  
**EM21807**

A: Cattle Ear Tag  
 B: Goat Ear Tag  
 C: Pig Ear Tag


**Electronic Ear Tag**  
**EM21808**

A Type  
 B Type


**Leg Band**  
**EM25501**

size: 59 x 4cm  
 materials: EVA or PU  
 different color are available.


**Leg Band**  
**EM25502**

size: 36 x 4 cm  
 materials: EVA or PU  
 different color are available.


**Multi-use Number Collar**  
**EM25503**

Materials: PA.  
 from 0-9, ten numbers for choose.


**Ear Tag Applicator**  
**EM21809**

Multi-use ear tag applicator.  
 for electronic ear tag and common ear tag.


**Ear Tag Applicator**  
**EM21810**

ear tag applicator -A type


**Ear Tag Applicator**  
**EM21811**

ear tag applicator -B type


**Applicator Needle**  
**EM21812**

A Type is made of special steel.  
 B type is used for the antiepidemic ear tag  
 C type is special used for the cow ear tag.


**Ear Tag Applicator**  
**EM219411**

Ear Tag Applicator


**Ear Tag Applicator**  
**EM219412**

Ear Tag Applicator


**Ear Tag Applicator**  
**EM219413**

Ear Tag Applicator



**Ear Tag Applicator**  
**EM219414**

Ear Tag Applicator  
Color: Black


**Ear Tag Applicator**  
**EM219415**

Ear Tag Applicator  
Color: Black


**Ear Tag Applicator**  
**EM219416**

Ear Tag Applicator  
color: black.

**Crayon****EM28814**

gross weight: 102g, net weight: 82g  
plastic shell or paper shell.  
color: red, blue, yellow, etc.


**Ear Marking Pen**  
**EM21815**

Ear Marking Pen


**Ear Tag Applicator**  
**EM29303**

Ear Tag Applicator


**Tattooing Forceps**  
**EM32419**

Tattooing Forceps


**Ear Notch**  
**EM32420**

made of stainless steel.  
U type, V type, etc.


**Punch Plier**  
**EM29301**

Punch Plier


**Hydraulic Ear Tag Applicator**  
**EM29302**

Hydraulic Ear Tag Applicator


**Sponge Catheter**  
**AI1300301**

Made from materials non-toxic to sperm  
color: blue, yellow, white,etc.


**Spiral Catheter**  
**AI1300302**

Made from material non-toxic to sperm  
Engineering design shape.


**Deep Uterine Catheter**  
**AI1300303**

Intra-uterine insemination catheter.


**Soft Extension Tube**  
**AI1300306**

soft extension tube


**Lubricated Catheter**  
**AI1300304**

Lubricated Catheter


**Catheter With Pit Stop**  
**AI1300305**

Catheter with pit stop.


**Semen Bottle**  
**AI13004**

Color of cap is available.  
100ml, 80ml available.  
Round or square shape available.


**Semen Tub**  
**AI13005**

twist-off semen tube ultra thin semen tube


**Semen Bag In Roll**  
**AI13006**

semen bag in roll.



**Big Semen Bag**  
**AI13007**

3L, 5L big semen bags.



**Veterinary Insemination Gun**  
**AI121807**

for large animal. 0.25ml, 0.5ml.



**Veterinary Insemination Gun**  
**AI21808**

for small animal. 1ml, 2ml.



**Insemination Clamp For Sow**  
**AI71309**

materials: PE  
size: 46.9cm(L) \* 28cm (D).



**Semen Filter**  
**AI71310**

Size: 21 cm (L) \* 19.6cm (D)  
Packing: 100 pcs/bag.



**Nitrogen Tank**  
**AI12111**

YDS-10  
YDS-20  
YDS-30 ....



**Feeding Bucket**  
**FE25504**

Feeding Bucket



**Feeding Bucket**  
**FE25505**

Feeding Bucket



**Feeding Bucket**  
**FE25506**

Feeding Bucket



**8.5L Feeding Bucket**  
**FE40901**

capacity: 8.5L  
materials: PP/HDPE




**8L Feeding Bucket**  
**FE255104**

capacity: 8L  
made of PP



**8L Feeding Bucket**  
**FE2551041**

capacity: 8L  
made of PP



**Feeding Cattle Drugs Bottle**  
**FE255032**

1 gallon  
used to feed calf or calves when cow mother died or nipple infection.


**Feeding Cattle Drugs Bottle**  
**FE255112**

1 gallon  
used to feed calf or calves when cow mother died or nipple infection.


**Feeding Cattle Drugs Bottle**  
**FE255113**

1 gallon  
used to feed calf or calves when cow mother died or nipple infection.


**Feeding Bottle**  
**FE255033**

bottle materials: polypropylene  
teat materials: TPE  
capacity: 4 pints(around 1.9L)


**Feeding Bottle**  
**FE255034**

for nursing and feeding  
volume: 650ml.


**Feeding Bottle**  
**FE255035**

bottle materials: polypropylene  
teat materials: rubber  
capacity: 1.5L or 2L


**Feeding Bottle**  
**FE255095**


made of non-toxic, food grade materials.  
used to feed cattle drug.


**Animal Feeding Bottle**  
**FE255036**

2.5L or 4L  
made of non-toxic, food grade materials.


**Nursing Bottle Holder**  
**FE10316**

used to hold the nursing bottle.


**Goat Rubber Nipple**  
**NP255026**

made of rubber materials.  
color: red, white, etc.


**Calf Teat**  
**NP255027**

made of natural rubber.  
size: 3.5cm x 10.2cm


**Rubber Nipple**  
**NP255030**

made of natural rubber.  
perfect for feeding calves milk.


**Calf Nipple**  
**NP255025**

made of natural rubber.  
size: 3.5cm x 5cm.


**Calf Teat**  
**NP255029**

made of natural rubber.  
size: 6.5cm x 10cm.


**Sheep Teat**  
**NP255024**

made of PP and silicon materials  
size: 3cm x 5.8cm


**Animal Nipple**  
**NP255028**

high temperature resistant.  
non-toxic, tasteless and easy to wash.


**Nipple With Valve**  
**NP255271**

Length: 13.5cm  
For hole size: 37mm ~ 43mm


**Nipple Valve**  
**NP255071**

Nipple Valve



**Long Veterinary Gloves**  
**VG34801**

made of LLDPE & EVA.  
length: 90cm or 120cm long.  
embossing or smooth finishing.


**PE Veterinary Gloves with Shoulder Protection**  
**VG34802**

protects shoulder, armpit and chest,  
self-adhesive. 120cm long.  
idea for veterinaries.


**Examination Latex Gloves**  
**VG34002**

power free or with power.  
materials: latex.  
color: clear, blue, etc. sterile.  
size: M, L, XL.


**Examination Nitrile Gloves**  
**VG34003**

power free or with power. materials: nitrile.  
color: clear, blue, etc.  
length: 9", 9.5", 11.5", 12",etc.  
size: M, L, XL.


**Surgical Latex Gloves**  
**VG34004**

Materials: Latex.  
Color: White  
Power free or with power.  
Size: 6", 6.5", 7", 7.5", 8", 8.5", 9"  
Length: 265~280mm


**Disposable Vinyl Gloves**  
**VG27905**

power free or with power.  
materials: PVC DINP.  
color: clear, blue.  
size: S, M, L, XL.


**Disposable PE Apron**  
**VG34811**

size: 71\*117cm, 61\*107cm.  
color: white, blue, yellow, etc.  
finishing: embossing or smooth.


**CPE Protective Gown**  
**VG34812**

size: 122\*190cm, 125\*200cm.  
color: white, blue, yellow, etc.  
finishing: embossed.


**Disposable Overshoe**  
**VG34815**

waterproof, ambidextrous.  
with tie or elastic on the top.  
size: 41\*50cm.  
materials: PE


**Hanging Scale**  
**MH22501**

for 25kgs, 50kgs, 100kgs, 150kgs, 200kgs.  
hanging scale.


**Electronic Handle Scale**  
**ME22502**

capacity/graduation: 50kgs/20g  
LCD display.  
weight units: KG, LB.  
have tare and zero, overload function.


**Electronic Handle Scale**  
**ME22501**

capacity: 100KGS, 150KGS, 200KGS.  
LCD display.  
weight units: KG, LB  
have tare and zero, overload function.


**Hanging Scale**  
**MH22502**

for 100KGS.


**Electronic Handle Scale**  
**ME22503**

capacity: 10KGS, 20KGS, 30KGS, 40KGS.  
graduation: 10G


**Electronic Handle Scale**  
**ME22504**

capacity/graduation: 300kgs/0.1kgs.  
LCD display.  
weight units: KG, LB.


**Veterinary B-Ultrasonoscope**  
**BU70901**

mechanical scanning.  
display mode: B, B+B, B+M, M.  
image multiplier: x1.0, x1.2, x1.5, x2.0.  
Scanning Depth: 192mm  
external video display.


**Veterinary B-Ultrasonoscope**  
**BU70902**

mechanical scanning.  
display mode: B, B+B, B+M, M. monitor  
size: 5.6 inch TFT-LCD.  
Scanning Depth: 220mm  
external video display.


**Veterinary B-Ultrasonoscope**  
**BU70903**

mechanical scanning.  
display mode: B, B+B, B+M, M. monitor  
size: 5.6 inch TFT-LCD.  
Scanning Depth: 192mm  
external video display.



**Veterinary Infrared Thermometer**  
**TM60504**

no contact, high accuracy.  
°C or °F for option.  
LCD display.



**Digital Thermometer**  
**TM296502**

measured range: 32°C ~ 42.9°C  
temperature resolution: 0.1°C



**Livestock Weight Scale**  
**ME34905**

platform size: 1800 x 500mm or 2000 x 500mm  
maximum load: 3 Tons  
stainless steel junction box included.



**Mercury Thermometer**  
**TM29406**

display precision: 1°C



**Single Head Stethoscope**  
**VS32707**

single head stethoscope



**Double Head Stethoscope**  
**VS32708**

double head stethoscope



**Sprague Rappaport Stethoscope**  
**VS32709**

sprague rappaport stethoscope



**E5 Biological Microscope**  
**BM289E5**

E5 series biological microscope



**EX20 Biological Microscope**  
**BM289EX20**

EX20 series biological microscope



**EX30 Biological Microscope**  
**BM289EX30**

EX30 series biological microscope



**CX40 Biological Microscope**  
**BM289CX40**

EX30 series biological microscope



**pH Meter**  
**PH13401**

range: 0~14.0pH  
waterproof rating: IP67, floatable.



**PH Meter**  
**CT6022**

Measurement range: pH 0.00 to 14.00pH,  
Temp. 0 to 50 °(32 to 122°F)  
Resolution: pH 0.01pH, Temp. 0.1°F, 1°C  
Accuracy: pH: ±0.02 pH  
after calibration, Temp. ±1°F, ±2°C  
Dimension: 188 x 38mm (electrode included)  
pH calibration: pH 4.01, pH 6.86  
and pH 9.18, 3 points calibration.



**Veterinary Infrared Thermometer Economy**  
**TM29704**

- Used to measure the animal body temperature.
- No contact, high accuracy,
- resolution: 0.1 °C (or 0.1°F)
3. °C or °F for option.
- the high temperature alarm value can be set up.
- LCD display.
- The measured data can be uploaded to the mobile phone or internet service.



**Sheep Shearing Clipper  
SC21001**

power: 120W  
cutting speed of blade: 2500rpm  
suitable for sheep.



**Sheep Shearing Clipper  
SC21002**

power: 350W  
cutting speed of blade: 3200rpm  
suitable for sheep.



**Sheep Shearing Clipper  
SC21003**

power: 300W  
cutting speed of blade: 3200rpm  
suitable for sheep.



**Sheep Shearing Clipper  
SC21004**

power: 300W  
cutting speed of blade: 2500rpm  
suitable for sheep.



**Horse Shearing Clipper  
HC21001**

power: 350W  
cutting speed of blade: 2800rpm  
suitable for horse.



**Horse Shearing Clipper  
HC21002**

power: 200W  
cutting speed of blade: 3200rpm  
suitable for horse.



**Horse Shearing Clipper  
HC21003**

power: 120W  
cutting speed of blade: 3200rpm  
suitable for horse.



**Sheep Shear  
SC32410**

length: 30cm, blade: 9cm.  
used for any clipping work on animals.



**Hand Clipper  
SC32411**

ideal for dagging and trimming of lambs.



**Vacuum Pump-typed Single-barreled Mobile Milking Machine For Cow**

**MK40601**

vacuum pump-typed single-barreled mobile milking machine,  
the number of milking cattle per hours: 10-12 cows per hours.  
vacuum pump capacity(L/min): 200/250  
motor speed: 1440 rpm per minute.  
operating vacuum degree: 0.04~0.05Mpa(adjustable).  
pulsation times: 60~80 times per minute.  
pulsation rate: 60/40  
power fitted: 0.75KW.



**Vacuum Pump-typed Double-barreled Mobile Milking Machine For Cow**

**MK40602**

vacuum pump-typed double-barreled mobile milking machine,  
the number of milking cattle per hours: 20-24 cows per hours.  
vacuum pump capacity(L/min): 200/250  
motor speed: 1440 rpm per minute.  
operating vacuum degree: 0.04~0.05Mpa(adjustable).  
pulsation times: 60~80 times per minute.  
pulsation rate: 60/40  
power fitted: 0.75~1.1 KW.



**Vacuum Pump-typed Single-barreled Mobile Milking Machine For Goat**

**MK40603**

vacuum pump-typed single-barreled mobile milking machine,  
the number of milking cattle per hours: 20-30 goat per hours.  
vacuum pump capacity(L/min): 200/250  
motor speed: 1440 rpm per minute.  
operating vacuum degree: 0.04~0.05Mpa(adjustable).  
pulsation times: 60~80 times per minute.  
pulsation rate: 60/40  
power fitted: 0.75KW.



**Vacuum Pump-typed Double-barreled Mobile Milking Machine For Goat**

**MK40604**

the number of milking cattle per hours: 40-60 goat per hours.  
vacuum pump capacity(L/min): 200/250  
motor speed: 1440 rpm per minute.  
operating vacuum degree: 0.04~0.05Mpa(adjustable).  
pulsation times: 60~80 times per minute.  
pulsation rate: 40/60  
power fitted: 0.75~1.1 KW.



## Milk Claw

**MC25504**

volume: 350cc, PSU body and stainless steel bottom  
size: 15 x 11 x 16.5 cm  
The transparent plastic bottom makes it easy to follow, the milk flow and help reduce the risk of over-milking.



## Milk Claw

**MC25505**

volume: 150cc, PSU body and stainless steel bottom  
size: 15 x 11 x 16.5 cm  
The transparent plastic bottom makes it easy to follow, the milk flow and help reduce the risk of over-milking.



## Milk Claw

**MC25506**

volume: 300cc, PSU body and stainless steel bottom  
size: 15 x 11 x 16.5 cm  
The transparent plastic bottom makes it easy to follow, the milk flow and help reduce the risk of over-milking.



## Milk Claw

**MC25507**

volume: 420cc, PSU body and stainless steel bottom  
size: 15 x 11 x 17 cm  
The transparent plastic bottom makes it easy to follow, the milk flow and help reduce the risk of over-milking.



## Milk Meter

**MM2550011**

materials: polysulphone  
capacity: 33kgs  
used for cow.



## Milk Meter

**MM255008**

materials: polysulphone  
capacity: 31kgs  
used for cow.



## Milk Cup

**MP255**

Made of stainless steel.  
Multi-type available.



## Non-Return Teat Dip Cup

**DC255042**


high quality non-return teat dip cup



## Milking Parlour Mat

**PM25502**

materials: PVC  
size: 30 x 30 cm  
color: blue, white, green,etc.



## Quarter Milker

**QM255037**

materials: plastic and rubber.  
capacity: 8L.



**Chicken Nipple Drinker**  
**ND70101**

chicken nipple drinker



**Chicken Nipple Drinker**  
**ND70102**

chicken nipple drinker



**Chicken Nipple Drinker**  
**ND70103**

chicken nipple drinker



**Chicken Nipple Drinker**  
**ND70104**

chicken nipple drinker



**Chicken Nipple Drinker**  
**ND70105**

chicken nipple drinker



**Chicken Nipple Drinker**  
**ND70106**

chicken nipple drinker



**Water Pressure Regulator**  
**ND70107**

water pressure regulator



**Drip Cup**  
**ND21408**

drip cup.



**7KGS Handle Drinker**  
**DS70401**

7kgs hand drinker



**Chicken Automatic Drinker**  
**DS70402**

width: 40mm  
height: 45mm  
diameter: 350mm



**Chicken Automatic Drinker**  
**DS70403**

width: 55mm  
height: 35mm  
diameter: 390mm



**3KGS Feed Pan**  
**FD70401**

diameter of plate: 275mm  
diameter of barrel: 165mm  
good for brooding poultry.



**7KGS Feed Pan**  
**FD70402**

diameter of plate: 350mm  
diameter of barrel: 205mm  
good for adult chicken.



**Cock Feed Pan**  
**FD70403**

diameter of barrel: 450mm  
width: 40mm,  
height: 45mm good for cock.



**Hen Feed Pan**  
**FD70404**

diameter of barrel: 450mm  
width: 55mm,  
height: 35mm good for hen.



**Moveable Feed Pan**  
**FD70405**

can be moveable.



**10KGS Feed Pan**  
**FD70406**

diameter of plate: 405mm  
diameter of barrel: 400mm



**LEVAH****Ventilation Fan  
VS70401**

type 1100A: speed: 43180 CBM/h  
type 750A: speed: 35000 CBM/h

**Ventilation Axial Fan  
VS40202**


speed: 43940 CBM/h  
high capacity of avoiding corrosivity.  
air velocity is stable.

**Ventilation Fan  
VS40203**

speed: 49452 CBM/h  
high capacity of avoiding corrosivity.  
air velocity is stable.

**Chicken Hatching Egg Tray  
TE70401**

can load 36 pieces egg  
size: 280mm x 280mm  
width 4 plastic support.

**Egg Tray  
TE70402**

can load 30 pieces eggs.  
good for long distance transportation.

**Hatching Egg Case  
TE70403**

hatching egg case.

**Turnover Cage  
TE70404**

double deck cage, every deck can load 12 pieces.  
size: 846 x 504 x 291mm  
good for transportation.

**Turnover Cage  
TE70405**

for chicken: 75 x 56 x 27cm, 6.1kgs  
for duck: 75 x 56 x 33 cm, 6.65kgs.

**Automatic Debeker  
DB26001**

temperature control: 800°C~1200°C, 0~6  
gear adjustable.  
hemostatic time: 0~4 second, adjustable.  
suitable for the debeaking of chick or chicken.

