

STEP-ONE

Create S3 bucket | S3 | us-east-1

AWS Cloud Computing and AI

us-east-1.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Search

[Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3

Buckets

Create bucket

Create bucket [Info](#)

Buckets are containers for data stored in S3.

General configuration

AWS Region
US East (N. Virginia) us-east-1

Bucket type [Info](#)

☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket namespace
Choose the namespace where you want to create your bucket. [Learn more](#)

☒ **Global namespace**
By default, S3 creates general purpose buckets in the global namespace.

☐ **Account Regional namespace (recommended)**
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.

Bucket name [Info](#)
apache-http-bucket

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Partly sunny

Search

9:57 AM 5/22/2026

Create S3 bucket | S3 | us-east-1

AWS Cloud Computing and AI

us-east-1.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Search

[Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3

Buckets

Create bucket

Object Ownership [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

☐ **ACLs disabled (recommended)**
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☒ **ACLs enabled**
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

⚠ We recommend disabling ACLs, unless you need to control access for each object individually or to have the object writer own the data they upload. Using a bucket policy instead of ACLs to share data with users outside of your account simplifies permissions management and auditing.

Object Ownership

☐ **Bucket owner preferred**
If new objects written to this bucket specify the bucket-owner-full-control canned ACL, they are owned by the bucket owner. Otherwise, they are owned by the object writer.

☒ **Object writer**
The object writer remains the object owner.

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Partly sunny

Search

9:57 AM 5/22/2026

Create S3 bucket | S3 | us-east-1

AWS Cloud Computing and AI | X

us-east-1.console.aws.amazon.com/s3/bucket/create?region=us-east-1

aws

Search

[Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3

Buckets

Create bucket

blocked, turn on block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☐

Block all public access
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☐

Block public access to buckets and objects granted through new access control lists (ACLs)
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐

Block public access to buckets and objects granted through any access control lists (ACLs)
S3 will ignore all ACLs that grant public access to buckets and objects.

☐

Block public access to buckets and objects granted through new public bucket or access point policies
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☐

Block public and cross-account access to buckets and objects through any public bucket or access point policies
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

⚠

Turning off block all public access might result in this bucket and the objects within becoming public
AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

☒ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

Bucket Versioning

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

30°C

Partly sunny

Search

9:57 AM

5/22/2026

Create S3 bucket | S3 | us-east-1

AWS Cloud Computing and AI | X

us-east-1.console.aws.amazon.com/s3/bucket/create?region=us-east-1

aws

Search

[Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3

Buckets

Create bucket

☒ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ Disable

☐ Enable

Tags - optional

You can use bucket tags to analyze, manage and specify permissions for a bucket. [Learn more](#)

ⓘ

You can use s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets for access control in addition to cost allocation and resource organization. To ensure a seamless transition, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. [Learn more](#)

No tags associated with this bucket.

Add new tag

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

30°C

Partly sunny

Search

9:57 AM

5/22/2026

STEP TWO

The screenshot shows the AWS Management Console interface for uploading files to an S3 bucket. At the top, the browser address bar shows the URL 'us-east-1.console.aws.amazon.com/s3/upload/apache-http-bucket?region=us-east-1'. The console header includes the AWS logo, navigation icons, a search bar, and the user's name 'Doreen Appiah'. The main content area is titled 'Upload' and shows a list of files and folders to be uploaded. The list includes 'bucket.policy.txt' (208.0 B), 'text.htm' (1.6 KB), 'target-file.csv' (352.0 B), 'styles.css' (1.6 KB), 'main.js' (1.1 KB), and 'index.htm' (1.4 KB). The total size of the uploads is 6.3 KB. Below the list, there is a 'Destination' section with a link to 'Info'. The bottom of the screenshot shows the Windows taskbar with various application icons and the system clock displaying 9:59 AM on 5/22/2026.

Amazon S3

✔ Upload succeeded
For more information, see the [Files and folders](#) table.

Files and folders

Configuration

Files and folders (6 total, 6.3 KB)

🔍 Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
bucket.policy.txt	-	text/plain	208.0 B	✔ Succeeded	-
text.htm	-	text/html	1.6 KB	✔ Succeeded	-
target-file.csv	-	text/csv	352.0 B	✔ Succeeded	-
styles.css	-	text/css	1.6 KB	✔ Succeeded	-
main.js	-	application/x-javascript	1.1 KB	✔ Succeeded	-
index.htm	-	text/html	1.4 KB	✔ Succeeded	-

Amazon S3

✔ Upload succeeded
For more information, see the [Files and folders](#) table.

Files and folders

Configuration

Files and folders (6 total, 6.3 KB)

🔍 Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
bucket.policy.txt	-	text/plain	208.0 B	✔ Succeeded	-
text.htm	-	text/html	1.6 KB	✔ Succeeded	-
target-file.csv	-	text/csv	352.0 B	✔ Succeeded	-
styles.css	-	text/css	1.6 KB	✔ Succeeded	-
main.js	-	application/x-javascript	1.1 KB	✔ Succeeded	-
index.htm	-	text/html	1.4 KB	✔ Succeeded	-

STEP THREE(3)

The screenshot shows the AWS Management Console for the 'apache-http-bucket' in the 'us-east-1' region. The 'Block public access' section is highlighted, showing that 'Block all public access' is currently turned off. Below this, there is a section for 'Bucket policy' which is currently empty, displaying 'No policy to display.'

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

Off

► Individual Block Public Access settings for this bucket

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

No policy to display.

STEP FOUR

The screenshot shows the AWS Management Console for the 'apache-http-bucket' in the 'us-east-1' region. A green success message at the top indicates 'Successfully edited bucket policy.' The 'Bucket policy' section is now populated with a JSON policy that grants 'GetObject' permissions to all users.

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Id": "StaticWebPolicy",
  "Statement": [
    {
      "Sid": "S3GetObjectAllow",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::apache-http-bucket/*"
    }
  ]
}
```

STEP FIVE

The screenshot displays the AWS Management Console interface for editing static website hosting on an S3 bucket named 'apache-http-bucket'. The page is titled 'Edit static website hosting' and includes an 'Info' link. The 'Static website hosting' section shows that the feature is 'Enable'. Under 'Hosting type', 'Host a static website' is selected, with a note to use the bucket endpoint as the web address. A blue information box states: 'For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access.' The 'Index document' field is set to 'index.html'. Below this, the 'Error document - optional' field is set to 'error.htm'. At the bottom, the 'Redirection rules - optional' section is visible, with a note that rules are written in JSON to redirect webpage requests.

Edit static website hosting Info

Static website hosting
Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting
☐ Disable
☒ Enable

Hosting type
☒ Host a static website
Use the bucket endpoint as the web address. [Learn more](#)
☐ Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#).

Index document
Specify the home or default page of the website.
index.html

Error document - optional
This is returned when an error occurs.
error.htm

Redirection rules - optional
Redirection rules, written in JSON, automatically redirect webpage requests for specific content. [Learn more](#)

apache-http-bucket - S3 bucket | X

AWS Cloud Computing and AI | X

+

us-east-1.console.aws.amazon.com/s3/buckets/apache-http-bucket?region=us-east-1&tab=properties

Search [Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3 Buckets apache-http-bucket

Successfully edited static website hosting.

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type Info

Server-side encryption with Amazon S3 managed keys (SSE-S3)

Bucket Key

When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS. Learn more

Enabled

Blocked encryption types Info

Server-Side Encryption with Customer-Provided Keys (SSE-C)

In-progress change to default encryption

As announced in November 2025, we have started deploying an update that will block server-side encryption with customer-provided keys (SSE-C) by default for all new buckets and specific existing buckets. If you need to use SSE-C encryption, make sure that SSE-C is not selected under Blocked encryption types. Learn more

Intelligent-Tiering Archive configurations (0)

View details Edit Delete Create configuration

Enable objects stored in the Intelligent-Tiering storage class to tier-down to the Archive Access tier or the Deep Archive Access tier which are optimized for objects that will be rarely accessed for long periods of time. Learn more

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Light rain in the afternoon

Search

10:02 AM 5/22/2026

apache-http-bucket - S3 bucket | X

AWS Cloud Computing and AI | X

+

us-east-1.console.aws.amazon.com/s3/buckets/apache-http-bucket?region=us-east-1&tab=properties

Search [Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3 Buckets apache-http-bucket

Successfully edited static website hosting.

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type Info

Server-side encryption with Amazon S3 managed keys (SSE-S3)

Bucket Key

When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS. Learn more

Enabled

Blocked encryption types Info

Server-Side Encryption with Customer-Provided Keys (SSE-C)

In-progress change to default encryption

As announced in November 2025, we have started deploying an update that will block server-side encryption with customer-provided keys (SSE-C) by default for all new buckets and specific existing buckets. If you need to use SSE-C encryption, make sure that SSE-C is not selected under Blocked encryption types. Learn more

Intelligent-Tiering Archive configurations (0)

View details Edit Delete Create configuration

Enable objects stored in the Intelligent-Tiering storage class to tier-down to the Archive Access tier or the Deep Archive Access tier which are optimized for objects that will be rarely accessed for long periods of time. Learn more

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Light rain in the afternoon

Search

10:03 AM 5/22/2026

apache-http-bucket - S3 bucket | X

AWS Cloud Computing and AI | X

+

us-east-1.console.aws.amazon.com/s3/buckets/apache-http-bucket?region=us-east-1&tab=properties

Search [Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3 > Buckets > apache-http-bucket

Successfully edited static website hosting.

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type Info
Server-side encryption with Amazon S3 managed keys (SSE-S3)

Bucket Key
When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS. [Learn more](#)

Enabled

Blocked encryption types Info
Server-Side Encryption with Customer-Provided Keys (SSE-C)

In-progress change to default encryption
As announced in November 2025, we have started deploying an update that will block server-side encryption with customer-provided keys (SSE-C) by default for all new buckets and specific existing buckets. If you need to use SSE-C encryption, make sure that SSE-C is not selected under Blocked encryption types. [Learn more](#)

Intelligent-Tiering Archive configurations (0)

View details Edit Delete Create configuration

Enable objects stored in the Intelligent-Tiering storage class to tier-down to the Archive Access tier or the Deep Archive Access tier which are optimized for objects that will be rarely accessed for long periods of time. [Learn more](#)

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Light rain
in the afternoon

Search

apache-http-bucket - S3 bucket | X

AWS Cloud Computing and AI | X

+

us-east-1.console.aws.amazon.com/s3/buckets/apache-http-bucket?region=us-east-1&tab=properties

Search [Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3 > Buckets > apache-http-bucket

Requester pays
Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. [Learn more about Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting
Enabled

Hosting type
Bucket hosting

Bucket website endpoint
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)
<http://apache-http-bucket.s3-website-us-east-1.amazonaws.com>

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Rainy days ahead
30°C

Search

apache-http-bucket - S3 bucket | X

AWS Cloud Computing and AI | X

+

us-east-1.console.aws.amazon.com/s3/buckets/apache-http-bucket?region=us-east-1&tab=properties

Search [Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3 > Buckets > apache-http-bucket

Requester pays
Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about [Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting
Enabled

Hosting type
Bucket hosting

Bucket website endpoint
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)
<http://apache-http-bucket.s3-website-us-east-1.amazonaws.com>

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Rainy days ahead
30°C

Search

apache-http-bucket - S3 bucket | X

AWS Cloud Computing and AI | X

+

us-east-1.console.aws.amazon.com/s3/buckets/apache-http-bucket?region=us-east-1&tab=properties

Search [Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3 > Buckets > apache-http-bucket

Requester pays
Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about [Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting
Enabled

Hosting type
Bucket hosting

Bucket website endpoint
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)
<http://apache-http-bucket.s3-website-us-east-1.amazonaws.com>

apache-http-bucket - S3 bucket | X

AWS Cloud Computing and AI | X

+

us-east-1.console.aws.amazon.com/s3/buckets/apache-http-bucket?region=us-east-1&tab=properties

aws

Search

[Alt+S]

United States (N. Virginia)

Doreen Appiah (382975714531)

Doreen Appiah

Amazon S3

Buckets

apache-http-bucket

Requester pays

Disabled

Static website hosting

Edit

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting

Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about [Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

<http://apache-http-bucket.s3-website-us-east-1.amazonaws.com>

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Rainy days ahead

30°C

Search

10:04 AM

5/22/2026

apache-http-bucket - S3 bucket | X

AWS Cloud Computing and AI | X

Beach Wave Conditions | X

+

Not Secure http://apache-http-bucket.s3-website-us-east-1.amazonaws.com

Beach Wave Conditions

Hour of the Day	Wave Length
00:00 AM	1.2 meter(s)
01:00 AM	0.8 meter(s)
02:00 AM	0.9 meter(s)
03:00 AM	1.1 meter(s)
04:00 AM	1.8 meter(s)
05:00 AM	2.1 meter(s)
06:00 AM	2.3 meter(s)
07:00 AM	2.3 meter(s)
08:00 AM	2.2 meter(s)
09:00 AM	2.1 meter(s)
10:00 AM	1.9 meter(s)
11:00 AM	2.0 meter(s)
12:00 PM	1.8 meter(s)
13:00 PM	1.5 meter(s)
14:00 PM	1.4 meter(s)
15:00 PM	1.3 meter(s)
16:00 PM	1.1 meter(s)
17:00 PM	0.7 meter(s)
18:00 PM	1.5 meter(s)
19:00 PM	1.9 meter(s)
20:00 PM	2.1 meter(s)
21:00 PM	2.3 meter(s)
22:00 PM	2.4 meter(s)
23:00 PM	1.8 meter(s)

Rainy days ahead

30°C

Search

10:04 AM

5/22/2026