Cucumber Report

| Start : Dec 20, 11:03:30.896 pm	End : Dec 20, 11:06:20.524 pm	Duration : 2 m 49.628 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 6 FAILED - 6 SKIPPED - 48

| Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Search functionality	*2 m 49.628 s*	6	0	6	0	60	6	6	48

#	Feature Name	Scenario Name
1	*Search functionality*	*Search the buy car with model*
2		*Search the buy car with model*
3		*Search the buy car with model*
4		*Search the buy car with model*
5		*Search the buy car with model*
6		*Search the buy car with model*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	6	0	6	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Search functionality	6	0	6	0	2 m 49.628 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search functionality	Search the buy car with model	10	1	1	8	29.378 s
2		Search the buy car with model	10	1	1	8	28.311 s
3		Search the buy car with model	10	1	1	8	27.798 s
4		Search the buy car with model	10	1	1	8	27.466 s
5		Search the buy car with model	10	1	1	8	29.067 s
6		Search the buy car with model	10	1	1	8	27.469 s

Search functionality

FAILED	*DURATION - 2 m 49.628 s*	
/ 11:03:30.896 pm // 11:06:20.524 pm /		

Scenarios
Total - 6
Pass - 0
Fail - 6
Skip - 0

Steps
Total - 60
Pass - 6
Fail - 6
Skip - 48

Search the buy car with model

FAILED	*DURATION - 29.378 s*
/ 11:03:30.910 pm // 11:04:00.288 pm /	
Search functionality	
@sanity	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

| #	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	FAILED	20.153 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [471c86508a33aa11024f8f03dba2a206, clickElement {id=5BDB2C5DF2E751EAAAE89DF05905A033_element_49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59219}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59219/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (471c86508a33aa11024f8f03dba2a206)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 471c86508a33aa11024f8f03dba2a206
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:45) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:21) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'.		
3	And I click 'Search Cars' link	SKIPPED	0.001 s
4	Then I navigate to 'new and used car search' page	SKIPPED	0.001 s
5	And I select make "Audi"	SKIPPED	0.001 s
6	And I select model "A4"	SKIPPED	0.000 s
7	And I select location "NSW-Newcastle"	SKIPPED	0.001 s
8	And I select price "$40000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "Audi" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario) Search the buy car with model 	PASSED	0.610 s

Search the buy car with model

FAILED	DURATION - 28.311 s
/ 11:04:00.326 pm // 11:04:28.637 pm /	
Search functionality	
@sanity	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

10

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.002 s
2	When I mouse hover on "buy+sell" tab	FAILED	20.197 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [00f447c41a2b196843a28c2b7856f913, clickElement {id=EADDD56C1183682D4F7865344AC8B6E5_element_48}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59352}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59352/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (00f447c41a2b196843a28c2b7856f913)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 00f447c41a2b196843a28c2b7856f913
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:45) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:21) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'.		
3	And I click 'Search Cars' link	SKIPPED	0.001 s
4	Then I navigate to 'new and used car search' page	SKIPPED	0.001 s
5	And I select make "BMW"	SKIPPED	0.000 s
6	And I select model "X1"	SKIPPED	0.000 s
7	And I select location "VIC-Melbourne"	SKIPPED	0.000 s
8	And I select price "$35000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "BMW" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario) Search the buy car with model 	PASSED	0.810 s

Search the buy car with model

FAILED	DURATION - 27.798 s		Steps	
/ 11:04:28.666 pm // 11:04:56.464 pm /			Total - 10	
Search functionality			Pass - 1 Fail - 1 Skip - 8	
@sanity				

| #	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	FAILED	20.158 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [c6822ba90a56c441a466ba72eda88ee5, clickElement {id=00E017A1D035B7A51E534A52E1A95621_element_49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59562}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59562/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (c6822ba90a56c441a466ba72eda88ee5)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: c6822ba90a56c441a466ba72eda88ee5
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52)
	  at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:45)
	  at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:21)
	  at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy. feature:6)
	* Not displayable characters are replaced by '?'.		

3	And I click 'Search Cars' link	SKIPPED	0.001 s
4	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
5	And I select make "Ford"	SKIPPED	0.000 s
6	And I select model "Puma"	SKIPPED	0.000 s
7	And I select location "SA-South"	SKIPPED	0.000 s
8	And I select price "$25000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "Ford" in results	SKIPPED	0.002 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.593 s
	Search the buy car with model		

Search the buy car with model

FAILED	DURATION - 27.466 s		Steps
/ 11:04:56.481 pm // 11:05:23.947 pm /			Total - 10
			Pass - 1
Search functionality			Fail - 1
			Skip - 8
@sanity			

| #	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	FAILED	20.140 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [8aebc19cde4d482531e48687919886a4, clickElement {id=83277F4E3855E563A9ABA46BC02AD025_element_50}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59722}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59722/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (8aebc19cde4d482531e48687919886a4)] -> xpath:		

#	Step / Hook Details	Status	Duration
	//a[normalize-space()='Search Cars']] Session ID: 8aebc19cde4d482531e48687919886a4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:45) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:21) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'.		
3	And I click 'Search Cars' link	SKIPPED	0.000 s
4	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
5	And I select make "Honda"	SKIPPED	0.001 s
6	And I select model "Fit"	SKIPPED	0.001 s
7	And I select location "WA-Country East"	SKIPPED	0.000 s
8	And I select price "$30000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Honda" in results	SKIPPED	0.001 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario) Search the buy car with model	PASSED	0.955 s

#	Step / Hook Details	Status	Duration

Search the buy car with model

FAILED	*DURATION - 29.067 s*
/ 11:05:23.965 pm // 11:05:53.032 pm /	
Search functionality	
@sanity	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	FAILED	20.133 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f04e8629c6a14c9c7d56498365015f7e, clickElement {id=845EAB5A1A80EB96193A37E89D651B39_element_50}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59878}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59878/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (f04e8629c6a14c9c7d56498365015f7e)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: f04e8629c6a14c9c7d56498365015f7e
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:45) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:21) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'.		
3	And I click 'Search Cars' link	SKIPPED	0.000 s
4	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
5	And I select make "Nissan"	SKIPPED	0.000 s
6	And I select model "Cube"	SKIPPED	0.000 s
7	And I select location "NSW-All"	SKIPPED	0.001 s
8	And I select price "$45000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Nissan" in results	SKIPPED	0.001 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.764 s
	Search the buy car with model 		

Search the buy car with model

FAILED	DURATION - 27.469 s

/ 11:05:53.055 pm // 11:06:20.524 pm /

Search functionality

@sanity

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

10

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	FAILED	20.172 s

org.openqa.selenium.ElementNotInteractableException: element not interactable   (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [0de67062faf7c3663e19bab98a603a46, clickElement {id=692E25E40BE2C53D5ED2D6133EFFBFEE_element_49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60037}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60037/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (0de67062faf7c3663e19bab98a603a46)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 0de67062faf7c3663e19bab98a603a46
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:45) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:21) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'.		
3	And I click 'Search Cars' link	SKIPPED	0.001 s
4	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
5	And I select make "Lexus"	SKIPPED	0.001 s
6	And I select model "GS300H"	SKIPPED	0.000 s
7	And I select location "NSW-Sydney"	SKIPPED	0.000 s
8	And I select price "$50000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "Lexus" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario) Search the buy car with model 	PASSED	0.673 s