

# Cucumber Report

20 Dec 2023, 23:38:27

Start : Dec 20, 11:35:49.921 pm

End : Dec 20, 11:38:26.235 pm

Duration : 2 m 36.314 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 6  
SKIPPED - 0

PASSED - 7  
FAILED - 6  
SKIPPED - 47




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	2 m 36.314 s	6	0	6	0	60	7	6	47

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the buy car with model</u>
2		<u>Search the buy car with model</u>
3		<u>Search the buy car with model</u>
4		<u>Search the buy car with model</u>
5		<u>Search the buy car with model</u>
6		<u>Search the buy car with model</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	6	0	6	0	2 m 36.314 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	10	2	1	7	19.041 s
2		<u>Search the buy car with model</u>	10	1	1	8	26.436 s
3		<u>Search the buy car with model</u>	10	1	1	8	26.998 s
4		<u>Search the buy car with model</u>	10	1	1	8	30.115 s
5		<u>Search the buy car with model</u>	10	1	1	8	27.271 s
6		<u>Search the buy car with model</u>	10	1	1	8	26.394 s

## Search functionality

<b>FAILED</b>	DURATION - 2 m 36.314 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 60 Pass - 7 Fail - 6 Skip - 47	
/ 11:35:49.921 pm // 11:38:26.235 pm /					


## Search the buy car with model

<b>FAILED</b>	DURATION - 19.041 s		Steps Total - 10 Pass - 2 Fail - 1 Skip - 7	
/ 11:35:49.930 pm // 11:36:08.971 pm /				
Search functionality				
@sanity				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	11.406 s
3	And I select make "<make>"  io.cucumber.core.exception.CucumberException: Step [I select make "<make>"] is defined with 1 parameters at 'com.carguide.www.steps.BuySteps.iSelectMakeMake(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I select make "<make>" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	And I select model "<model>"	SKIPPED	0.001 s
5	And I select location "<location>"	SKIPPED	0.000 s
6	And I select price "<price>"	SKIPPED	0.001 s
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
10	And I should see the make "Audi" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.624 s
	Search the buy car with model		




#	Step / Hook Details	Status	Duration
			



## Search the buy car with model

<div>FAILED</div> <div>DURATION - 26.436 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 11:36:08.987 pm // 11:36:35.423 pm /				
Search functionality				
@sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2e5163648f3376713ef8273eef077, clickElement {id=456A6B34F76605E9E110A8C494B56A90_element_50}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62610/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (64d2e5163648f3376713ef8273eef077)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 64d2e5163648f3376713ef8273eef077 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	20.092 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And I select make "<make>"	SKIPPED	0.002 s
4	And I select model "<model>"	SKIPPED	0.000 s
5	And I select location "<location>"	SKIPPED	0.000 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
10	And I should see the make "BMW" in results	SKIPPED	0.001 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.424 s
	Search the buy car with model		
			



Search the buy car with model

<div>FAILED</div>	<div>DURATION - 26.998 s</div>		<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 11:36:35.433 pm // 11:37:02.431 pm /				
Search functionality				
@sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab <pre> org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [dfb797f720e9c635dbdbfb6966e8668f, clickElement {id=77B7097E8DC2A38E579C1529977C6BED_element_50}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62765}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62765/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (dfb797f720e9c635dbdbfb6966e8668f)] -&gt; xpath: //a[normalize-space()='Search Cars']] Session ID: dfb797f720e9c635dbdbfb6966e8668f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) </pre>	FAILED	20.142 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'.		
3	And I select make "<make>"	SKIPPED	0.000 s
4	And I select model "<model>"	SKIPPED	0.000 s
5	And I select location "<location>"	SKIPPED	0.001 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.001 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
10	And I should see the make "Ford" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.573 s
	Search the buy car with model		
			



### Search the buy car with model

FAILED	DURATION - 30.115 s		Steps Total - 10 Pass - 1 Fail - 1 Skip - 8	
/ 11:37:02.444 pm // 11:37:32.559 pm /				
Search functionality				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab <pre> org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [82adf27f998c6816ce187f87badddd05, clickElement {id=3EF0B4B36099597FD1E7596C32877F2F_element_12}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62926}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62926/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (82adf27f998c6816ce187f87badddd05)] -&gt; xpath: //a[normalize-space()='Search Cars']] Session ID: 82adf27f998c6816ce187f87badddd05 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy. feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	20.091 s
3	And I select make "<make>"	SKIPPED	0.000 s
4	And I select model "<model>"	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
5	And I select location "<location>"	SKIPPED	0.001 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.001 s
10	And I should see the make "Honda" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.485 s
	Search the buy car with model		
			

## Search the buy car with model



FAILED		DURATION - 27.271 s			<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 11:37:32.564 pm // 11:37:59.835 pm /						
Search functionality						
@sanity						

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	FAILED	20.109 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [485886c6f7895dfc3121cc179ce7a29b, clickElement {id=6EA798438E66617682A8DFA9697E5754_element_51}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63078}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63078/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (485886c6f7895dfc3121cc179ce7a29b)] -> xpath:		

#	Step / Hook Details	Status	Duration
	<pre>//a[normalize-space()='Search Cars']] Session ID: 485886c6f7895dfc3121cc179ce7a29b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And I select make "<make>"	SKIPPED	0.000 s
4	And I select model "<model>"	SKIPPED	0.000 s
5	And I select location "<location>"	SKIPPED	0.001 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.001 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
10	And I should see the make "Nissan" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.551 s
	Search the buy car with model		

#	Step / Hook Details	Status	Duration
			

## Search the buy car with model

<div>FAILED</div> <div>DURATION - 26.394 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 11:37:59.841 pm // 11:38:26.235 pm /				
Search functionality				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b247dec72f5b523112f4d1e90b7162f, clickElement {id=11892B301A5E7C2314374D3A0A4EA802_element_49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63237}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63237/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (8b247dec72f5b523112f4d1e90b7162f)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 8b247dec72f5b523112f4d1e90b7162f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	20.108 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And I select make "<make>"	SKIPPED	0.001 s
4	And I select model "<model>"	SKIPPED	0.001 s
5	And I select location "<location>"	SKIPPED	0.000 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
10	And I should see the make "Lexus" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.400 s
	Search the buy car with model		
	