

Cucumber Report

20 Dec 2023, 23:35:01

Start : Dec 20, 11:32:17.824 pm

End : Dec 20, 11:35:00.473 pm

Duration : 2 m 42.649 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 6
FAILED - 6
SKIPPED - 48




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	2 m 42.649 s	6	0	6	0	60	6	6	48

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the buy car with model</u>
2		<u>Search the buy car with model</u>
3		<u>Search the buy car with model</u>
4		<u>Search the buy car with model</u>
5		<u>Search the buy car with model</u>
6		<u>Search the buy car with model</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	6	0	6	0	2 m 42.649 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	10	1	1	8	28.385 s
2		<u>Search the buy car with model</u>	10	1	1	8	27.613 s
3		<u>Search the buy car with model</u>	10	1	1	8	27.560 s
4		<u>Search the buy car with model</u>	10	1	1	8	25.761 s
5		<u>Search the buy car with model</u>	10	1	1	8	26.889 s
6		<u>Search the buy car with model</u>	10	1	1	8	26.356 s


Search functionality

FAILED	DURATION - 2 m 42.649 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 60 Pass - 6 Fail - 6 Skip - 48	
/ 11:32:17.824 pm // 11:35:00.473 pm /					



Search the buy car with model

<div>FAILED</div> <div>DURATION - 28.385 s</div>			Steps	
/ 11:32:17.835 pm // 11:32:46.220 pm /			Total - 10	
Search functionality			Pass - 1	
@sanity			Fail - 1	
			Skip - 8	


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [783922d9fe7013e2f34d5d2ffe4d99f, clickElement {id=8D0A7DFDE938A610C2976FB7C1DAC20A_element_48}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61519}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61519/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (783922d9fe7013e2f34d5d2ffe4d99f)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 783922d9fe7013e2f34d5d2ffe4d99f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	20.155 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And I select make "<make>"	SKIPPED	0.001 s
4	And I select model "<model>"	SKIPPED	0.001 s
5	And I select location "<location>"	SKIPPED	0.000 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.001 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.001 s
10	And I should see the make "Audi" in results	SKIPPED	0.001 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.643 s
	Search the buy car with model		
			



Search the buy car with model

<div>FAILED</div> <div>DURATION - 27.613 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 11:32:46.248 pm // 11:33:13.861 pm /				
Search functionality				
@sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [765eabd723861f3be138db08849a5ccc, clickElement {id=35D76649C338766A0A2B607C79DECE13_element_49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61673}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61673/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (765eabd723861f3be138db08849a5ccc)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 765eabd723861f3be138db08849a5ccc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)	FAILED	20.118 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'.		
3	And I select make "<make>"	SKIPPED	0.003 s
4	And I select model "<model>"	SKIPPED	0.001 s
5	And I select location "<location>"	SKIPPED	0.001 s
6	And I select price "<price>"	SKIPPED	0.001 s
7	And I click on Find My Next Car tab	SKIPPED	0.001 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.001 s
10	And I should see the make "BMW" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.648 s
	Search the buy car with model		
			



Search the buy car with model

FAILED		DURATION - 27.560 s			Steps Total - 10 Pass - 1 Fail - 1 Skip - 8		
/ 11:33:13.882 pm // 11:33:41.442 pm /							
Search functionality							
@sanity							

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab <pre> org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [bef068ce8d833d3225fba2853ec17518, clickElement {id=9299A7C3B3C3B84B0D132A2B6EDA9004_element_50}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61830}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61830/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (bef068ce8d833d3225fba2853ec17518)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: bef068ce8d833d3225fba2853ec17518 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy. feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	20.082 s
3	And I select make "<make>"	SKIPPED	0.000 s
4	And I select model "<model>"	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
5	And I select location "<location>"	SKIPPED	0.001 s
6	And I select price "<price>"	SKIPPED	0.001 s
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.001 s
10	And I should see the make "Ford" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.406 s
	Search the buy car with model		
			

Search the buy car with model



FAILED	DURATION - 25.761 s		Steps Total - 10 Pass - 1 Fail - 1 Skip - 8	
/ 11:33:41.452 pm // 11:34:07.213 pm /				
Search functionality				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	FAILED	20.108 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aef22074e37e16d79d9b3e20f564d861, clickElement {id=141773C392BB932A6394669AC7AEC061_element_49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61983}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61983/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (aef22074e37e16d79d9b3e20f564d861)] -> xpath:		


#	Step / Hook Details	Status	Duration
	<pre>//a[normalize-space()='Search Cars']] Session ID: aef22074e37e16d79d9b3e20f564d861 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And I select make "<make>"	SKIPPED	0.002 s
4	And I select model "<model>"	SKIPPED	0.000 s
5	And I select location "<location>"	SKIPPED	0.001 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	When I click 'Search Cars' link	SKIPPED	0.001 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.001 s
10	And I should see the make "Honda" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.467 s
	Search the buy car with model		

#	Step / Hook Details	Status	Duration
			



Search the buy car with model

<div>FAILED</div> <div>DURATION - 26.889 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 11:34:07.222 pm // 11:34:34.111 pm /				
Search functionality				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9dc9ee5e5f7ef0fd75e7c4e780050f29, clickElement {id=0538FA5B32261A2FCE2D8743B806F08F_element_49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62131}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62131/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9dc9ee5e5f7ef0fd75e7c4e780050f29)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 9dc9ee5e5f7ef0fd75e7c4e780050f29 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	20.140 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And I select make "<make>"	SKIPPED	0.000 s
4	And I select model "<model>"	SKIPPED	0.000 s
5	And I select location "<location>"	SKIPPED	0.000 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
10	And I should see the make "Nissan" in results	SKIPPED	0.001 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.394 s
	Search the buy car with model		
			

Search the buy car with model

<div>FAILED</div> <div>DURATION - 26.356 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 11:34:34.117 pm // 11:35:00.473 pm /				
Search functionality				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.110) Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8c10e88b659c4b9449b354a1e1871437, clickElement {id=4CEA5EBFAFBA3CBB7B1BE354CDB82C8E_element_49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\khyat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62277}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62277/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (8c10e88b659c4b9449b354a1e1871437)] -> xpath: //a[normalize-space()='Search Cars']] Session ID: 8c10e88b659c4b9449b354a1e1871437 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)	FAILED	20.102 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.carguide.www.utility.Utility.clickOnElement(Utility.java:52) at com.carguide.www.pages.Homepage.clickOnSearchCars(Homepage.java:53) at com.carguide.www.steps.BuySteps.iMouseHoverOnBuySellTab(BuySteps.java:20) at ?.I mouse hover on "buy+sell" tab(file:///C:/Users/khyat/IdeaProjects/www.carsguide-com-cucumber-sw-6/src/test/resources/features/buy.feature:6) * Not displayable characters are replaced by '?'.		
3	And I select make "<make>"	SKIPPED	0.000 s
4	And I select model "<model>"	SKIPPED	0.000 s
5	And I select location "<location>"	SKIPPED	0.000 s
6	And I select price "<price>"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	When I click 'Search Cars' link	SKIPPED	0.000 s
9	Then I navigate to 'new and used car search' page	SKIPPED	0.000 s
10	And I should see the make "Lexus" in results	SKIPPED	0.000 s
	AFTER - com.carguide.www.steps.Hook.tearDown(io.cucumber.java.Scenario)	PASSED	0.359 s
	Search the buy car with model		
	