

Cucumber Report

1 Feb 2024, 20:44:15

Start : Feb 01, 8:43:47.127 pm

End : Feb 01, 8:44:14.187 pm

Duration : 27.060 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 2

FAILED - 1

SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Top menu test</u>	27.060 s	1	0	1	0	3	2	1	0

#	Feature Name	Scenario Name
1	<u>Top menu test</u>	<u>User should navigate to login page successfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Top menu test</u>	1	0	1	0	27.060 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Top menu test</u>	<u>User should navigate to login page successfully</u>	3	2	1	0	27.056 s

Top menu test

FAILED	DURATION - 27.060 s	Scenarios		Steps	
/ 8:43:47.127 pm // 8:44:14.187 pm /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

User should navigate to login page successfully

<div>FAILED</div> <div>DURATION - 27.056 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:43:47.131 pm // 8:44:14.187 pm /				
Top menu test				
@sanity				

#	Step / Hook Details	Status	Duration
1	And I click on Accept all cookies	PASSED	0.393 s
2	When I click on Bingo link	PASSED	0.232 s
3	Then I should navigate to Bingo page successfully org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h2[contains(text(),'All Rooms')]" (Session info: chrome=121.0.6167.87) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [aeed4a0c15ab297588ef5d3f8a5332ac, findElement {value=//h2[contains(text(),'All Rooms')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.87, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\khyat\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64499}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64499/devtoo..., se:cdpVersion: 121.0.6167.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: aeed4a0c15ab297588ef5d3f8a5332ac at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	20.049 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at uk.co.heartbingo.pages.BingoPage.getTextOnlineBingo(BingoPage.java:18) at uk.co.heartbingo.steps.TopMenuSteps.iShouldNavigateToBingoPageSuccessfully(TopMenuSteps.java:23) at ?.I should navigate to Bingo page successfully(file:///C:/Users/khyat/IdeaProjects/heartbingo.co.uk/src/test/resources/features/TopMenu. feature:10) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - uk.co.heartbingo.steps.Hook.tearDown(io.cucumber.java.Scenario)</p> <p>User should navigate to login page successfully</p> 	PASSED	0.692 s