




BUILD A BASIC SHOPPING CART


PERFORM PROGRAMMING IN HTML5 WITH JAVASCRIPT AND CSS3

The html codes with tags for external JavaScript and CSS referenced in the head.




```
1 <!DOCTYPE HTML>
2 <html lang="en-US">
3 <head>
4 <title>HTML5 Local Storage Project</title>
5 <META charset="UTF-8">
6 <META name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
7 <META NAME='rating' CONTENT='General' />
8 <META NAME='expires' CONTENT='never' />
9 <META NAME='language' CONTENT='English, EN' />
10 <META name="description" content="shopping cart project with HTML5 and JavaScript">
11 <META name="keywords" content="HTML5,CSS,JavaScript, html5 session storage, html5 local storage">
12 <META name="author" content="dcwebmakers.com">
13 <script src="Storage.js"></script>
14 <link rel="stylesheet" href="StorageStyle.css">
15 </head>
```

Save file as index.html inside a folder named “html5 Shopping Cart” in the Desktop directory.




Add the codes below inside the body tags



```
1 <!doctype html>
2 <html lang="en-US">
3 <head>
4 <title>HTML5 Local Storage Project</title>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
7 <meta name="rating" content="General">
8 <meta name="expires" content="never">
9 <meta name="language" content="English, EN">
10 <meta name="description" content="Shopping cart project with HTML5 and JavaScript">
11 <meta name="keywords" content="HTML5,CSS,JavaScript, html5 session storage, html5 local storage">
12 <meta name="author" content="dcwebmakers.com">
13 <script src="Storage.js"></script>
14 <link rel="stylesheet" href="StorageStyle.css">
15 </head>
16
17 <body>
18 <form name="ShoppingList">
19 <fieldset>
20 <legend>Shopping cart</legend>
21 <label>Item: <input type="text" name="name"></label>
22 <label>Quantity: <input type="text" name="data"></label>
23
24 <input type="button" value="Save" onclick="SaveItem()">
25 <input type="button" value="Update" onclick="ModifyItem()">
26 <input type="button" value="Delete" onclick="RemoveItem()">
27 </fieldset>
28 <div id="items_table">
29 <h2>Shopping List</h2>
30 <table id="list"></table>
31 <label><input type="button" value="Clear" onclick="ClearAll()">
32 * Delete all items</label>
33 </div>
34 </form>
35 </body>
```

ADDING JAVASCRIPT FUNCTIONS

- Create a CheckBrowser() function support in JavaScript.
- Click File -> New in Brackets and copy-paste the code below
- Save file as Storage.js inside the HTML5 Shopping Cart folder in the Desktop.



The screenshot shows the Brackets code editor interface. On the left, the 'Working Files' panel lists 'index.html' and 'Untitled-5'. Below it, the 'Getting Started' section shows 'screenshots', 'index.html', and 'main.css'. The main editor area displays the following JavaScript code:

```
1  /*
2  =====> Checking browser support.
3  //This step might not be required because most modern browsers do support HTML5
4  */
5  //Function below might be redundant.
6  function CheckBrowser() {
7      if ('localStorage' in window && window['localStorage'] !== null) {
8          // We can use localStorage object to store data.
9          return true;
10     } else {
11         return false;
12     }
13 }
14 |
```


- Create a doShowAll() functions
- Add the codes above the CheckBrowser() function.

```
// Dynamically populate the table with shopping list items.  
//Step below can be done via PHP and AJAX, too.  
function doShowAll() {  
  if (CheckBrowser()) {  
    var key = "";  
    var list = "<tr><th>Item</th><th>Value</th></tr>\n";  
    var i = 0;  
    //For a more advanced feature, you can set a cap on max items in the cart.  
    for (i = 0; i <= localStorage.length-1; i++) {  
      key = localStorage.key(i);  
      list += "<tr><td>" + key + "</td>\n<td>"  
        + localStorage.getItem(key) + "</td></tr>\n";  
    }  
    //If no item exists in the cart.  
    if (list == "<tr><th>Item</th><th>Value</th></tr>\n") {  
      list += "<tr><td><i>empty</i></td>\n<td><i>empty</i></td></tr>\n";  
    }  
    //Bind the data to HTML table.  
    //You can use jQuery, too.  
    document.getElementById('list').innerHTML = list;  
  } else {  
    alert('Cannot save shopping list as your browser does not support HTML 5');  
  }  
}
```

- Add the Code (on top of the existing codes)
- //add new key=>value to the HTML5 storage
function SaveItem() {

```
var name = document.forms.ShoppingList.name.value;
var data = document.forms.ShoppingList.data.value;
localStorage.setItem(name, data);
doShowAll();

}
//-----
//change an existing key=>value in the HTML5 storage
function ModifyItem() {
    var name1 = document.forms.ShoppingList.name.value;
    var data1 = document.forms.ShoppingList.data.value;
    //check if name1 is already exists
```


- Add the Code (on top of the existing codes)
 - //add new key=>value to the HTML5 storage
- function SaveItem() {

```
//check if key exists
    if (localStorage.getItem(name1) !=null)
    {
        //update
        localStorage.setItem(name1,data1);
        document.forms.ShoppingList.data.value =
localStorage.getItem(name1);
    }

    doShowAll();
}
//-----
//delete an existing key=>value from the HTML5 storage
function RemoveItem() {
    var name = document.forms.ShoppingList.name.value;
    document.forms.ShoppingList.data.value = localStorage.removeItem(name);
    doShowAll();
}
//-----
//restart the local storage
function ClearAll() {
    localStorage.clear();
    doShowAll();
}
```




- Click File -> Save
- Switch to index.html
- Update the existing body section with the new codes.
- Add the code (index.html)



```

<body onload="doShowAll()">
  <h2>Shopping Cart with HTML5 Storage Project</h2>
  <p>Insert items and quantity for your shopping cart. </p>
  <form name=ShoppingList>

    <div id="main">
      <table>
        <tr>

          <td><b>Item:</b><input type=text name=name></td>
          <td><b>Quantity:</b><input type=text
name=data></td>

        </tr>

        <tr>
          <td>
            <input type=button value="Save"
onclick="SaveItem()">
            <input type=button value="Update"
onclick="ModifyItem()">
            <input type=button value="Delete"
onclick="RemoveItem()">
          </td>
        </tr>
      </table>
    </div>

    <div id="items_table">
      <h3>Shopping List</h3>
      <table id=list></table>
      <p>
        <label><input type=button value="Clear" onclick="ClearAll()">
          <i>* Delete all items</i></label>
      </p>
    </div>
  </form>
</body>

```

Run and test the shopping cart

Shopping Cart with HTML5 Storage Project

Insert items and quantity for your shopping cart.

Item: Quantity:

Save

Update

Delete

Shopping List

Item Value

empty empty

Clear

* Delete all items

Input some data in the Item and Quantity fields. Try to click the Save, Update, Delete and Clear buttons to see what happens.

★ ADDING CSS TO THE HTML PAGE ★

- Click File -> New
- Add the codes

ADDING CSS TO THE HTML PAGE

```
td,th {  
    font-family: monospace;  
    padding: 4px;  
    background-color: #ccc;  
}  
  
label {  
    vertical-align: top;  
}  
  
#main {  
    border: 1px dotted blue;  
    padding: 6px;  
    background-color: #ccc;  
    margin-right: 50%;  
}  
  
#items_table {  
    border: 1px dotted blue;  
    padding: 6px;  
    margin-top: 12px;  
    margin-right: 50%;  
}  
  
#items_table h3 {  
    font-size: 18px;  
    margin-top: 0px;  
    font-family: sans-serif;  
}
```

- Save the file as “StorageStyle.css” inside the HTML5 Shopping Cart folder in the Desktop directory.
- Run index.html

Shopping Cart with HTML5 Storage Project

Insert items and quantity for your shopping cart.

Item:

Quantity:

Save

Update

Delete

Shopping List

Item	Value
------	-------

empty	empty
-------	-------

Clear • *Delete all items*



THANK YOU

Curious Minds? Ask Away!