

Architecture & Infrastructure

Project name — TBD

Owner: architect agent Status: Draft Traces to: PRD Last updated: —

CONTENTS

1. System Context

2. Components

3. Data Flow

4. Tech Stack & Rationale

5. Deployment Topology

6. CI/CD Pipeline


7. Integration Points

8. Trade-offs & Alternatives

9. Open Questions

1. System Context

The system and the actors around it. C4 context level.



2. Components

3–7 components. Each has a single responsibility, an owner, and clear interfaces.

Component	Responsibility	Owner agent	Exposes	Consumes
—	—	—	—	—


UI — frontend-lead



API — backend-lead




Service layer — backend-lead



3. Data Flow

One sequence diagram per primary user story. Only diagram flows with non-trivial design choices.



4. Tech Stack & Rationale

Justify every row. "We know it" is a valid reason — write it down.

Layer	Choice	Why	Alternatives considered
Frontend framework	—	—	—
Backend language / framework	—	—	—
Data store	—	—	—
Auth	—	—	—
Hosting / runtime	—	—	—
Observability	—	—	—

5. Deployment Topology

Environments, network paths, trust boundaries. Cross-reference [SECURITY](#).

Dev

Local stack

Staging

s_edge

s_api



DB


Production

Edge / CDN

API service

DB





6. CI/CD Pipeline

Owned by `devops-engineer` . Stages, gates, deploy triggers.

Stage	Tool	Gate
Lint	—	Must pass
Test	—	Must pass
Build	—	Must pass
Security scan	—	No high-severity findings
Deploy → staging	—	Auto on merge to main
Deploy → prod	—	Manual promote

7. Integration Points

For each third-party service: what it does, how we authenticate, rate limits, failure mode.

Service	Purpose	Auth	Limits	Failure mode
—	—	—	—	—

8. Trade-offs & Alternatives

"Why X, not Y?" — answered for each major decision. Future-self memory.

- Chose ..., rejected ..., because ...

9. Open Questions

Each has an owner and a target resolution date.

Question	Owner agent	Resolve by
—	—	—

Generated by the architect agent via /generate-archdoc . Update when ARCH decisions change; log decisions in process/STATE.md.