```
polarssl              sord
poppler                    speex
popt            sphinx
postgis                    spidermonkey
postgresql             sqlite
sqlitebrowser                  uriparser
sqsh            usbmuxd
ssdeep                 uwsgi
stormfs                vala
strongswan             valgrind
stunnel                vcsh
subliminal             vert.x
svdlibc                vifm
swftools        vim
swi-prolog             virtualhost.sh
swig            vpnc
syncthing              wbox
synfig                 webp
synfigstudio           wget
szl             wimlib
t1lib                  wine
ta-lib                 wxmac
taglib                 wyrd
talloc                 x264
telepathy-glib             x3270
terraform              xapian
texi2html              xerces-c
texinfo                xlslib
the_platinum_searcher        xml-security-c
the_silver_searcher          xmlto
theora                 xplanetfx
ticcutils              xulrunner
tiff2png        xvid
timbl                  yajl
tmux            yasm
tor             yaz
tuntap                 youtube-dl
ufraw                  zenity
ume             zeromq
unbound                    zookeeper
unixodbc        zsh
Richards-MacBook-Air-2:actorsuniversity richard$ bundle update
Your Gemfile lists the gem ffaker (~> 1.21) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem populator (~> 1.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem byebug (~> 2.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-teaspoon (~> 0.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-coffeescript (~> 1.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-livereload (~> 1.4) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem rb-fsevent (~> 0.9) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem teaspoon (~> 0.7) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem teaspoon (~> 0.7) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-teaspoon (~> 0.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-coffeescript (~> 1.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-livereload (~> 1.4) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem rb-fsevent (~> 0.9) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Fetching git://github.com/Compass/compass-rails.git
Fetching git://github.com/markburns/letsrate.git
error: cannot open .git/FETCH_HEAD: Permission denied

Retrying git fetch --force --quiet --tags "/Users/richard/.bundler/cache/git/letsrate-931a13abee23c38a5421c36f2c137067b4bb9ac8" due
to error (2/3): Bundler::Source::Git::GitCommandError Git error: command `git fetch --force --quiet --tags "/Users/richard/.bundler/
cache/git/letsrate-931a13abee23c38a5421c36f2c137067b4bb9ac8"` in directory /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/
2.0.0/bundler/gems/letsrate-27ed353ea1b3 has failed.
If this error persists you could try removing the cache directory '/Users/richard/.bundler/cache/git/
letsrate-931a13abee23c38a5421c36f2c137067b4bb9ac8'
error: cannot open .git/FETCH_HEAD: Permission denied

Retrying git fetch --force --quiet --tags "/Users/richard/.bundler/cache/git/letsrate-931a13abee23c38a5421c36f2c137067b4bb9ac8" due
to error (3/3): Bundler::Source::Git::GitCommandError Git error: command `git fetch --force --quiet --tags "/Users/richard/.bundler/
cache/git/letsrate-931a13abee23c38a5421c36f2c137067b4bb9ac8"` in directory /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/
2.0.0/bundler/gems/letsrate-27ed353ea1b3 has failed.
If this error persists you could try removing the cache directory '/Users/richard/.bundler/cache/git/
letsrate-931a13abee23c38a5421c36f2c137067b4bb9ac8'
error: cannot open .git/FETCH_HEAD: Permission denied
```

```
Git error: command `git fetch --force --quiet --tags
"/Users/richard/.bundler/cache/git/letsrate-931a13abee23c38a5421c36f2c137067b4bb9ac8"`
in directory
/Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/bundler/gems/letsrate-27ed353ea1b3
has failed.
If this error persists you could try removing the cache directory
'/Users/richard/.bundler/cache/git/letsrate-931a13abee23c38a5421c36f2c137067b4bb9ac8'
Richards-MacBook-Air-2:actorsuniversity richard$ sudo bundle update
Your Gemfile lists the gem ffaker (~> 1.21) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem populator (~> 1.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem byebug (~> 2.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-teaspoon (~> 0.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-coffeescript (~> 1.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-livereload (~> 1.4) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem rb-fsevent (~> 0.9) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem teaspoon (~> 0.7) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem teaspoon (~> 0.7) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-teaspoon (~> 0.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-coffeescript (~> 1.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-livereload (~> 1.4) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem rb-fsevent (~> 0.9) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Updating git://github.com/Compass/compass-rails.git
Updating git://github.com/markburns/letsrate.git
Updating git://github.com/markburns/rest_in_place.git
Updating git://github.com/svenfuchs/i18n.git
Fetching gem metadata from https://rubygems.org/........
Fetching additional metadata from https://rubygems.org/..
Resolving dependencies......
Installing rake 10.3.2 (was 10.1.0)
Using i18n 0.7.0.beta1 (was 0.6.9) from git://github.com/svenfuchs/i18n.git (at master)
Using json 1.8.1
Using minitest 5.4.2 (was 4.7.5)
Using thread_safe 0.3.4 (was 0.1.3)
Using tzinfo 1.2.2 (was 0.3.38)
Using activesupport 4.1.7 (was 4.0.2)
Using builder 3.2.2 (was 3.1.4)
Using erubis 2.7.0
Using actionview 4.1.7
Using rack 1.5.2
Using rack-test 0.6.2
Using actionpack 4.1.7 (was 4.0.2)
Using mime-types 2.4.3 (was 1.25.1)
Using mail 2.6.1 (was 2.5.4)
Using actionmailer 4.1.7 (was 4.0.2)
Using activemodel 4.1.7 (was 4.0.2)
Using arel 5.0.1.20140414130214 (was 4.0.1)
Using activerecord 4.1.7 (was 4.0.2)
Using bundler 1.7.4
Using thor 0.19.1 (was 0.18.1)
Using railties 4.1.7 (was 4.0.2)
Using hike 1.2.3
Using multi_json 1.10.1 (was 1.8.2)
Using tilt 1.4.1
Using sprockets 2.12.3 (was 2.10.1)
Using sprockets-rails 2.0.1
Using rails 4.1.7 (was 4.0.2)
Using acts-as-taggable-on 2.4.1
Installing acts_as_commentable 4.0.2 (was 4.0.1)
Installing addressable 2.3.6 (was 2.3.5)
Using awesome_print 1.2.0
Installing backports 3.6.3 (was 3.3.5)
Installing bcrypt 3.1.9
Using coderay 1.1.0
Using better_errors 0.9.0
Using debug_inspector 0.0.2
Using binding_of_caller 0.7.2
Installing bond 0.5.1 (was 0.4.3)
Installing columnize 0.8.9 (was 0.3.6)
Using debugger-linecache 1.2.0
Installing byebug 2.7.0 (was 2.3.1)
Using cancan 1.6.10
Using mini_portile 0.6.0 (was 0.5.2)
Building nokogiri using packaged libraries.
```

```
Building libxml2-2.8.0 for nokogiri with the following patches applied:
    - 0001-Fix-parser-local-buffers-size-problems.patch
    - 0002-Fix-entities-local-buffers-size-problems.patch
    - 0003-Fix-an-error-in-previous-commit.patch
    - 0004-Fix-potential-out-of-bound-access.patch
    - 0005-Detect-excessive-entities-expansion-upon-replacement.patch
    - 0006-Do-not-fetch-external-parsed-entities.patch
    - 0007-Enforce-XML_PARSER_EOF-state-handling-through-the-pa.patch
    - 0008-Improve-handling-of-xmlStopParser.patch
    - 0009-Fix-a-couple-of-return-without-value.patch
    - 0010-Keep-non-significant-blanks-node-in-HTML-parser.patch
    - 0011-Do-not-fetch-external-parameter-entities.patch
************************************************************************
IMPORTANT!  Nokogiri builds and uses a packaged version of libxml2.

If this is a concern for you and you want to use the system library
instead, abort this installation process and reinstall nokogiri as
follows:

    gem install nokogiri -- --use-system-libraries

If you are using Bundler, tell it to use the option:

    bundle config build.nokogiri --use-system-libraries
    bundle install

However, note that nokogiri does not necessarily support all versions
of libxml2.

For example, libxml2-2.9.0 and higher are currently known to be broken
and thus unsupported by nokogiri, due to compatibility problems and
XPath optimization bugs.
************************************************************************
Building libxslt-1.1.28 for nokogiri with the following patches applied:
    - 0001-Adding-doc-update-related-to-1.1.28.patch
    - 0002-Fix-a-couple-of-places-where-f-printf-parameters-wer.patch
    - 0003-Initialize-pseudo-random-number-generator-with-curre.patch
    - 0004-EXSLT-function-str-replace-is-broken-as-is.patch
    - 0006-Fix-str-padding-to-work-with-UTF-8-strings.patch
    - 0007-Separate-function-for-predicate-matching-in-patterns.patch
    - 0008-Fix-direct-pattern-matching.patch
    - 0009-Fix-certain-patterns-with-predicates.patch
    - 0010-Fix-handling-of-UTF-8-strings-in-EXSLT-crypto-module.patch
    - 0013-Memory-leak-in-xsltCompileIdKeyPattern-error-path.patch
    - 0014-Fix-for-bug-436589.patch
    - 0015-Fix-mkdir-for-mingw.patch
************************************************************************
IMPORTANT!  Nokogiri builds and uses a packaged version of libxslt.

If this is a concern for you and you want to use the system library
instead, abort this installation process and reinstall nokogiri as
follows:

    gem install nokogiri -- --use-system-libraries

If you are using Bundler, tell it to use the option:

    bundle config build.nokogiri --use-system-libraries
    bundle install
************************************************************************
Installing nokogiri 1.6.3.1 (was 1.6.0)
Using xpath 2.0.0
Installing capybara 2.4.4 (was 2.1.0)
Installing capybara-webkit 1.3.1 (was 1.0.0)
Installing carrierwave 0.10.0 (was 0.9.0)
Installing excon 0.40.0 (was 0.28.0)
Installing formatador 0.2.5 (was 0.2.4)
Installing net-ssh 2.9.1 (was 2.7.0)
Installing net-scp 1.2.1 (was 1.1.2)
Installing fog-core 1.24.0
Installing fog-json 1.0.0
Installing inflecto 0.0.2
Installing fog-brightbox 0.6.1
Installing fog-xml 0.1.0
Installing fog-radosgw 0.0.3
Installing fog-sakuracloud 0.1.1
Installing fog-softlayer 0.3.23
Installing ipaddress 0.8.0
Installing fog 1.24.0 (was 1.18.0)
Installing uuidtools 2.1.5 (was 2.1.4)
Installing carrierwave_direct 0.0.14 (was 0.0.13)
Using hitimes 1.2.2
Using timers 4.0.1 (was 1.1.0)
Using celluloid 0.16.0 (was 0.15.2)
Using coffee-script-source 1.8.0 (was 1.6.3)
Using execjs 2.2.2 (was 2.0.2)
Using coffee-script 2.3.0 (was 2.2.0)
Installing coffee-rails 4.1.0 (was 4.0.1)
Installing chunky_png 1.3.3 (was 1.2.9)
Installing sass 3.4.6 (was 3.2.12)
Installing compass-core 1.0.1
Installing compass-import-once 1.0.5
Using rb-fsevent 0.9.4 (was 0.9.3)
Using ffi 1.9.6 (was 1.9.3)
Using rb-inotify 0.9.5 (was 0.9.2)
Installing compass 1.0.1 (was 0.12.2)
Using compass-rails 2.0.1 (was 2.0.alpha.0) from git://github.com/Compass/compass-rails.git (at master)
Using sass-rails 4.0.1
Installing chosen-rails 1.2.0 (was 1.0.1)
Using coffee-rails-source-maps 1.4.0
```

```
Using coffeebeans 1.0.1
Using comma 3.1.1
Using safe_yaml 1.0.4 (was 0.9.7)
Installing crack 0.4.2 (was 0.4.1)
Installing dalli 2.7.2 (was 2.6.4)
Installing database_cleaner 1.3.0 (was 1.2.0)
Using debugger-ruby_core_source 1.3.5 (was 1.2.3)

Gem::Installer::ExtensionBuildError: ERROR: Failed to build gem native extension.

    /Users/richard/.rbenv/versions/2.0.0-p576/bin/ruby extconf.rb
checking for rb_method_entry_t.called_id in method.h... no
checking for rb_control_frame_t.method_id in method.h... no
checking for rb_method_entry_t.called_id in method.h... no
checking for rb_control_frame_t.method_id in method.h... no
Makefile creation failed
**************************************************************************
No source for ruby-2.0.0-p576 provided with debugger-ruby_core_source gem.
**************************************************************************
*** extconf.rb failed ***
Could not create Makefile due to some reason, probably lack of necessary
libraries and/or headers.  Check the mkmf.log file for more details.  You may
need configuration options.

Provided configuration options:
    --with-opt-dir
    --without-opt-dir
    --with-opt-include
    --without-opt-include=${opt-dir}/include
    --with-opt-lib
    --without-opt-lib=${opt-dir}/lib
    --with-make-prog
    --without-make-prog
    --srcdir=.
    --curdir
    --ruby=/Users/richard/.rbenv/versions/2.0.0-p576/bin/ruby
    --with-ruby-dir
    --without-ruby-dir
    --with-ruby-include=${ruby-dir}/include
    --with-ruby-lib
    --without-ruby-lib=${ruby-dir}/


Gem files will remain installed in /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/debugger-1.6.8 for inspection.
Results logged to /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/debugger-1.6.8/ext/ruby_debug/gem_make.out
An error occurred while installing debugger (1.6.8), and Bundler cannot
continue.
Make sure that `gem install debugger -v '1.6.8'` succeeds before bundling.
Richards-MacBook-Air-2:actorsuniversity richard$ vim /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/
debugger-1.6.8/ext/ruby_debug/gem_make.out
Richards-MacBook-Air-2:actorsuniversity richard$ sudo gem install debugger-ruby_core_source
Password:
Successfully installed debugger-ruby_core_source-1.3.5
Parsing documentation for debugger-ruby_core_source-1.3.5
Installing ri documentation for debugger-ruby_core_source-1.3.5
1 gem installed
Richards-MacBook-Air-2:actorsuniversity richard$ sudo bundle installDon't run Bundler as root. Bundler can ask for sudo if it is
needed, and
installing your bundle as root will break this application for all non-root
users on this machine.
Your Gemfile lists the gem ffaker (~> 1.21) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem populator (~> 1.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem byebug (~> 2.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-teaspoon (~> 0.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-coffeescript (~> 1.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-livereload (~> 1.4) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem rb-fsevent (~> 0.9) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem teaspoon (~> 0.7) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem teaspoon (~> 0.7) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-teaspoon (~> 0.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-coffeescript (~> 1.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-livereload (~> 1.4) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem rb-fsevent (~> 0.9) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Fetching source index from https://rubygems.org/
```

```
Using rake 10.1.0
Using i18n 0.6.9 from git://github.com/svenfuchs/i18n.git (at master)
Using minitest 4.7.5
Using multi_json 1.8.2
Using atomic 1.1.14
Using thread_safe 0.1.3
Using tzinfo 0.3.38
Using activesupport 4.0.2
Using builder 3.1.4
Using erubis 2.7.0
Using rack 1.5.2
Using rack-test 0.6.2
Using actionpack 4.0.2
Using mime-types 1.25.1
Using polyglot 0.3.3
Using treetop 1.4.15
Using mail 2.5.4
Using actionmailer 4.0.2
Using activemodel 4.0.2
Using activerecord-deprecated_finders 1.0.3
Using arel 4.0.1
Using activerecord 4.0.2
Using bundler 1.7.4
Using thor 0.18.1
Using railties 4.0.2
Using hike 1.2.3
Using tilt 1.4.1
Using sprockets 2.10.1
Using sprockets-rails 2.0.1
Using rails 4.0.2
Using acts-as-taggable-on 2.4.1
Using acts_as_commentable 4.0.1
Using addressable 2.3.5
Using awesome_print 1.2.0
Using backports 3.3.5
Using bcrypt-ruby 3.1.2
Using coderay 1.1.0
Using better_errors 0.9.0
Using debug_inspector 0.0.2
Using binding_of_caller 0.7.2
Using bond 0.4.3
Using columnize 0.3.6
Using debugger-linecache 1.2.0
Using byebug 2.3.1
Using cancan 1.6.10
Using mini_portile 0.5.2
Using nokogiri 1.6.0
Using xpath 2.0.0
Using capybara 2.1.0
Using json 1.8.1
Using capybara-webkit 1.0.0
Using carrierwave 0.9.0
Using excon 0.28.0
Using formatador 0.2.4
Using net-ssh 2.7.0
Using net-scp 1.1.2
Using ruby-hmac 0.4.0
Using fog 1.18.0
Using uuidtools 2.1.4
Using carrierwave_direct 0.0.13
Using timers 1.1.0
Using celluloid 0.15.2
Using coffee-script-source 1.6.3
Using execjs 2.0.2
Using coffee-script 2.2.0
Using coffee-rails 4.0.1
Using chunky_png 1.2.9
Using fssm 0.2.10
Using sass 3.2.12
Using compass 0.12.2
Using compass-rails 2.0.alpha.0 from git://github.com/Compass/compass-rails.git (at master)
Using sass-rails 4.0.1
Using chosen-rails 1.0.1
Using coffee-rails-source-maps 1.4.0
Using coffeebeans 1.0.1
Using comma 3.1.1
Using safe_yaml 0.9.7
Using crack 0.4.1
Using dalli 2.6.4
Using database_cleaner 1.2.0
Using debugger-ruby_core_source 1.2.3

Gem::Installer::ExtensionBuildError: ERROR: Failed to build gem native extension.

    /Users/richard/.rbenv/versions/2.0.0-p576/bin/ruby extconf.rb
checking for rb_method_entry_t.called_id in method.h... no
checking for rb_control_frame_t.method_id in method.h... no
checking for rb_method_entry_t.called_id in method.h... no
checking for rb_control_frame_t.method_id in method.h... no
Makefile creation failed
*******************************************************************
No source for ruby-2.0.0-p576 provided with debugger-ruby_core_source gem.
*******************************************************************
*** extconf.rb failed ***
Could not create Makefile due to some reason, probably lack of necessary
libraries and/or headers.  Check the mkmf.log file for more details.  You may
need configuration options.

Provided configuration options:
    --with-opt-dir
```

```
        --without-opt-dir
        --with-opt-include
        --without-opt-include=${opt-dir}/include
        --with-opt-lib
        --without-opt-lib=${opt-dir}/lib
        --with-make-prog
        --without-make-prog
        --srcdir=.
        --curdir
        --ruby=/Users/richard/.rbenv/versions/2.0.0-p576/bin/ruby
        --with-ruby-dir
        --without-ruby-dir
        --with-ruby-include=${ruby-dir}/include
        --with-ruby-lib
        --without-ruby-lib=${ruby-dir}/


Gem files will remain installed in /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/debugger-1.6.2 for inspection.
Results logged to /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/debugger-1.6.2/ext/ruby_debug/gem_make.out
An error occurred while installing debugger (1.6.2), and Bundler cannot
continue.
Make sure that `gem install debugger -v '1.6.2'` succeeds before bundling.
Richards-MacBook-Air-2:actorsuniversity richard$ sudo gem install debugger-ruby_core_source-1.6.2
ERROR:  Could not find a valid gem 'debugger-ruby_core_source-1.6.2' (>= 0) in any repository
^CERROR:  Interrupted
Richards-MacBook-Air-2:actorsuniversity richard$ sudo bundle installDon't run Bundler as root. Bundler can ask for sudo if it is
needed, and
installing your bundle as root will break this application for all non-root
users on this machine.
Your Gemfile lists the gem ffaker (~> 1.21) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem populator (~> 1.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem byebug (~> 2.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-teaspoon (~> 0.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-coffeescript (~> 1.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-livereload (~> 1.4) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem rb-fsevent (~> 0.9) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem teaspoon (~> 0.7) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem teaspoon (~> 0.7) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-teaspoon (~> 0.0) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-coffeescript (~> 1.3) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem guard-livereload (~> 1.4) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Your Gemfile lists the gem rb-fsevent (~> 0.9) more than once.
You should probably keep only one of them.
While it's not a problem now, it could cause errors if you change the version of just one of them later.
Updating git://github.com/Compass/compass-rails.git
Updating git://github.com/markburns/letsrate.git
Updating git://github.com/markburns/rest_in_place.git
Updating git://github.com/svenfuchs/i18n.git
Fetching gem metadata from https://rubygems.org/........
Fetching additional metadata from https://rubygems.org/..
Resolving dependencies.......
Using rake 10.3.2
Using i18n 0.7.0.beta1 from git://github.com/svenfuchs/i18n.git (at master)
Using json 1.8.1
Using minitest 5.4.2
Using thread_safe 0.3.4
Using tzinfo 1.2.2
Using activesupport 4.1.7
Using builder 3.2.2
Using erubis 2.7.0
Using actionview 4.1.7
Using rack 1.5.2
Using rack-test 0.6.2
Using actionpack 4.1.7
Using mime-types 2.4.3
Using mail 2.6.1
Using actionmailer 4.1.7
Using activemodel 4.1.7
Using arel 5.0.1.20140414130214
Using activerecord 4.1.7
Using bundler 1.7.4
Using thor 0.19.1
Using railties 4.1.7
Using hike 1.2.3
Using multi_json 1.10.1
Using tilt 1.4.1
```

```
Using sprockets 2.12.3
Using sprockets-rails 2.0.1
Using rails 4.1.7
Using acts-as-taggable-on 2.4.1
Using acts_as_commentable 4.0.2
Using addressable 2.3.6
Using awesome_print 1.2.0
Using backports 3.6.3
Using bcrypt 3.1.9
Using coderay 1.1.0
Using better_errors 0.9.0
Using debug_inspector 0.0.2
Using binding_of_caller 0.7.2
Using bond 0.5.1
Using columnize 0.8.9
Using debugger-linecache 1.2.0
Using byebug 2.7.0
Using cancan 1.6.10
Using mini_portile 0.6.0
Using nokogiri 1.6.3.1
Using xpath 2.0.0
Using capybara 2.4.4
Using capybara-webkit 1.3.1
Using carrierwave 0.10.0
Using excon 0.40.0
Using formatador 0.2.5
Using net-ssh 2.9.1
Using net-scp 1.2.1
Using fog-core 1.24.0
Using fog-json 1.0.0
Using inflecto 0.0.2
Using fog-brightbox 0.6.1
Using fog-xml 0.1.0
Using fog-radosgw 0.0.3
Using fog-sakuracloud 0.1.1
Using fog-softlayer 0.3.23
Using ipaddress 0.8.0
Using fog 1.24.0
Using uuidtools 2.1.5
Using carrierwave_direct 0.0.14
Using hitimes 1.2.2
Using timers 4.0.1
Using celluloid 0.16.0
Using coffee-script-source 1.8.0
Using execjs 2.2.2
Using coffee-script 2.3.0
Using coffee-rails 4.1.0
Using chunky_png 1.3.3
Using sass 3.4.6
Using compass-core 1.0.1
Using compass-import-once 1.0.5
Using rb-fsevent 0.9.4
Using ffi 1.9.6
Using rb-inotify 0.9.5
Using compass 1.0.1
Using compass-rails 2.0.1 from git://github.com/Compass/compass-rails.git (at master)
Using sass-rails 4.0.1
Using chosen-rails 1.2.0
Using coffee-rails-source-maps 1.4.0
Using coffeebeans 1.0.1
Using comma 3.1.1
Using safe_yaml 1.0.4
Using crack 0.4.2
Using dalli 2.7.2
Using database_cleaner 1.3.0
Using debugger-ruby_core_source 1.3.5

Gem::Installer::ExtensionBuildError: ERROR: Failed to build gem native extension.

    /Users/richard/.rbenv/versions/2.0.0-p576/bin/ruby extconf.rb
checking for rb_method_entry_t.called_id in method.h... no
checking for rb_control_frame_t.method_id in method.h... no
checking for rb_method_entry_t.called_id in method.h... no
checking for rb_control_frame_t.method_id in method.h... no
Makefile creation failed
**************************************************************************
No source for ruby-2.0.0-p576 provided with debugger-ruby_core_source gem.
**************************************************************************
*** extconf.rb failed ***
Could not create Makefile due to some reason, probably lack of necessary
libraries and/or headers.  Check the mkmf.log file for more details.  You may
need configuration options.

Provided configuration options:
    --with-opt-dir
    --without-opt-dir
    --with-opt-include
    --without-opt-include=${opt-dir}/include
    --with-opt-lib
    --without-opt-lib=${opt-dir}/lib
    --with-make-prog
    --without-make-prog
    --srcdir=.
    --curdir
    --ruby=/Users/richard/.rbenv/versions/2.0.0-p576/bin/ruby
    --with-ruby-dir
    --without-ruby-dir
    --with-ruby-include=${ruby-dir}/include
    --with-ruby-lib
    --without-ruby-lib=${ruby-dir}/
```

```
Gem files will remain installed in /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/debugger-1.6.8 for inspection.
Results logged to /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/debugger-1.6.8/ext/ruby_debug/gem_make.out
An error occurred while installing debugger (1.6.8), and Bundler cannot
continue.
Make sure that `gem install debugger -v '1.6.8'` succeeds before bundling.
Richards-MacBook-Air-2:actorsuniversity richard$ sudo gem install debugger -v '1.6.8'
Building native extensions.  This could take a while...
ERROR:  Error installing debugger:
    ERROR: Failed to build gem native extension.

    /Users/richard/.rbenv/versions/2.0.0-p576/bin/ruby extconf.rb
checking for rb_method_entry_t.called_id in method.h... no
checking for rb_control_frame_t.method_id in method.h... no
checking for rb_method_entry_t.called_id in method.h... no
checking for rb_control_frame_t.method_id in method.h... no
Makefile creation failed
**************************************************************************
No source for ruby-2.0.0-p576 provided with debugger-ruby_core_source gem.
**************************************************************************
*** extconf.rb failed ***
Could not create Makefile due to some reason, probably lack of necessary
libraries and/or headers.  Check the mkmf.log file for more details.  You may
need configuration options.

Provided configuration options:
    --with-opt-dir
    --without-opt-dir
    --with-opt-include
    --without-opt-include=${opt-dir}/include
    --with-opt-lib
    --without-opt-lib=${opt-dir}/lib
    --with-make-prog
    --without-make-prog
    --srcdir=.
    --curdir
    --ruby=/Users/richard/.rbenv/versions/2.0.0-p576/bin/ruby
    --with-ruby-dir
    --without-ruby-dir
    --with-ruby-include=${ruby-dir}/include
    --with-ruby-lib
    --without-ruby-lib=${ruby-dir}/


Gem files will remain installed in /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/debugger-1.6.8 for inspection.
Results logged to /Users/richard/.rbenv/versions/2.0.0-p576/lib/ruby/gems/2.0.0/gems/debugger-1.6.8/ext/ruby_debug/gem_make.out
Richards-MacBook-Air-2:actorsuniversity richard$ sudo gem install debugger-ruby_core_source
sSuccessfully installed debugger-ruby_core_source-1.3.5
uParsing documentation for debugger-ruby_core_source-1.3.5
do em update^[^[[D^[[B1 gem installed
Richards-MacBook-Air-2:actorsuniversity richard$ sudo gem update
Updating installed gems
sudo bundle install
Updating acts-as-taggable-on
Fetching: acts-as-taggable-on-3.4.2.gem (100%)
When upgrading

Re-run the migrations generator

    rake acts_as_taggable_on_engine:install:migrations

It will create any new migrations and skip existing ones


##Breaking changes:

  - ActsAsTaggableOn::Tag is not extend with ActsAsTaggableOn::Utils anymore.
    Please use ActsAsTaggableOn::Utils instead
Successfully installed acts-as-taggable-on-3.4.2
Parsing documentation for acts-as-taggable-on-3.4.2
Installing ri documentation for acts-as-taggable-on-3.4.2
Installing darkfish documentation for acts-as-taggable-on-3.4.2
Updating atomic
Fetching: atomic-1.1.16.gem (100%)
Building native extensions.  This could take a while...
Successfully installed atomic-1.1.16
Parsing documentation for atomic-1.1.16
unable to convert "\xCF" from ASCII-8BIT to UTF-8 for lib/atomic_reference.bundle, skipping
Installing ri documentation for atomic-1.1.16
Installing darkfish documentation for atomic-1.1.16
Updating bcrypt-ruby
Fetching: bcrypt-ruby-3.1.5.gem (100%)

#####################################################

The bcrypt-ruby gem has changed its name to just bcrypt.  Instead of
installing `bcrypt-ruby`, you should install `bcrypt`.  Please update your
dependencies accordingly.

#####################################################

Successfully installed bcrypt-ruby-3.1.5
Parsing documentation for bcrypt-ruby-3.1.5
Installing ri documentation for bcrypt-ruby-3.1.5
Installing darkfish documentation for bcrypt-ruby-3.1.5
Updating better_errors
Fetching: better_errors-2.0.0.gem (100%)
Successfully installed better_errors-2.0.0
Parsing documentation for better_errors-2.0.0
```

```
Installing ri documentation for better_errors-2.0.0
Installing darkfish documentation for better_errors-2.0.0
Updating bigdecimal
Fetching: bigdecimal-1.2.5.gem (100%)
Building native extensions.  This could take a while...
Successfully installed bigdecimal-1.2.5
Parsing documentation for bigdecimal-1.2.5
unable to convert "\xCF" from ASCII-8BIT to UTF-8 for bigdecimal.bundle, skipping
unable to convert "\xCF" from ASCII-8BIT to UTF-8 for bigdecimal.o, skipping
Installing ri documentation for bigdecimal-1.2.5
Installing darkfish documentation for bigdecimal-1.2.5
Updating blankslate
Fetching: blankslate-3.1.3.gem (100%)
Successfully installed blankslate-3.1.3
Parsing documentation for blankslate-3.1.3
Installing ri documentation for blankslate-3.1.3
Installing darkfish documentation for blankslate-3.1.3
Updating byebug
Fetching: slop-3.6.0.gem (100%)
Successfully installed slop-3.6.0
Fetching: byebug-3.5.1.gem (100%)
Building native extensions.  This could take a while...
Successfully installed byebug-3.5.1
Parsing documentation for slop-3.6.0
Installing ri documentation for slop-3.6.0
Installing darkfish documentation for slop-3.6.0
Parsing documentation for byebug-3.5.1
unable to convert "\xCF" from ASCII-8BIT to UTF-8 for lib/byebug/byebug.bundle, skipping
Installing ri documentation for byebug-3.5.1
Installing darkfish documentation for byebug-3.5.1
Updating comma
Fetching: comma-3.2.1.gem (100%)
Successfully installed comma-3.2.1
Parsing documentation for comma-3.2.1
Installing ri documentation for comma-3.2.1
Installing darkfish documentation for comma-3.2.1
Updating hike
Fetching: hike-2.1.3.gem (100%)
Successfully installed hike-2.1.3
Parsing documentation for hike-2.1.3
Installing ri documentation for hike-2.1.3
Installing darkfish documentation for hike-2.1.3
Updating kramdown
Fetching: kramdown-1.5.0.gem (100%)
Successfully installed kramdown-1.5.0
Parsing documentation for kramdown-1.5.0
Installing ri documentation for kramdown-1.5.0
Installing darkfish documentation for kramdown-1.5.0
Updating mini_portile
Fetching: mini_portile-0.6.1.gem (100%)
Successfully installed mini_portile-0.6.1
Parsing documentation for mini_portile-0.6.1
Installing ri documentation for mini_portile-0.6.1
Installing darkfish documentation for mini_portile-0.6.1
Updating parslet
Fetching: parslet-1.6.2.gem (100%)
Successfully installed parslet-1.6.2
Parsing documentation for parslet-1.6.2
Installing ri documentation for parslet-1.6.2
Installing darkfish documentation for parslet-1.6.2
Updating polyglot
Fetching: polyglot-0.3.5.gem (100%)
Successfully installed polyglot-0.3.5
Parsing documentation for polyglot-0.3.5
Installing ri documentation for polyglot-0.3.5
Installing darkfish documentation for polyglot-0.3.5
Updating psych
Fetching: psych-2.0.6.gem (100%)
Building native extensions.  This could take a while...
Successfully installed psych-2.0.6
Parsing documentation for psych-2.0.6
unable to convert "\xCF" from ASCII-8BIT to UTF-8 for lib/psych.bundle, skipping
Installing ri documentation for psych-2.0.6
Installing darkfish documentation for psych-2.0.6
Updating rdoc
Fetching: rdoc-4.1.2.gem (100%)
rdoc's executable "rdoc" conflicts with /Users/richard/.rbenv/versions/2.0.0-p576/bin/rdoc
Overwrite the executable? [yN]  rdoc's executable "rdoc" conflicts with /Users/richard/.rbenv/versions/2.0.0-p576/bin/rdoc
Overwrite the executable? [yN]  Y
rdoc's executable "ri" conflicts with /Users/richard/.rbenv/versions/2.0.0-p576/bin/ri
Overwrite the executable? [yN]  Y
Depending on your version of ruby, you may need to install ruby rdoc/ri data:

<= 1.8.6 : unsupported
 = 1.8.7 : gem install rdoc-data; rdoc-data --install
 = 1.9.1 : gem install rdoc-data; rdoc-data --install
>= 1.9.2 : nothing to do! Yay!
Successfully installed rdoc-4.1.2
Parsing documentation for rdoc-4.1.2
Installing ri documentation for rdoc-4.1.2
Installing darkfish documentation for rdoc-4.1.2
Updating sass-rails
Fetching: sass-rails-4.0.4.gem (100%)
Successfully installed sass-rails-4.0.4
Parsing documentation for sass-rails-4.0.4
Installing ri documentation for sass-rails-4.0.4
Installing darkfish documentation for sass-rails-4.0.4
Updating test-unit
Fetching: power_assert-0.1.4.gem (100%)
Successfully installed power_assert-0.1.4
```

```
Fetching: test-unit-3.0.3.gem (100%)
Successfully installed test-unit-3.0.3
Parsing documentation for power_assert-0.1.4
Installing ri documentation for power_assert-0.1.4
Installing darkfish documentation for power_assert-0.1.4
Parsing documentation for test-unit-3.0.3
Installing ri documentation for test-unit-3.0.3
Installing darkfish documentation for test-unit-3.0.3
Updating tilt
Fetching: tilt-2.0.1.gem (100%)
Successfully installed tilt-2.0.1
Parsing documentation for tilt-2.0.1
Installing ri documentation for tilt-2.0.1
Installing darkfish documentation for tilt-2.0.1
Updating toml
Fetching: toml-0.1.2.gem (100%)
Successfully installed toml-0.1.2
Parsing documentation for toml-0.1.2
Installing ri documentation for toml-0.1.2
Installing darkfish documentation for toml-0.1.2
Updating treetop
Fetching: treetop-1.5.3.gem (100%)
Successfully installed treetop-1.5.3
Parsing documentation for treetop-1.5.3
Installing ri documentation for treetop-1.5.3
Installing darkfish documentation for treetop-1.5.3
Updating yajl-ruby
Fetching: yajl-ruby-1.2.1.gem (100%)
Building native extensions.  This could take a while...
Successfully installed yajl-ruby-1.2.1
Parsing documentation for yajl-ruby-1.2.1
unable to convert "\xCF" from ASCII-8BIT to UTF-8 for lib/yajl/yajl.bundle, skipping
Installing ri documentation for yajl-ruby-1.2.1
Installing darkfish documentation for yajl-ruby-1.2.1
Gems updated: acts-as-taggable-on atomic bcrypt-ruby better_errors bigdecimal blankslate slop byebug comma hike kramdown
mini_portile parslet polyglot psych rdoc sass-rails power_assert test-unit tilt toml treetop yajl-ruby
Richards-MacBook-Air-2:actorsuniversity richard$
```