



SEARCH



RECOMMENDED



## 1 GPM Reversible Gear Pump 12V for Motor Oil, Diesel Fuel and Water

\$218.83



**Pay in 4 interest-free payments on qualifying purchases.** [Learn more](#)



(2 reviews) [Write a Review](#)

**SKU:** GP-201-12L**Availability:** Usually ships in 24 hours**Weight:** 3.50 LBS**Width:** 4.00 (in)**Height:** 4.00 (in)**Depth:** 6.00 (in)**Minimum Purchase:** 1 unit**Shipping:** \$9.86 (Fixed Shipping Cost)**Bulk Pricing:** [Buy in bulk and save](#)**Quantity:** **ADD TO CART****Overview**

## Reviews

**PRODUCT DESCRIPTION**

No plastic parts

Light, compact powerful self-priming gear pump. Nickel plated brass housing and fittings. Stainless shafts and helical cut bronze gears. Fully reversible. Flow rate from 1 GPM for motor oil (will vary, depending on fluid viscosity and temperature). 3/8" NPT male Nickel plated brass fittings on both sides are standard. Optional **-6AN** and **-8AN** and **1/2" hose barb adapters** available in the "accessories" page. Suitable for motor oil, diesel fuel, bio-fuel, antifreeze, water etc. It is used also as a turbo scavenge pump in performance motorcycles, snowmobiles etc.

\*Not to be used for gasoline.

Size: 5"L x 3"W x 3"H

Weight: 2lb 12oz

Draw: 3A @ 12V

Max working pressure 25 psi



Sku: GP-301-12H

**4 GPM Reversible Gear P  
for Diesel Fuel or Water 1****\$287.14****ADD TO CART**

Sku: GP-301- 24L

**2 GPM Reversible Gear P  
for Motor oil, Diesel Fuel****\$294.38****ADD TO CART**


Self priming (Lift) 5 feet

Run dry time, up-to 30 min

Viton seals



## DIMENSIONS






EXPLODED VIEW

N

Pos.	Q.ty	Description
1	1	PUMP BODY
2	1	SEAL
3	2	ROD
4	1	PUMP FRAME
5	1	ARMATURE
6	1	COMPENSATION SPRING
7	1	BALL BEARING
8	1	BRUSH HOLDER
9	2	WASHER
10	2	NUT

Pos.	Q.ty	Description
11	1	IDLE GEAR
12	1	KEY
13	1	DRIVING GEAR
14	1	O-RING
15	1	TOP PLATE
16	4	SCREW
17	2	TUBE OUTLET
18	2	O-RING
19	4	ANTIVIBRATION MOUNT



**FLOW RATES DIAGRAM****AMPERE-DRAW DIAGRAM**

---

YOU MAY ALSO LIKE...

---