

Heading One

Here are lines of Russian:

- Молоко и творог
- Съешь же ещё этих мягких французских булок, да выпей чаю

This is a paragraph with some *emphasized text* - OK?

...а.

`¬| 1!.. 2".. 3... 4\$^. 5%.. 6^.. 7&{. 8*™ 9([± 0))° -_. =+ qQ@. wW.. eEeE rR¶® tT.. yY.. uU.. il.. oO.. pP..
aA.. sS.§ dD.. fF.. gG.. hH.. jJ kK.& lL.. ;: '@ zZ«< xX»> cC.© vV“ bB” nNnN mMμ. ,<.. .>.. /?

Here is an unordered list:

- this is an unordered list
 - subitem 1.a
 - subitem 1.b
- this is second item in unordered list
 - subitem 2.a
 - subitem 2.a.i
 - subitem 2.a.ii
 - subitem 2.b

Here is an ordered/numbered list:

1. This is a numbered list
 1. one
 2. two
2. This is second item in numbered list
 1. one
 2. two
 1. A
 2. B
 1. x
 2. y
 3. z
3. last numbered item

Heading Two

This is a paragraph with some **emphasized text** - OK?

Heading Three

This is a paragraph with some ***emphasized text*** - OK?

Heading Four

A wee bit of text

Heading Five

Just some normal text... nothing fancy

This is a simple table:

Header	Another header
field 1	something
field 2	something else
field 3	something
field 4	something else
field 5	something
field 6	something else

Heading Six

This is really deeply nested.

Here is some code:

```
10 REM Old huh?  
20 REM Yup, way old!
```

The file name is `oldcode.bas`.

These three lines should only be one paragraph, but with BF retaining the newlines, the newlines must be replaced with spaces.

The below is a blockquote with inner codeblocks.

Example:

```
sub status {  
    print "working";  
}
```

Or:

```
sub status {  
    return "working";  
}
```

Here is the gofpdf logo (inline):



from <https://github.com/jung-kurt/gofpdf/tree/master/image>

Here is a Gopher:



from <https://github.com/egonelbre/gophers>

The Go gopher was designed by Renee French. The Gopher character design is licensed under the Creative Commons 3.0 Attributions license. Read <http://blog.golang.org/gopher> for more details.

This is the last line of the document.