

REST API Fundamentals

DRW12

Rick Bauer, CCDE #2014::8, CCIE #9482, DevNet Professional

Technical Solutions Architect – Campus Automation CoE

#ciscoimpact

Cisco
IMPACT

Getting Started

- REST API Fundamentals
 - <https://developer.cisco.com/learning/modules/rest-api-fundamentals/>
- Presentation
 - <https://github.com/rickbauer9482/IMPACT2022-Presentation>

REST API Concepts

What the heck are REST APIs?

- API (Application Programming Interface) – how two applications can communicate a contract of request responses.
- REST (Representational State Transfer) – is a set of architectural constraints or criteria that can be implemented as needed.

Anatomy of the Uniform Resource Identifier (URI)

- URI – represents a resource

`https://maps.googleapis.com/maps/api/geocode/json?address=sanjose`

Protocol Server or Host Resource Query Parameter

API Headers

Header	Example Value	Purpose
Content-Type	Application/json	Format of the data in the body
Accept	Application/json	Requested format for the returned data such as json or xml
Authorization	Bearer Token Basic OAuth 1.0/2.0	Provide credentials like a time based token, to authorize the request
Date/Time Stamp	Mon Aug, 29 16:30:23 PST 2022	Data and time of a request or response

HTTP Methods

- HTTP Verbs correspond to CRUD actions: Create, Read, Update, Delete

POST	Create
GET	Read
PUT	Update
PATCH	Update
DELETE	Delete

HTTP Response Codes

Status Code	Status Message	Meaning
200	OK	All Good
201	Created	New Resource Created
400	Bad Request	Request was invalid
401	Unauthorized	Auth missing or incorrect
403	Forbidden	Request not allowed
404	Not Found	Resource not found
500	Internal Server Error	Something wrong on Server
503	Service Unavailable	Server not able to complete request

Lets get to know curl!

- <https://everything.curl.dev/>
- Very good for API Testing
- **curl** is a CLI tool to transfer data from or to a server, using one of the supported protocols (HTTP, HTTPS, FTP, FTPS, GOPHER, DICT, TELNET, LDAP or FILE)
- Over 200 command-line options
- HTTP Methods; GET, POST, PUT, and PATCH
- It defaults to the HTTP GET Method

curl Example

```
curl -k -i -c cookies.txt \
```

```
-H "accept: application/json" -X GET https://$REST_HOST/restconf/data/v1/cisco-  
customer:customer --user root:Public123
```

-k allow insecure server connections

-i include the response headers could use -v verbose too

-c Cookies file

-H Headers

-X Custom request (GET, HEAD, POST, PUT) don't really need requests have verb built in

-d Data

JSON and XML Payloads

What is a Data Model?

A data model is a well understood and agreed upon method to describe "something".

For example, here is a "data model" for a person.

- *Person*
 - Gender – male, female, other
 - Height – Feet/Inches or Meters
 - Weight – Pounds or Kilos
 - Hair Color – Brown, Blond, Black, Red, other
 - Eye Color – Brown, Blue, Green, Hazel, other

JSON

- The object is an unordered set of name-value pairs.
- An object begins with { (left brace) and ends with } (right brace)
- Strings are wrapped with " (double quotes)

```
1  {
2      "ietf-interfaces:interface": [
3          {
4              "name": "GigabitEthernet1",
5              "description": "This interface is MGMT",
6              "type": "iana-if-type:ethernetCsmacd",
7              "enabled": true,
8              "ietf-ip:ipv4": {
9                  "address": [
10                     {
11                         "ip": "172.30.1.200",
12                         "netmask": "255.255.255.0"
13                     }
14                 ]
15             },
16             "ietf-ip:ipv6": {}
17         }
18     ]
19 }
```


XML

- XML stands for eXtensible Markup Language, and XML is designed to store and transport data.

```
1  <interfaces xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces"  xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces">
2    <interface>
3      <name>GigabitEthernet1</name>
4      <description>This interface is MGMT</description>
5      <type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:ethernetCsmacd</type>
6      <enabled>true</enabled>
7      <ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
8        <address>
9          <ip>172.30.1.200</ip>
10         <netmask>255.255.255.0</netmask>
11       </address>
12     </ipv4>
13   </interface>
```

Getting started with REST APIs Exercises

Hands on Exercise: Using Postman to interact with REST APIs


Postman

- <https://www.postman.com/downloads/>
- <https://github.com/CiscoDevNet/dne-devfun-code/tree/main/rest-api/postman>

Closing

Get Your Shift Left Security Kit

Start driving more Developer conversations




cs.co/shiftright

Scan the QR Code to Access

eBook | Pre-written customer email | Social media kit | Use case submission form


Join us on Oct 18th for the Develop Conference

- Free, virtual event!
- All-star speaker line-up representing the cutting edge of software & app development.
- Get inspired by the latest in API trends, application performance, security best practices & more!



cs.co/developwithcisco

rights reserved. Cisco Confidential



This is an event for enterprise software developers and is part of the Cisco Developer Event Series.

The Developer Technical Advisory Group (TAG)




Bring your experience supporting customers and partners to Developer Relations and guide us to build impactful content, and create useful tools for our community



Cisco Developer Relations at Impact!

We want your feedback!

Answer a few questions in a short survey and be entered to win!



cs.co/impactwin



WISE

Join Liz Centoni and Grace Francisco



Cisco Women in Science and Engineering (WISE) ERO is a thriving inclusive community of technical women and allies focused on creating a **positive impact** in the lives of women and girls in STEM fields inside and outside of Cisco.

- Join us for breakfast on Wednesday from 7:30–8:30am in Mandalay Bay
- Connect with us to learn more!



cs.co/wise