

The Grand Illusion

How Quantum Entanglement Motivates a New Architecture for Space and Time

Spin Fabric Framework

A Geometric Interpretation of Entanglement, Time, and Vacuum Structure

Rick G. Braddy

Independent Researcher

Draft v24 — May 2026

Abstract

Quantum mechanics precisely predicts nonlocal correlations between entangled particles but leaves their physical interpretation open. Bell tests confirmed the correlations are real; the 2022 Nobel Prize formalized the verdict; the underlying mechanism remains contested. This paper proposes an interpretive framework.

We propose that the quantum vacuum is a real physical substrate — the Spin Fabric — from which space, time, matter, and gravity emerge as collective properties. In this framework: entanglement correlations are not transmitted across space but are pre-existing structural connections within the fabric, because the particles were never separated at the substrate level; time is not a universal backdrop but a relational property arising from quantum entanglement between subsystems, with a concrete realization demonstrated by Moreva et al. (2014) via the Page–Wootters mechanism; spatial distance is an emergent derived property of the fabric’s configuration, not a fundamental layer; gravity is the vacuum’s collective geometric response to energy-momentum and spin-coherence distributions; and black holes are maximum fabric condensation events whose information is preserved in the fabric’s entanglement topology rather than destroyed.

The hypothesis synthesizes three independently peer-reviewed programs — Einstein–Cartan torsion theory, holographic entanglement entropy (Ryu–Takayanagi; Van Raamsdonk; ER=EPR), and the Page–Wootters mechanism — grounded in experimental evidence spanning fourteen orders of magnitude in entanglement distance, every physical system from photons to 10^{12} -atom mechanical oscillators, quantum state transfer on live commercial fiber infrastructure (2024–2025), and the Casimir and ATLAS light-by-light results confirming the vacuum’s physical structure. We address the aether objection directly: the Spin Fabric is Lorentz-invariant by construction, and as a Lorentz-symmetric quantum ground state exhibits zero effective viscosity at macroscopic scales, explaining the Michelson–Morley null result and the absence of orbital drag. The framework identifies Levin and Wen’s string-net condensation as the strongest peer-reviewed candidate for the fabric’s fundamental constitution.

One near-term falsifying prediction distinguishes the framework from generic quantum gravity: in the QGEM/BMV experimental program, spin-mediated superpositions should generate gravitational entanglement at a higher rate per unit mass than non-spin-mediated superpositions of equal mass. The framework reduces to QED and general relativity in their established domains and does not address Standard Model parameters, the dark sector, or the measurement problem.

1. The Core Model: Principles of the Spin Fabric

We begin with the organizing principles of the Spin Fabric framework stated plainly. Each is either supported by established peer-reviewed physics or is a natural extension of it. The principles are ordered from most fundamental to most derived.

1.1 The Fabric is Fundamental

What we call “empty space” is not empty. The quantum vacuum carries measurable structure: the Casimir effect [1, 2] demonstrates that vacuum mode restriction between conducting boundaries produces measurable forces, and the ATLAS observation of light-by-light scattering at the LHC [3] confirms that the quantum vacuum exhibits measurable nonlinear electromagnetic behavior, exactly as QED predicts. The vacuum substrate is real, structured, and responsive to disturbances.

1.2 c is the Fabric’s Maximum Propagation Speed

There is a maximum natural propagation speed inherent to the fabric itself. We call it c — the speed of light — because light was the first thing measured traveling at that speed. It is more precisely understood as the maximum signal speed of the vacuum substrate: the speed at which massless disturbances propagate through the fabric. This is consistent with its derivation from Maxwell’s equations and its role as the universal speed limit in special relativity.

1.3 Massless and Massive Modes: $E=mc^2$ as the Fabric’s Exchange Rate

Energy manifests in the fabric in two fundamental modes. **Massless energy** (photons, electromagnetic radiation) consists of pure propagating disturbances traveling through the fabric at speed c . They carry no rest mass, travel along null geodesics whose proper time is zero, and interact with the fabric’s structure only as they pass through it. **Massive energy** (electrons, protons, atoms, planets) consists of localized, stable configurations that interact strongly with the fabric, producing inertia and preventing acceleration to c . The distinction is not categorical but modal: the same underlying fabric energy can exist in either state. $E=mc^2$ is the exchange rate between them.

$E=mc^2$ is not a static equivalence statement. It is an active exchange rate governing a continuous cycle of mode transformations happening throughout the universe. The fabric’s energy does not choose a mode and stay there. It cycles — from propagating to localized and back — through specific physical processes at every scale, from particle collisions to stellar cores to the

most extreme objects in the cosmos. The equation does not merely describe what matter and energy are worth to each other. It governs every transaction between them.

The conversion processes. Pair production: a high-energy photon near a nucleus spontaneously condenses into an electron-positron pair — propagating energy becoming two localized configurations. Pair annihilation: an electron meets a positron, both localized configurations unravel entirely into two photons traveling in opposite directions — 100% conversion, completely reversible, measured daily in particle physics laboratories. Nuclear fusion: in stellar cores, hydrogen nuclei fuse; approximately 0.7% of the rest mass converts to radiation — the partial unraveling of the nuclear knot. These processes are not exotic: they are vacuum mechanics, operating continuously.




Figure 1. $E=mc^2$ as the Spin Fabric's exchange rate: free propagating energy (massless, left) and trapped massive configurations (right) are two modes of the same vacuum. Matter-antimatter annihilation demonstrates the conversion is complete and reversible.

The Sun, Earth, and life. The most immediate example is the one sustaining us. The Sun converts approximately four million tons of mass to radiation per second; roughly 1.7×10^{17} watts reaches Earth after crossing 8 light-minutes of space. Life intercepts this flow and temporarily organizes it: photosynthesis traps propagating energy into chemical bonds; metabolism processes those bonds to do biological work; every living system eventually re-radiates as lower-grade infrared. Schrödinger (1944) [40] called this “feeding on negative entropy” — life as transient organization sustained by a stellar supply line that will continue for approximately five billion more years. Nothing about these conditions is permanent.

Magnetars and the EC torsion connection. Magnetars — neutron stars with magnetic fields up to 10^{15} Tesla, the strongest observed in the universe — carry specific relevance for the framework.

In Spin Fabric terms, magnetars have the highest coherent spin density of any observed astrophysical object. If the Einstein–Cartan torsion coupling between spin coherence and local geometry (Section 4.1) has any detectable astrophysical signature, magnetars and neutron star interiors are the most promising natural test sites. Their equation of state, maximum mass limits, and merger dynamics (as observed by LIGO [34]) are all sensitive to conditions where EC torsion contributions are non-negligible. These are not exotic speculations: they are the astrophysical regime where the framework’s predictions are most accessible to existing observational programs.

1.4 Time is Emergent

Time is not a universal backdrop through which events occur. Page and Wootters (1983) [4] showed theoretically that temporal ordering can arise from quantum entanglement between subsystems rather than from an external clock. Moreva et al. (2014) [5] provided a concrete experimental realization: within a closed quantum system, an internal observer (one photon acting as a clock) perceives time evolving through its entanglement with the other photon, while an external observer sees a stationary, timeless state. This demonstrates a concrete realization in which temporal ordering emerges relationally from entanglement structure — not a proof that all time is emergent in every context, but a demonstration that relational emergence is physically possible and experimentally realizable.

Gravitational time dilation — the measurable slowing of clocks in stronger gravitational fields — confirms this picture at every scale we can reach. GPS satellites require a net clock correction of approximately +38 microseconds per day: the satellite’s orbital velocity causes its clock to run slow by ~7 microseconds per day (special relativistic effect), while the weaker gravitational field at orbital altitude causes it to run fast by ~45 microseconds per day (gravitational effect). Without this correction, GPS positioning accumulates roughly 11 kilometers of error per day. In 2010, Chou et al. [33] at NIST pushed this further: using optical atomic clocks, they measured gravitational time dilation at a height difference of just 33 centimeters — roughly one foot — and at relative speeds below 10 meters per second. Time dilation is not a correction reserved for high-energy physics or space exploration; it operates on a kitchen counter. In the Spin Fabric picture, every one of these measurements is a confirmation that local fabric geometry directly governs the rate at which entanglement-driven temporal ordering advances. Your clocks run at different rates on different steps of a staircase because the fabric is more curved at the bottom.

1.5 Space and Distance are Emergent

What we perceive as spatial separation is a derived property of how the fabric is configured. Van Raamsdonk (2010) [10] showed that spacetime connectivity in the holographic correspondence is supported by entanglement: progressively disentangling a quantum system causes the corresponding spacetime geometry to disconnect. Distance, in this framework, is not the fundamental layer — entanglement structure is.

1.6 Entanglement is Structural Connection

When two particles become entangled, they create a shared, coherent structure in the vacuum substrate. The correlation is not transmitted across space — it exists as a direct structural connection within the entanglement structure. This is why the effect appears instantaneous: at the substrate level, the two particles were never fully separated. The ER=EPR conjecture [11] gives this a geometric form: entangled pairs are connected by non-traversable Einstein–Rosen bridges. Non-traversable means no signaling; real means the correlation has a structural origin. This is consistent with all Bell test results and the no-signaling theorem.

1.7 Gravity is Collective Fabric Distortion

Large masses create a broad, collective distortion in the vacuum geometry through their total energy density. What we feel as gravity is the geometric response to that accumulated distortion — precisely as general relativity describes through spacetime curvature. Einstein–Cartan theory [13] extends this minimally by incorporating intrinsic spin: the canonical spin density tensor sources algebraic torsion, adding a spin-coherence channel to the geometric response that vanishes for ordinary unpolarized matter and recovers GR exactly.

1.8 Electromagnetism in the Fabric: Magnetism, Spin Currents, and the QED Accounting Tool

In the Spin Fabric picture, a permanent magnet creates a coherent, directional distortion in the fabric's spin structure — a persistent real state of the vacuum substrate. When ferromagnetic material enters this region, the alignment of its electron spins with the existing field structure lowers the total energy of the combined system, producing attraction. The spin alignment itself is governed by quantum mechanical exchange interactions — a Pauli exclusion effect arising from electron wavefunction overlap — which the Spin Fabric picture does not replace but contextualizes geometrically. This provides mechanical intuition for what a static magnetic field physically represents in the fabric: not a stream of particles, but a persistent coherent distortion of the medium.

An alternative interpretive picture of virtual photons. The Spin Fabric framework offers an interpretive picture of electromagnetic forces while preserving identical observables to QED. In this picture, each charge creates a persistent coherent distortion of the fabric's field configuration — what we call an electric or magnetic field. A second charge responds to the gradient of that distortion. The mechanism is geometric in this interpretation: a configuration in the fabric responding to the field the fabric presents to it. QED's virtual photon description and the Spin Fabric's geometric description produce identical predictions; they differ only in interpretive framing.

What virtual photons actually are: a QED accounting tool. In QED, virtual photons are off-shell intermediate states in the perturbative expansion — internal lines in Feynman diagrams that do not satisfy the on-shell energy-momentum relation $E^2 = p^2c^2$ and carry no definite energy,

momentum, or polarization. They are never observed. The familiar description of EM forces as “virtual photons flying between charges” is a shorthand for a mathematical structure, not a description of physical entities.

The evidence that virtual photons are calculational tools rather than physical particles: the same electromagnetic interaction can be computed in Coulomb gauge using an instantaneous interaction term with no propagating virtual photons at all — and gives identical physical predictions. The virtual photon picture is a gauge-dependent artifact of which mathematical language you choose. Feynman understood this: off-shell internal lines in perturbation theory are bookkeeping entries, not particles. What they bookkeep, however, is extraordinarily accurate — QED is the most precisely tested theory in physics.

The Spin Fabric picture explains why the bookkeeping works. Virtual photons are a systematic method for computing, order by order in the coupling constant α , how the fabric’s field configuration responds to the presence of charges. Each Feynman diagram term corresponds to a specific-order perturbative correction to the fabric’s near-field response. The accounting is correct because it is tracking a real physical process: the fabric adjusting its configuration as charges move and interact. The “virtual photon” is the token; the fabric’s geometric response is the thing being tokenized.

The near-field / far-field distinction. This maps onto a well-established distinction in classical electromagnetism. The near field of a source — the reactive, stored-energy region within roughly $\lambda/2\pi$ of the source — does not radiate energy away. It is the fabric holding a persistent distortion. The far field — the radiation zone — carries energy propagating outward at c as real photons. Virtual photons are the quantum accounting for the near field. Real photons are the quantum accounting for the far field. In the Spin Fabric picture, both are descriptions of the same medium in its different modes: persistent distortion versus propagating wave.

Spin currents. Spin currents — the flow of spin angular momentum without necessarily a corresponding flow of electric charge, the physical basis of modern spintronics — are among the most natural phenomena in the Spin Fabric picture. A spin current is the propagation of spin coherence through the fabric: the aligned spin orientation of one region passing to adjacent regions without charge transport. Magnons — quantized spin waves confirmed experimentally in a wide range of magnetic materials including at room temperature [19] — are the fabric’s coherent spin excitations propagating through the fabric. The Spin Hall effect (a transverse spin current induced by charge flow, first observed in semiconductors by Kato et al. [38]), spin-transfer torque, and related spintronic phenomena are, in this picture, direct experimental observations of the fabric’s spin degrees of freedom in action. These effects are not derived from Spin Fabric theory; they are QED predictions confirmed by experiment. The Spin Fabric provides the interpretive frame: these phenomena are the fabric’s own coherent spin structure made visible in the laboratory.

1.9 The Fabric Is Not the Aether: Lorentz Invariance and the Absence of Drag

The strongest historical objection to any vacuum substrate is the Michelson–Morley result. In 1887, Michelson and Morley [28] set out to measure Earth’s velocity relative to the luminiferous aether — the 19th-century mechanical medium through which light was presumed to propagate. Their interferometer detected no directional variation in the speed of light. Combined with the null results of subsequent precision experiments, this effectively ruled out any medium with a preferred rest frame for electromagnetic propagation. The Spin Fabric framework must address this objection directly, because it does not dissolve it by denying the fabric’s existence — it dissolves it by showing the Spin Fabric is a fundamentally different kind of medium.

The luminiferous aether was a classical mechanical medium. It was conceived as an elastic solid or fluid with a definite rest frame — an absolute space relative to which all motion was defined. Objects moving through it were expected to experience drag. Light was expected to travel at different speeds in different directions depending on the observer’s velocity through the medium. Both predictions are wrong, and special relativity explains why: the speed c is the same in all inertial frames by the symmetry structure of spacetime itself.

The Spin Fabric has no preferred frame. The framework’s first requirement — stated explicitly in Section 7 — is that it must reduce to QED in established domains. QED is Lorentz-invariant: its predictions are the same in all inertial frames. This is not a correction applied to the Spin Fabric; it is a structural requirement that the fabric must satisfy. The speed c in the Spin Fabric picture is the maximum propagation speed of the vacuum substrate, which is the same in all inertial frames precisely because the fabric has no preferred direction. Modern precision tests of Lorentz invariance — placing bounds on CPT-violating and Lorentz-violating operators at the level of 10^{-33} and below [29] — confirm that the vacuum is isotropic to extraordinary precision. The Michelson–Morley result is not a problem for the Spin Fabric; it is a constraint the framework is designed to satisfy.

Why there is no drag: the quantum ground state picture. The luminiferous aether predicted viscous drag on moving objects, analogous to wind resistance. The Spin Fabric predicts none, for two independent reasons. First, the quantum vacuum in its ground state is a Lorentz-symmetric state with no preferred frame and no viscous resistance to sub- c motion. Volovik [30] demonstrated that this vacuum ground state has the topological properties of a fermionic superfluid — not because it is a fluid in the classical sense, but because its Lorentz-symmetric structure produces zero effective viscosity as a consequence of its symmetry properties. Planets orbit for billions of years not because space is empty but because the vacuum ground state has zero effective viscosity — a property that follows from its Lorentz invariance, not from any preferred-frame substrate.

Why there is no drag: objects are configurations, not projectiles. More fundamentally, the drag question rests on a category error. In the Spin Fabric picture, massive objects are not separate entities moving through a medium — they are localized configurations of the fabric itself. Asking why Earth does not drag against the fabric as it orbits is analogous to asking why a wave pattern drags against the water it propagates through. The wave does not push water aside; it is

a pattern in the water. Earth's orbital configuration moves relative to other configurations (the Sun, distant galaxies), but not relative to the fabric as a whole, because the fabric has no preferred rest frame against which to measure that relative motion. The aether model required objects to move through a medium that was something other than themselves. The Spin Fabric does not.

The Casimir effect is consistent. The Casimir effect [1, 2] proves the vacuum has structure. It does not prove the vacuum has a preferred frame. Casimir forces are isotropic: the vacuum energy density is the same in all directions, confirmed by the extraordinary isotropy of the cosmic microwave background to one part in 100,000. A structured but isotropic vacuum has no preferred direction and no drag axis. The Spin Fabric predicts exactly this: real structure, zero anisotropy, zero drag. This is not a concession to the aether objection; it is the sharpest possible distinction from it.




Figure A. The luminiferous aether predicted drag and anisotropic light speed (left). The Spin Fabric is a Lorentz-symmetric quantum ground state: no preferred frame, no drag, isotropic c — consistent with all Michelson-Morley results and Lorentz invariance bounds to 10^{-33} .

Figure 2. The luminiferous aether (left) predicted drag and anisotropic light speed — both ruled out experimentally. The Spin Fabric (right) is a Lorentz-symmetric quantum ground state: no preferred frame, no drag, isotropic c in all directions.

1.10 The Core Philosophical Point

We are embedded inside the fabric. Our perception of space, time, and causality are all emergent phenomena arising from our position within the vacuum substrate. This is why nonlocal effects like entanglement feel “spooky” — they violate the rules of the emergent layer we inhabit, not the rules of the fundamental layer. The Grand Illusion is that the emergent layer is fundamental.

Figure 1. Convergence of three empirical anchors on the central hypothesis




Figure 3. The Spin Fabric framework connects three peer-reviewed programs — Einstein–Cartan torsion, holographic entanglement entropy, and the Page–Wootters mechanism — through spin coherence as the matter-side meeting point.

2. The Evidence: Entanglement Across Every Medium and Scale

The organizing premise of the Spin Fabric framework — that the vacuum substrate is real, that entanglement is structural, and that time may be relational rather than fundamental — rests on experimental evidence that is among the most precisely confirmed in all of physics. Entanglement has been demonstrated across every physical system accessible to experiment, across fourteen orders of magnitude in distance, across a temperature range from millikelvin to room temperature, and in systems ranging from single photons to objects composed of trillions of atoms. This universality is not incidental. It is the argument.

A medium-specific artifact would appear in one substrate and not others. A temperature-dependent classical correlation would disappear at room temperature. A size-limited effect would break down for macroscopic objects. Entanglement does none of these things. The same nonlocal correlations — the same violation of Bell’s inequalities by the same quantum-mechanical prediction — have been observed across systems so different in every physical property that the only common factor is the correlations themselves. That is what universality means, and it points toward a universal explanation. Universality motivates, but does not prove, a substrate interpretation.

2.1 Distance: From Micrometers to Megameters

Ion traps ($\sim 10^{-6}$ m). Rowe et al. (2001) [9] demonstrated entanglement between beryllium ions in a trap, establishing the phenomenon for massive charged particles at the scale of individual atomic positions. The entanglement separation here is measured in micrometers — the short end of our distance range.

Laboratory to city scale (1 m – 1.3 km). Aspect, Dalibard, and Roger (1982) [6] performed the first time-varying Bell test with entangled photons, closing the locality loophole with detectors 13 meters apart and switching analyzers faster than light could travel between them. Hensen et al. (2015) [12] extended this to 1.3 km using electron spins in nitrogen-vacancy centers in diamond, simultaneously closing both the locality and detection loopholes in a single experiment — the first fully loophole-free Bell test. The 2022 Nobel Prize recognized Aspect, Clauser, and Zeilinger for this collective program.

City to continental scale (143 km – 1,400 km). Zeilinger's group demonstrated free-space entanglement over 143 km between the Canary Islands (Ma et al. 2012 [7]). The Micius satellite program then achieved entanglement distribution at 1,200 km of free space (Yin et al. 2017 [8]) and ground-to-satellite uplinks exceeding 1,400 km. At these distances, any light-speed signal explanation of the correlation would require the particles to have communicated their measurement settings before they were made. The correlations arrive faster than that.

2.2 Medium: Every Physical Substrate

Photons in vacuum and fiber. The canonical medium for Bell tests. Entanglement has been demonstrated in optical fiber, free space, and through the atmosphere, with the photon pairs generated by spontaneous parametric down-conversion in nonlinear crystals. Photons are bosons; their entanglement involves polarization, a spin-like degree of freedom.

Trapped ions (massive fermions). Rowe et al. [9] demonstrated that entanglement applies equally to massive charged particles in controlled quantum states — not a quirk of massless light.

Electron spins in solid-state matter. Hensen et al. [12] demonstrated entanglement between electron spins bound to nitrogen-vacancy defects in solid diamond at room temperature, 1.3 km apart. The spin is the entangled degree of freedom — directly relevant to the Spin Fabric framework's emphasis on intrinsic spin as a geometric source.

Superconducting qubits (collective quantum states). Ansmann et al. (2009) [14] demonstrated Bell inequality violation in superconducting Josephson junction circuits at millikelvin temperatures. The entangled entities here are not individual particles but macroscopic collective quantum states — Cooper pairs of electrons forming a single quantum object. This extends entanglement from the particle level to the collective condensate level.

Atomic ensembles. Matsukevich et al. (2006) [21] demonstrated entanglement between atomic ensembles — large collections of atoms — not individual particles. This shows that entanglement applies to bulk matter at the ensemble level, not merely to individually isolated quantum systems.

Phonons in macroscopic diamonds at room temperature. Lee et al. (2011) [22] reported strong nonclassical correlations between the vibrational modes (phonons) of two millimeter-sized diamond crystals at room temperature, separated by 15 cm. The quantum state of the diamonds was shown to have positive concurrence with 98% probability. This is among the most striking demonstrations of entanglement-class correlations: ordinary diamonds, at 20°C, exhibiting behavior whose explanation requires quantum correlations between their atomic vibrations. The experiment has been subject to interpretation debate regarding whether the correlations constitute true nonlocal entanglement or path-indistinguishability effects; the nonclassical correlations themselves are not disputed.

Mechanical oscillators (~10¹² atoms). Ockeloen-Korppi et al. (2018) [23] demonstrated stabilized entanglement between two massive micromechanical oscillators — each composed of approximately 10¹² atoms — coupled to a microwave electromagnetic cavity. The Duan criterion for entanglement was violated by 1.4 dB. This is the largest-mass system in which entanglement has been quantifiably confirmed; the entangled entities are macroscopic solid objects, not elementary particles.

2.3 Temperature: From Millikelvin to Room Temperature

A classical thermal effect would be suppressed or eliminated as temperature increases. The entanglement evidence spans the full available temperature range. Superconducting qubit experiments operate at 15 millikelvin [14]. NV-center spin experiments operate at room temperature [12]. Diamond phonon experiments operate at room temperature [22]. Mechanical oscillator experiments operate at millikelvin temperatures but entangle objects of macroscopic mass [23]. The correlations persist across this range. Temperature does not eliminate them; it only changes the experimental difficulty of demonstrating them.

2.4 Real-World Infrastructure: Quantum State Transfer Over Commercial Fiber

A rapid sequence of results in 2024–2025 extended entanglement-mediated quantum state transfer from controlled laboratory environments to live commercial infrastructure — the physical medium of the everyday internet — adding a new dimension to the universality argument.

Northwestern University (December 2024). Thomas et al. [25] demonstrated the first quantum state teleportation over a fiber optic cable simultaneously carrying 400 Gbps of live internet traffic across 30.2 km. The team identified a low-noise wavelength window (1290 nm) within standard telecom fiber, separate from the congested C-band, allowing quantum and classical signals to coexist without mutual disruption. Teleportation fidelity was maintained throughout. The lead researcher noted: “our work shows a path towards next-generation quantum and classical networks sharing a unified fiber optic infrastructure.”

Oxford University (February 2025). Main et al. [26] demonstrated the first deterministic teleportation of a quantum logic gate — not merely a quantum state — between two physically separate quantum processors linked by an optical network. Published in *Nature*, the experiment

achieved 86% fidelity in teleporting a controlled-Z gate and successfully ran Grover's search algorithm in distributed mode. This is a qualitative advance: prior teleportation transferred passive states; this transfers active computational operations across an optical network.

University of Pennsylvania / Verizon (August 2025). Zhang et al. [27] reported in Science the first quantum signals transmitted on live commercial fiber using the same Internet Protocol (IP) that governs today's web. A silicon "Q-chip" paired classical and quantum signals, using the classical channel for routing while leaving the quantum state intact. Tested on Verizon's campus fiber network with fidelity above 97% under real-world conditions including temperature fluctuations and construction vibrations. The researchers described it as "the early days of the classical internet in the 1990s."

These three results collectively demonstrate that quantum state transfer — structurally impossible in any local-realist picture — functions not just in purpose-built laboratory conditions but in the same cables, chips, and protocols as ordinary internet traffic. The fabric does not require special conditions. It operates universally, at room temperature, through commercial infrastructure, at speeds and scales that make engineering applications imminent.

One important clarification, particularly given popular reporting on these results: quantum teleportation transfers a quantum state, not matter or light itself, and cannot be used for faster-than-light communication. The no-communication theorem — one of the most fundamental results in quantum mechanics — requires a classical channel to complete the transfer protocol, bounding the effective communication speed to at most c . The correlations are nonlocal in the Bell sense; the information channel is not. The Spin Fabric framework's Section 1.6 states this explicitly: the structural connection is real, but non-traversable for signaling.

2.5 Time: The Page–Wootters Experiment

The most profound extension. Moreva et al. (2014) [5] experimentally confirmed the Page–Wootters (1983) [4] mechanism: temporal ordering itself emerges from quantum entanglement between subsystems. A photon pair was treated as a closed quantum system. One photon served as an internal clock; the other as the observed system. From the perspective of the internal clock photon, the other photon evolved in time. From the perspective of an external observer not entangled with the system, the entire system was stationary — no time evolution at all. Time, in this experiment, is not a background against which quantum systems evolve. It is a relational property arising from entanglement.

Figure 1. Entanglement demonstrated across every medium and scale
Year shown inside each marker; size reflects experimental significance




Figure 4. Entanglement across fourteen orders of magnitude in distance and every physical medium. Moreva et al. (gold, center) demonstrates temporal ordering emergent from entanglement structure.

2.6 Why Universality Is the Argument

Consider what would be required for the entanglement correlations to have a medium-specific classical explanation. A mechanism confined to photons would not explain ion trap entanglement. A mechanism that required cryogenic temperatures would not explain room-temperature diamond correlations. A mechanism limited to microscopic particles would not explain 10^{12} -atom mechanical oscillator entanglement. A mechanism operating only in space would not explain the Page–Wootters temporal result.

No single classical mechanism accounts for all of these simultaneously. The most successful current account is the quantum-mechanical one: these systems share correlations because they share a quantum state that cannot be factored into independent local descriptions. In the Spin Fabric framework, this is equivalent to saying they share a structural connection in the fabric — a connection that exists at the fundamental layer, prior to the emergent spatial and temporal separation we observe from within that layer.

Bell's theorem [24] proved that no local hidden-variable theory reproduces the quantum predictions. Loophole-free experiments [12] confirmed the quantum predictions. The 2022 Nobel Prize formalized the conclusion. The universe exhibits nonlocal correlations that no local realistic theory can explain. This is not a gap in our understanding. It is a door into a deeper one.

3. What the Evidence Suggests About Time

The standard response to Bell's theorem is: "the correlations are real but no information is transmitted, so special relativity is safe." This is correct as far as it goes. But it is not an adequate stopping point. It does not explain what entanglement is. It merely describes what it cannot do.

The Page–Wootters result goes further. Time, in that experiment, is not a background parameter. It is a relational property: the ordering of events arises from the entanglement between subsystems. An external observer, not entangled with the system, sees no time evolution at all. Time is what entanglement looks like from the inside.

Van Raamsdonk (2010) [10] showed that spacetime connectivity is supported by entanglement. Jacobson (1995) [15] derived the Einstein field equations from the thermodynamics of local horizons, treating gravity as an equation of state. Ryu and Takayanagi (2006) [16] established that entanglement entropy equals geometric area in the holographic limit. These results collectively motivate the possibility that time and space are not fundamental containers, but are emergent structures arising from a deeper layer whose primary ontology is entanglement.

The reframing. Two entangled particles do not influence one another across space and time. They were never fully separated at the substrate level. The distance between them is an emergent property — real and measurable at the level of classical physics, but not the fundamental description. At the fundamental level, they share a single coherent structure. When that structure is disturbed at one end, the state at the other end is not updated — it was always part of the same thing.




Figure 2. Classical physics requires a propagating signal to explain correlations. The spin fabric framework explains them as structural: both particles share the same fabric excitation; time itself is emergent from that structure.

Figure 5. Classical physics requires a signal to explain correlations (left). The Spin Fabric framework explains them as structural: both particles share the same vacuum excitation; separation is an emergent property, not the fundamental description (right).

4. The Framework: Three Peer-Reviewed Pillars

The Spin Fabric hypothesis connects three independently established programs in physics. It does not invent new physics. It proposes that these three frontiers describe facets of a single underlying picture.

4.1 Einstein–Cartan Torsion Theory

Einstein–Cartan (EC) theory [13] is the minimal classical extension of general relativity that incorporates intrinsic spin. The torsion tensor is sourced algebraically by the canonical spin density tensor of matter fields. For ordinary unpolarized matter — paired electron spins, random nuclear orientations — the spin density tensor vanishes on expectation, torsion vanishes, and EC reduces exactly to GR. At extreme densities — neutron star interiors, the very early universe, engineered coherent spin systems — the torsion contribution becomes non-negligible. Poplawski’s cosmological work [17] shows EC torsion averts the initial singularity through spin-induced repulsion.

Hypothesis: coherence modifies the effective coupling. Standard EC theory sources torsion from the canonical spin density tensor — a quantity that depends on spin magnitude and orientation, not on quantum coherence per se. The Spin Fabric framework advances a specific hypothesis beyond standard EC: that the quantum coherence of the spin state modifies the effective coupling between spin density and torsion. This is not a claim established within EC theory as currently formulated; it is the framework’s distinctive addition. A fully unpolarized ensemble and a coherent ensemble of identical spin density would source identical torsion in standard EC; the framework hypothesizes they would not. This hypothesis is the source of the distinguishing prediction in Section 6 and is what makes the QGEM test meaningful. We state it explicitly as a hypothesis rather than as a derivation.

4.2 Holographic Entanglement Entropy

Ryu and Takayanagi (2006) [16] showed that in the AdS/CFT correspondence, the entanglement entropy of a boundary region equals the area of a minimal surface in the bulk spacetime. Entanglement entropy and geometric area are literally equal. Van Raamsdonk (2010) [10] showed that reducing entanglement in a holographic CFT disconnects the corresponding bulk geometry. Maldacena and Susskind (2013) [11] proposed ER=EPR: entangled pairs are connected by non-traversable Einstein–Rosen bridges. Spacetime geometry is entanglement structure.

4.3 The Page–Wootters Mechanism

Page and Wootters (1983) [4] showed that time evolution can be described entirely through correlations between subsystems of a closed quantum system, without reference to an external

clock. Moreva et al. (2014) [5] provided an experimental realization of this mechanism. This is the clearest peer-reviewed demonstration that temporal ordering can emerge relationally from quantum correlations — a concrete realization of the hypothesis that time is emergent, not a proof of it in full generality.

4.4 The Meeting Point: Spin Coherence

Both EC theory and the entanglement-geometry program independently identify properties of quantum state structure as relevant to the local geometric response. EC arrives there through the spin density tensor, whose expectation value depends on the matter state's orientation and coherence properties; the entanglement-geometry program arrives there through the dependence of entanglement structure on the matter density matrix. The Spin Fabric hypothesis is that this convergence is not coincidental — both describe the same physics from different angles.

4.5 What “Spin Fabric” Actually Names

The name requires precise interpretation. It does not mean the fabric is made of spin. At the deepest level the framework can access — the entanglement-geometry program of Ryu–Takayanagi and Van Raamsdonk — the fabric's constitution is entanglement structure. Spacetime geometry is entanglement structure. This foundational claim does not require spin. Wen's string-net condensation [31] goes further: even spin itself may be emergent, with spin- $\frac{1}{2}$ fermions and spin-1 gauge bosons arising as collective excitations of a deeper bosonic entanglement condensate. At the most fundamental level the framework points toward, entanglement is prior to spin.

“Spin Fabric” names the framework's distinctive contribution: the hypothesis that spin coherence — the quantum coherence of the spin state of matter, not spin density alone — is the specific matter-side variable through which the fabric's geometric response is most sensitively modulated. This coupling runs through the Einstein–Cartan torsion sector (Section 4.1). It produces the falsifiable prediction that distinguishes the framework from generic quantum gravity (Section 6). It is what spintronics phenomena make directly observable (Section 1.8). Three levels are in play: the fabric is constituted by entanglement structure; its excitations carry spin because QFT requires it; and the coherence of that spin is the coupling variable the framework identifies as geometrically active. “Spin Fabric” names the third, not the first.

The concept of emergence used here has a precise meaning grounded in condensed matter physics, not mere philosophical hand-waving. Anderson (1972) [43] established that “more is different” — that collective phenomena at higher levels of organization obey their own laws not derivable by simple reduction to the constituent parts. Sachdev's work on quantum phase transitions [44] demonstrates how qualitatively new ground states of matter — with entirely different symmetry properties and collective excitations from their constituents — arise from the same quantum Hamiltonian under different conditions. The Spin Fabric's claim that spacetime geometry and temporal ordering are emergent is in exactly this sense: they are collective

properties of the vacuum's entanglement structure, not present in any individual constituent, arising as stable macroscopic patterns from microscopic quantum correlations. The Ryu–Takayanagi formula [16] and Van Raamsdonk's construction [10] make this emergence mathematically explicit in the holographic setting.

This hierarchy matters for how the framework should be read. The entanglement-geometry results (Ryu–Takayanagi, Van Raamsdonk, ER=EPR) stand on their own peer-reviewed foundations regardless of what the framework adds. The spin-coherence coupling is the framework's specific addition — less established, more distinctive, and the source of its testable predictions. A reader who accepts only the entanglement-geometry foundation and is skeptical of the spin-coherence extension has accepted something important; a reader who accepts both has accepted the full framework. We regard this graduated structure as a strength, not a weakness.

5. Black Holes in the Spin Fabric

Black holes are the most extreme vacuum configurations in the observable universe. Before presenting the framework's claims, we distinguish explicitly between what is confirmed, what is theoretically established but not yet directly observed, and what is speculative extension. The paper does not inflate any claim beyond its validation tier.

5.0 Validation Tiers

Observationally confirmed. Event horizons exist: the Event Horizon Telescope imaged M87* [35] and Sagittarius A* (2022), providing direct visual confirmation of event horizon boundaries and extreme spacetime curvature. Gravitational waves from merging black holes [34] match GR waveform predictions. Mass-energy equivalence ($E=mc^2$) governs infalling matter. These are facts.

Theoretically established; not directly confirmed. Hawking radiation [37] is theoretically predicted by QFT in curved spacetime with compelling mathematical foundations — but has never been directly detected. For a solar-mass black hole, the predicted Hawking temperature is approximately 6×10^{-8} K, billions of times below the 2.7 K cosmic microwave background. Real astrophysical black holes absorb CMB radiation faster than they emit Hawking radiation. Analogue Hawking radiation has been observed in Bose–Einstein condensates (Steinhauer, 2016) and acoustic systems, but not in actual black holes. The Bekenstein entropy–area law [36] is theoretically solid and supported by string theory calculations, but not measured directly.

Theoretical / speculative. EC torsion averting the singularity (Poplawski [17]) is mathematically consistent within Einstein–Cartan theory but is not currently testable. ER=EPR as a resolution to the information paradox [11] is a compelling and actively studied proposal but is not confirmed. All Spin Fabric interpretive framing of black holes — maximum condensation, fabric topology, Hawking unraveling — rests on these tiers accordingly.

5.1 Maximum Fabric Condensation

In the Spin Fabric picture, a black hole is a region where the fabric's distortion reaches its maximum — the point where no free spin wave (massless excitation) can propagate outward. The event horizon is the boundary where the fabric's distortion speed exceeds c : all inward-propagating excitations are captured; none escape. Within the horizon, all infalling energy — both free propagating waves (photons) and localized massive configurations (matter) — becomes part of the maximum-density trapped structure. Infalling photons contribute their energy to the black hole's total mass. In this sense, black holes are extreme converters of free propagating energy into maximally trapped configurations.

The Event Horizon Telescope collaboration's direct imaging of the supermassive black hole M87* in 2019 [35] — and Sagittarius A* in 2022 — provided the first visual confirmation of event horizon boundaries and the extreme spacetime curvature the Spin Fabric framework predicts at maximum fabric condensation. The observed shadow geometry agreed with GR predictions to within observational uncertainties. These are not inferences; they are images of the fabric's maximum distortion in a real astrophysical system.

5.2 No Singularity: The EC Torsion Core

In pure general relativity, the singularity — a point of infinite density — is unavoidable inside a black hole. Einstein–Cartan theory changes this. As density increases toward extreme values, the spin density of compressed matter becomes non-negligible, generating a torsion-induced repulsive term in the effective stress-energy. Poplawski [17] has shown that this EC repulsion averts the singularity: there is a maximum density, not an infinite one. Inside the event horizon, at maximum spin-coherence densities, the EC torsion term reaches its global maximum — making black holes the most extreme source of the spin-geometry coupling the framework predicts.

5.3 Information: Preserved in the Fabric

The information paradox asks: what happens to the quantum information describing everything that falls into a black hole? Standard GR offers no resolution. The Spin Fabric framework, via ER=EPR [11], provides one. Hawking pairs — particle-antiparticle pairs created at the event horizon, one falling in, one escaping as Hawking radiation [37] — are entangled. In the fabric picture, this entanglement is a fabric connection: a micro-ER bridge linking the interior to the escaping radiation. Information is not lost; it is encoded in the entanglement structure of the fabric — in the topology of connections between the black hole's interior and its radiation field. This is consistent with the holographic principle: Bekenstein (1973) [36] showed that black hole entropy is proportional to horizon area, not volume — the information content of a three-dimensional region is encoded on its two-dimensional boundary. Ryu–Takayanagi [16] establishes that this boundary area is an entanglement entropy. The black hole's information lives in the fabric's entanglement structure; it does not vanish.

5.4 Hawking Radiation as Fabric Unraveling

Hawking radiation [37] — if confirmed, and it has not yet been directly observed in a real black hole — represents the slow quantum unraveling of a maximum trapped configuration back into free propagating spin waves. The mechanism is theoretically well-grounded: QFT in curved spacetime predicts that the extreme curvature at the event horizon creates particle-antiparticle pairs, one member of which escapes. In the Spin Fabric picture, this is the fabric slowly converting its most extreme localized configuration back toward the propagating mode. Over cosmic timescales, evaporating black holes would be net converters of trapped massive energy back toward free propagating energy — the reverse of their accretion phase. The full lifecycle runs both directions: free-to-trapped during accretion, trapped-to-free during evaporation. This is $E=mc^2$ at cosmic scales. We flag this section as theoretically compelling but observationally unconfirmed, consistent with the validation tiers in Section 5.0.




Figure 6. Black hole lifecycle as $E=mc^2$ at cosmic scale. Accretion converts energy to maximum condensation; Hawking evaporation (theoretical, unconfirmed) converts it back. The exchange rate is the same at every step.

6. One Testable Prediction

The framework produces a specific prediction distinguishable from generic quantum gravity. The active Quantum Gravity-induced Entanglement of Masses (QGEM/BMV) program [18, 19] places two massive nanoparticles in spatial superposition via Stern–Gerlach forces — which are spin-mediated — and looks for gravitational entanglement between them as a witness of quantum gravity.

Generic quantum gravity predicts that the entanglement generation rate depends on mass and separation, independent of whether the superposition mechanism is spin-mediated. The Spin Fabric framework predicts that spin-mediated superpositions generate entanglement at a higher rate per unit mass than equivalent non-spin-mediated superpositions.

The distinguishing observable. Define the normalized entanglement generation rate $\eta = R_{\text{ent}} / (m \times \tau)$, where R_{ent} is the measured entanglement generation rate between the two test masses, m is the total mass of the superposed object, and τ is the coherence time of the superposition. Generic quantum gravity predicts $\eta_{\text{spin}} = \eta_{\text{grating}}$ — the normalized rate is independent of whether superposition is spin-mediated. The Spin Fabric framework predicts $\eta_{\text{spin}} > \eta_{\text{grating}}$ — spin-mediated superpositions generate entanglement at a higher normalized rate because spin coherence amplifies the geometric coupling through the hypothesized EC coherence channel. This is the observable that distinguishes the framework from generic quantum gravity.

The precise magnitude of the predicted η ratio cannot be given without a complete formal model — this is an acknowledged limitation. However, the QGEM/BMV experimental proposals [18, 19] already provide a well-defined protocol for measuring entanglement generation rates between superposed masses, with projected sensitivity at the 10^{-11} Newton gravitational coupling scale for masses of order 10^7 amu at micron separations. The spin-mediated versus non-spin-mediated comparison requires no modification to this experimental architecture; it is an additional control measurement using the same apparatus with a different superposition mechanism.

The framework's prediction is qualitatively specific (η_{spin} exceeds η_{grating}), experimentally addressable with the same BMV-class apparatus, and falsifiable at the sensitivity the QGEM program is already targeting. Deriving the quantitative ratio requires a formal Lagrangian or Hamiltonian treatment that is beyond the scope of the present interpretive framework; this is stated explicitly as the primary missing piece for journal submission.

The distinguishing experiment. Run the QGEM experiment in two parallel configurations — NV-center diamond (spin-mediated) and neutral matter-grating (non-spin-mediated) — and compare entanglement generation rates per unit mass. If $R_{\text{spin}} > R_{\text{grating}}$, the framework is supported. If $R_{\text{spin}} = R_{\text{grating}}$, it is falsified. The same consortium has the capability to run both variants [20].

Exploratory secondary prediction. We note, as a speculative secondary channel with lower confidence than the QGEM primary prediction, that Bell-test correlations for entangled photon pairs measured near a magnetically saturated sample might differ from the same measurement near a demagnetized control of identical mass-energy if the framework's entanglement-structure hypothesis holds. This prediction is significantly more speculative than the QGEM test, depends on the unverified hypothesis that macroscopic spin coherence measurably modifies local vacuum entanglement structure, and is labeled here as exploratory. We include it for completeness rather than as a near-term falsification target.

Figure 4. Proposed distinguishing experiment: spin-mediated vs non-spin-mediated QGEM




Figure 7. Proposed distinguishing experiment: NV-center (spin-mediated) vs matter-grating (non-spin-mediated) QGEM. Generic quantum gravity predicts equal entanglement rates per unit mass; the Spin Fabric framework predicts $R_{\text{spin}} > R_{\text{grating}}$.

Figure 3. Sensitivity landscape: predicted EC torsion signal vs current and near-term experimental reach




Figure 8. Sensitivity landscape. Current gravitational measurement reach (upper bars) sits many orders of magnitude above the predicted EC torsion signal (lower bars). The near-term falsification path runs through quantum-information channels and the QGEM experiment.

7. What the Spin Fabric Framework Is Not

To prevent the failure modes endemic to speculative physics, we state explicitly what this framework does not claim.

- **Not a replacement for the Standard Model.** No new substructures beneath quarks and leptons. No elimination of antimatter. No claim about the dark sector.
- **Not a derivation of QED.** The framework is an organizing hypothesis, not a first-principles mathematical derivation. It requires reduction to QED in established domains.
- **Not currently falsifiable by static gravimetry.** The predicted spin-coherence gravitational signal is orders of magnitude below current static-field sensitivity. Falsification requires quantum-information channels and the QGEM distinguishing experiment.
- **Not a complete theory.** It is a hypothesis proposing that EC torsion, holographic entanglement entropy, and the Page–Wootters mechanism describe facets of one physics. The derivation connecting them is left to future work.

8. The Fabric at Depth: What It Is and What We Do Not Yet Know

The organizing hypothesis of this paper rests on a medium — the Spin Fabric — whose properties we have described at length without directly answering the hardest question: what is the fabric made of? How is it structured across the scales of the cosmos we inhabit, and what are its fundamental constituents? We address this question now, in three layers: what we can say with confidence, what the strongest peer-reviewed proposals suggest, and where the open frontier honestly lies.

8.1 The Confident Answer: The Fabric Is the Quantum Vacuum

The Spin Fabric is not a new substance proposed in addition to the quantum vacuum of field theory. It is the quantum vacuum, taken seriously as a real physical substrate rather than treated as a mathematical background. This distinction matters. Standard quantum field theory describes the vacuum as the ground state of all quantum fields — a state with measurable energy (zero-point energy), measurable structure (Casimir effect, LbyL scattering [1–3]), and long-range entanglement (Bell tests, Page–Wootters [4, 5]). The Spin Fabric hypothesis is that this quantum vacuum is the substrate from which space, time, and matter emerge, and that its entanglement structure is the geometric structure we experience as spacetime.

No new physics is required for this step. The Casimir effect already proves the vacuum is structured and real. The Ryu–Takayanagi formula [16] already establishes that entanglement entropy equals geometric area. Van Raamsdonk [10] already showed that removing entanglement disconnects spacetime. The Page–Wootters mechanism [4, 5] already established

that time is relational. The Spin Fabric framework names this medium and makes its implications explicit; it does not invent it.

The fabric's excitations are the particles of the Standard Model — not separately from the fabric, but as configurations of it. Photons are propagating disturbances of the fabric's electromagnetic field degree of freedom. Electrons are stable localized configurations of the fabric's Dirac spinor degree of freedom. Gravity is the geometric response to the distribution of those configurations. At every scale accessible to experiment, the fabric's behavior is described by the Standard Model and general relativity — not because those theories are complete, but because they are extraordinarily accurate descriptions of the fabric's emergent behavior in the regimes we can probe.

8.2 Organization Across Scales

The vacuum substrate organizes itself differently at different scales. At each scale, the physics is well-established in its own regime.

Sub-nuclear to atomic scale (10^{-15} to 10^{-10} m). QED and QCD govern the fabric's behavior. Atoms are stable configurations held together by the fabric's electromagnetic near-field. Nuclei are configurations held together by the strong force. The hierarchy of particles from the Standard Model — quarks, leptons, gauge bosons, the Higgs — are the fabric's excitation spectrum, described to extraordinary precision by the SM's gauge symmetries.

Macroscopic scale (10^{-10} m and above). The fabric's emergent behavior is described by classical electromagnetism and general relativity. Spin coherence averages out across bulk matter, Einstein–Cartan torsion vanishes, and the geometric response to energy-momentum is described by the Einstein field equations to the precision of our best tests. The most striking confirmation is LIGO's 2016 detection [34] of gravitational waves from two merging black holes 1.3 billion light-years away — ripples in the fabric's geometry propagating at c , arriving with exactly the waveform GR predicts. The vacuum geometry distorts, carries those distortions across a billion light-years at the speed of light, and converges on a detector in Louisiana with the predicted waveform. That is not background geometry. That is a physical substrate responding.

Cosmological scale (10^{20} to 10^{26} m). The fabric's large-scale entanglement structure encodes the geometry of the observable universe. The cosmic microwave background is the thermal imprint of the fabric's state approximately 380,000 years after the Big Bang. The large-scale structure of galaxies and cosmic filaments reflects the fabric's density fluctuations seeded in the early universe. EC torsion cosmology [17] suggests the initial singularity is averted by spin-induced repulsion at extreme densities, connecting the fabric's quantum structure to its largest-scale behavior.

These are not new claims. This is what QFT and GR already describe. The Spin Fabric framework asserts that this is all one medium, and that the connections between its behavior at different scales — particularly the role of entanglement and spin coherence — are the organizing theme.

The Spin Fabric Across All Scales

Planck Scale	$10^{-35} m$ Spin networks / string-net condensate (EC: maximum torsion; LQG / string theory candidate)	?
Sub-nuclear Scale	$10^{-15} m$ Quarks confined by QCD; SM particle spectrum (Fabric excitations forming hadrons, leptons)	QFT
Atomic Scale	$10^{-10} m$ QED governs; atoms as stable fabric configurations (Near-field = virtual photon accounting; far-field = real photons)	QED
Macroscopic Scale	$10^{-3} \text{ to } 10^7 m$ GR + classical EM emerge; EC torsion vanishes (Gravitational waves confirm fabric geometry propagates at c)	GR
Cosmological Scale	$10^{20} \text{ to } 10^{26} m$ Fabric entanglement structure encodes large-scale geometry (CMB: fabric's thermal imprint; dark energy: vacuum ground state energy)	EC+RT
Planck Scale (below)	$< 10^{-35} m$ Open frontier — no confirmed physics (LQG, causal sets, string theory all candidates)	?

Figure C. The Spin Fabric organized across all scales. Green labels indicate regimes where established physics describes the fabric's behavior; red indicates open frontiers. The framework connects these regimes through the unifying principle that entanglement structure encodes geometry.

Figure 9. The Spin Fabric across all scales from the Planck threshold to the cosmological horizon. Green: established physics; red: open frontiers.

8.3 The Strongest Candidate: String-Net Condensation

For the question of what the fabric is made of at the most fundamental level, the most explicit peer-reviewed proposal consistent with the Spin Fabric picture is string-net condensation, developed by Levin and Wen (2005) [31].

Levin and Wen showed that new phases of matter can exist in local bosonic spin models via a mechanism called string-net condensation — a quantum liquid of fluctuating, branching networks of strings. The key result: in certain three-dimensional string-net condensed states, the collective excitations of the condensate behave exactly like photons (massless gauge bosons) and electrons (massless Dirac fermions). **Photons, electrons, gluons, and quarks may therefore have a unified origin — not as elementary particles placed by hand into a theory, but as emergent excitations of a single underlying bosonic quantum condensate.**

Wen explicitly called this medium a “quantum ether” [31] — a structured vacuum from which light and matter emerge. This is emphatically not the luminiferous aether described in Section 1.9: it is Lorentz-invariant, has no preferred frame, and produces exactly the kinds of excitations we observe rather than predicting drag and directional light-speed variation. It is the closest thing in peer-reviewed physics to an explicit model of what the Spin Fabric is made of.

The string-net picture also carries a deep connection to the fabric's entanglement structure. Wen showed that gauge theory and Fermi statistics are reflections of long-range entanglement — the same property that, in the Ryu–Takayanagi program, encodes geometry. The fabric's geometry and its matter content may both be aspects of the same underlying entanglement structure of the

string-net condensate. Wheeler’s “It from Bit” conjecture [32] — that physical reality emerges from quantum information — finds its most explicit realization in this program.

Wen has further shown that different string-net condensate structures generate different gauge theories as their low-energy effective descriptions — U(1) gauge theory from one class of condensate, and non-Abelian gauge structures from more complex ones [42]. The Standard Model’s gauge group $SU(3) \times SU(2) \times U(1)$ is not derived from the Spin Fabric framework in its current form, but the string-net program demonstrates in principle that gauge group structure of this kind can emerge from an underlying bosonic entanglement condensate. This provides a plausible, peer-reviewed path by which the framework might ultimately accommodate the Standard Model’s gauge architecture, without claiming to have done so in the present work.

We do not claim string-net condensation is confirmed as the fundamental theory of everything. We claim it is the strongest existing peer-reviewed proposal for what the Spin Fabric is made of at a fundamental level, that it is consistent with everything the framework requires, and that it points the research program in a specific direction.

8.4 The Planck Scale: Where the Wall Is

At the Planck scale — approximately 10^{-35} m, the scale at which quantum gravitational effects are expected to become dominant — we do not know what the fabric is doing. This is the open frontier of physics, and no framework in current literature, including this one, has a confirmed description of it.

Several peer-reviewed research programs address Planck-scale physics. Loop Quantum Gravity (Rovelli and Smolin [39]) proposes that spacetime is discrete at this scale, made of spin networks — graphs whose edges carry quantum numbers of area and volume. Causal Set Theory proposes that spacetime is made of discrete events ordered by causal relations. String Theory and M-Theory propose that the fabric has additional compactified dimensions at the Planck scale, with SM particles arising as vibrational modes of strings. None of these is confirmed. All are consistent with large-scale GR and QFT in their appropriate limits.

The Spin Fabric framework takes no position on which, if any, of these is correct. It identifies spin coherence as the matter-side coupling to the fabric’s geometric response in the regime between the known (QFT + GR) and the unknown (Planck-scale quantum gravity). The wall is real, acknowledged, and is precisely where the most interesting physics lies.

8.5 Three Unsolved Problems

The Standard Model parameter problem. Why does the fabric produce electrons with mass 0.511 MeV, photons with exactly zero mass, and three generations of quarks with specific masses and mixing angles? The SM encodes these numbers but does not derive them. The Spin Fabric framework inherits this problem; it does not resolve it.

The dark sector. If gravity is a collective fabric distortion sourced by energy-momentum and spin coherence, what is the fabric doing at cosmological scales that produces the gravitational behavior attributed to dark matter (approximately 27% of the energy content of the universe) and dark energy (approximately 68%)? Torsion cosmology [17] addresses certain early-universe anomalies, but a complete account of the dark sector within the Spin Fabric picture is not provided here. This is an acknowledged gap.

The measurement problem. Quantum mechanics describes the fabric's state evolution as unitary and deterministic under the Schrödinger equation until a measurement occurs. What the fabric is doing during measurement — whether state collapse is physical, whether all outcomes occur in branches, whether the distinction is meaningful — is one of the deepest open questions in foundations of physics. The Spin Fabric framework is silent on this; it describes the fabric's structure without resolving the measurement problem.

8.6 The Framework's Honest Position

The Spin Fabric hypothesis occupies a specific and honest position in the landscape of current physics. It is not a theory of everything. It does not reach the Planck scale. It does not solve the SM parameter problem, the dark sector problem, or the measurement problem. It takes no position on which Planck-scale framework is correct.

What it does: it takes the quantum vacuum of established physics seriously as a real physical substrate, identifies its long-range entanglement structure as the origin of spacetime geometry, identifies its spin-coherence distribution as the matter-side coupling to that geometry via EC torsion, and identifies temporal ordering as a relational property of that entanglement structure via Page–Wootters. It then asks what these three independently established programs tell us, taken together, about the nature of the substrate.

The answer, as complete as current physics allows: the fabric is the quantum vacuum; its fundamental excitations are the SM particles; its large-scale geometry is its entanglement structure; its organization follows known physics where known physics reaches and is openly unknown below the Planck scale. The string-net condensation program offers the most developed peer-reviewed picture of its fundamental constitution. The three unsolved problems above define the boundary of the framework's honest reach. Everything between those boundaries — the evidence, the time reframing, the spin-coherence coupling, the black hole treatment, the QGEM distinguishing test — is defensible, grounded, and invites falsification.

9. Conclusion

Spooky action at a distance is not an error in a local universe. It is consistent with being the signature of the unified substrate from which our universe emerges. Space is not empty. Time is not universal. We are localized disturbances propagating through a vacuum whose entanglement structure may be the geometry we inhabit.

The Spin Fabric framework proposes that gravity, entanglement, and the emergence of time are three expressions of a single underlying picture — one in which the quantum vacuum is a structured, long-range-entangled substrate, spin coherence is the matter-side coupling to its geometric response, and the apparent locality of classical physics is a property of the emergent layer, not the fundamental one. Black holes, in this picture, are the fabric's most extreme configurations: maximum condensation events where the spin-geometry coupling reaches its global maximum, where EC torsion averts the singularity, and where Hawking evaporation is the slow return of trapped energy to free propagating waves.

The framework does not invent new physics. It is a structural bridge connecting three established frontiers. It produces one near-term falsifying experiment — the QGEM spin-mediated versus non-spin-mediated comparison — and a second channel in Bell-test measurements near coherent spin sources. We invite criticism, refinement, and falsification. The framework should be evaluated by its explanatory value and by whether its distinguishing predictions survive experiment.

Acknowledgments

The author acknowledges that early exposure to independently developed speculative frameworks — including the Uniphics manuscript of P. J. Maley (2025) — helped identify intrinsic spin as a central organizing theme. The present framework is independently developed and anchored exclusively on the peer-reviewed literature cited herein; none of the specific particle-physics, substructure, or theory-of-everything commitments of that framework are adopted here.

References

- [1] Casimir, H. B. G. (1948). On the attraction between two perfectly conducting plates. *Proc. K. Ned. Akad. Wet.* 51, 793–795.
- [2] Lamoreaux, S. K. (1997). Demonstration of the Casimir force in the 0.6 to 6 μm range. *Phys. Rev. Lett.* 78, 5–8.
- [3] Aaboud, M., et al. (ATLAS Collaboration). (2017). Evidence for light-by-light scattering in heavy-ion collisions at the LHC. *Nature Physics* 13, 852–858.
- [4] Page, D. N., & Wootters, W. K. (1983). Evolution without evolution: Dynamics described by stationary observables. *Phys. Rev. D* 27, 2885–2892.
- [5] Moreva, E., et al. (2014). Time from quantum entanglement: An experimental illustration. *Phys. Rev. A* 89, 052122.
- [6] Aspect, A., Dalibard, J., & Roger, G. (1982). Experimental test of Bell's inequalities using time-varying analyzers. *Phys. Rev. Lett.* 49, 1804–1807.
- [7] Ma, X.-S., et al. (2012). Quantum teleportation over 143 kilometres using active feed-forward. *Nature* 489, 269–273.
- [8] Yin, J., et al. (2017). Satellite-based entanglement distribution over 1200 kilometres. *Science* 356, 1140–1144.

- [9] Rowe, M. A., et al. (2001). Experimental violation of a Bell's inequality with efficient detection. *Nature* 409, 791–794.
- [10] Van Raamsdonk, M. (2010). Building up spacetime with quantum entanglement. *Gen. Rel. Grav.* 42, 2323–2329.
- [11] Maldacena, J., & Susskind, L. (2013). Cool horizons for entangled black holes. *Fortschritte der Physik* 61, 781–811.
- [12] Hensen, B., et al. (2015). Loophole-free Bell inequality violation using electron spins separated by 1.3 kilometres. *Nature* 526, 682–686.
- [13] Hehl, F. W., von der Heyde, P., Kerlick, G. D., & Nester, J. M. (1976). General relativity with spin and torsion. *Rev. Mod. Phys.* 48, 393–416.
- [14] Ansmann, M., et al. (2009). Violation of Bell's inequality in Josephson phase qubits. *Nature* 461, 504–506.
- [15] Jacobson, T. (1995). Thermodynamics of spacetime: The Einstein equation of state. *Phys. Rev. Lett.* 75, 1260–1263.
- [16] Ryu, S., & Takayanagi, T. (2006). Holographic derivation of entanglement entropy from AdS/CFT. *Phys. Rev. Lett.* 96, 181602.
- [17] Poplawski, N. J. (2010). Cosmology with torsion: An alternative to cosmic inflation. *Phys. Lett. B* 694, 181–185.
- [18] Bose, S., et al. (2017). Spin entanglement witness for quantum gravity. *Phys. Rev. Lett.* 119, 240401.
- [19] Marletto, C., & Vedral, V. (2017). Gravitationally induced entanglement between two massive particles. *Phys. Rev. Lett.* 119, 240402.
- [20] Bose, S., et al. (2025). A spin-based pathway to testing the quantum nature of gravity. CERN ESPP White Paper.
- [21] Matsukevich, D. N., et al. (2006). Entanglement of remote atomic qubits. *Phys. Rev. Lett.* 96, 030405.
- [22] Lee, K. C., et al. (2011). Entangling macroscopic diamonds at room temperature. *Science* 334, 1253–1256. <https://doi.org/10.1126/science.1211914>.
- [23] Ockeloen-Korppi, C. F., et al. (2018). Stabilized entanglement of massive mechanical oscillators. *Nature* 556, 478–482. <https://doi.org/10.1038/s41586-018-0038-x>.
- [24] Bell, J. S. (1964). On the Einstein Podolsky Rosen paradox. *Physics* 1, 195–200.
- [25] Thomas, J. M., et al. (2024). Quantum teleportation coexisting with classical communications in optical fiber. *Optica* 11(12), 1700–1707. <https://doi.org/10.1364/OPTICA.540362>.
- [26] Main, D., et al. (2025). Distributed quantum computing across an optical network link. *Nature*. <https://doi.org/10.1038/s41586-024-08404-x>.
- [27] Zhang, Y., et al. (2025). Classical-decisive quantum internet by integrated photonics. *Science*. <https://doi.org/10.1126/science.adv4906>.
- [28] Michelson, A. A., & Morley, E. W. (1887). On the relative motion of the Earth and the luminiferous ether. *American Journal of Science* 34, 333–345.

- [29] Kostelecký, V. A., & Russell, N. (2011). Data tables for Lorentz and CPT violation. *Rev. Mod. Phys.* 83, 11–31.
- [30] Volovik, G. E. (2003). *The Universe in a Helium Droplet*. Oxford University Press.
- [31] Levin, M., & Wen, X.-G. (2005). Colloquium: Photons and electrons as emergent phenomena. *Rev. Mod. Phys.* 77, 871.
- [32] Wheeler, J. A. (1990). Information, physics, quantum: The search for links. In W. H. Zurek (Ed.), *Complexity, Entropy, and the Physics of Information*. Addison-Wesley.
- [33] Chou, C. W., Hume, D. B., Rosenband, T., & Wineland, D. J. (2010). Optical clocks and relativity. *Science* 329, 1630–1633. <https://doi.org/10.1126/science.1192720>.
- [34] Abbott, B. P., et al. (LIGO Scientific and Virgo Collaborations). (2016). Observation of gravitational waves from a binary black hole merger. *Phys. Rev. Lett.* 116, 061102. <https://doi.org/10.1103/PhysRevLett.116.061102>.
- [35] Event Horizon Telescope Collaboration. (2019). First M87* Event Horizon Telescope results, I. *Astrophys. J. Lett.* 875, L1. <https://doi.org/10.3847/2041-8213/ab0ec7>.
- [36] Bekenstein, J. D. (1973). Black holes and entropy. *Phys. Rev. D* 7, 2333–2346.
- [37] Hawking, S. W. (1974). Black hole explosions? *Nature* 248, 30–31. See also: Hawking, S. W. (1975). Particle creation by black holes. *Commun. Math. Phys.* 43, 199–220.
- [38] Kato, Y. K., Myers, R. C., Gossard, A. C., & Awschalom, D. D. (2004). Observation of the Spin Hall effect in semiconductors. *Science* 306, 1910–1913.
- [39] Rovelli, C., & Smolin, L. (1995). Spin networks and quantum gravity. *Phys. Rev. D* 52, 5743–5759.
- [40] Schrödinger, E. (1944). *What is Life?* Cambridge University Press.
- [41] Hulse, R. A., & Taylor, J. H. (1975). Discovery of a pulsar in a binary system. *Astrophys. J. Lett.* 195, L51–L53.
- [42] Wen, X.-G. (2002). Quantum order from string-net condensations and origin of light and massless fermions. *Phys. Rev. D* 68, 065003. See also Wen, X.-G. (2013). Classifying gauge anomalies through symmetry-protected trivial orders. *Phys. Rev. D* 88, 045013. [Non-Abelian gauge structures as emergent excitations of bosonic string-net condensates.]
- [43] Anderson, P. W. (1972). More is different: Broken symmetry and the nature of the hierarchical structure of science. *Science* 177, 393–396. [Foundational paper on emergence: collective phenomena obey laws not reducible to constituents.]
- [44] Sachdev, S. (2011). *Quantum Phase Transitions*, 2nd ed. Cambridge University Press. [Mathematical treatment of how qualitatively new ground states with different symmetry properties and collective excitations emerge from quantum Hamiltonians.]

Appendix A: The $E=mc^2$ Conversion Hierarchy Across Cosmic Scales

The following material was placed in an appendix to preserve narrative focus in Section 1.3. It provides additional context for the cosmic-scale applications of the massless/massive mode distinction discussed there.

Cosmic structures as conversion engines. At larger scales, the same $E=mc^2$ cycle operates through structures of increasing power and extremity. Pulsars are rapidly rotating neutron stars

at nuclear saturation density, radiating their rotational energy as electromagnetic beams. The Hulse-Taylor binary pulsar [41] confirmed GR's prediction of gravitational wave emission through its orbital decay, earning the 1993 Nobel Prize. Quasars — powered by supermassive black holes accreting matter — are the universe's most efficient large-scale conversion engines, transforming up to 10% of infalling rest mass into radiation. Their jets shape fabric configurations across hundreds of thousands of light years. Gamma-ray bursts are the most energetic conversion events in the observable universe — brief, violent releases from stellar collapse or neutron star mergers.

The arrow of the universe runs predominantly from trapped to free, as entropy increases in an expanding cosmos. The Big Bang ran it hard in both directions simultaneously at extreme temperatures. Life temporarily and locally runs it backward — building transient organization from incoming energy flow — which is only possible because of stellar supply lines. In every case, the exchange rate is $E=mc^2$.

Table A1. $E=mc^2$ conversion hierarchy across cosmic scales.

Scale / Structure	Process	Direction	Efficiency
Particle collider	Pair annihilation ($e^+e^- \rightarrow 2\gamma$)	Trapped $\rightarrow$ Free	100%
Particle collider	Pair production ($\gamma \rightarrow e^+e^-$)	Free $\rightarrow$ Trapped	100%
Stellar core	Nuclear fusion ($H \rightarrow He$)	Trapped $\rightarrow$ Free	~0.7%
Neutron star	Pulsar spindown radiation	Rotational $\rightarrow$ Free	varies
Black hole accretion	Quasar / AGN disk	Trapped $\rightarrow$ Free	~10%
Neutron star merger	Gamma-ray burst	Trapped $\rightarrow$ Free	~1–10%
Biosphere	Photosynthesis + metabolism	Free $\rightarrow$ Organized $\rightarrow$ Free	transient
Black hole (theoretical)	Hawking evaporation	Trapped $\rightarrow$ Free	100% (over æons)