"Deep Path Properties"
in Record literals

For Stage 1 @ TC39 June 2020

Rick Button & Robin Ricard
Bloomberg

Advisor: Daniel Ehrenberg
Igalia

```
// mutable objects

let simple = { foo: "foo", bar: "bar" };
simple.bar = "baz";


let complex = {
    foo: {
        arr: [{ counter: 0 }, { counter: -1 }]
    }
};
complex.foo.arr[0].counter = 1;
```

```
// with Immer

let complex2 = Immer.produce(complex, draft => {
    draft.foo.arr[0].counter = 1;
});
```

```
// with Immutable.js

let state2 = immutableState
    .setIn(["foo", "arr", 0, "counter"], 1)
```

```
// copy records, but only shallow

let simple = #{ foo: "foo", bar: "bar" };
let simple2 = #{ ...simple, bar: "baz" };


let complex = #{
    foo: {
        arr: #[ #{ counter: 0 }, #{ counter: -1 } ],
    },
};

let complex2 = #{ ...complex, ??? };
```

```
// verbose, error-prone

let complex2 = #{
    ...complex,
    foo: #{
        ...complex.foo,
        arr: #[ #{
            ...complex.foo.arr[0],
            counter: 1,
        }, ...complex.foo.arr.slice(1)],
    },
};
```

```
// new proposal

let complex = #{
    foo: {
        arr: #[#{ counter: 0 }, #{ counter: -1 }],
    },
};
let complex2 = #{
    ...complex,
    foo.arr[0].counter: 1,
};
```

```
let state1 = #{
    counters: #[
        #{ name: "Counter 1", value: 1 },
        #{ name: "Counter 2", value: 0 },
        #{ name: "Counter 3", value: 123 },
    ],
    metadata: #{
        lastUpdate: 1584382969000,
    },
};
```

```
let state1 = #{
    counters: #[
        #{ name: "Counter 1", value: 1 },
        #{ name: "Counter 2", value: 0 },
        #{ name: "Counter 3", value: 123 },
    ],
    metadata: #{
        lastUpdate: 1584382969000,
    },
};
```

```
let state2 = #{
    ...state1,
    counters: #[
        #{
            ...state1.counters[0],
            value: 2,
        },
        #{
            ...state1.counters[1],
            value: 1,
        },
        ...state1.counters,
    ],
    metadata: #{
        ...state1.metadata,
        lastUpdate: 1584383011300,
    },
}
```

```
let state1 = #{
    counters: #[
        #{ name: "Counter 1", value: 1 },
        #{ name: "Counter 2", value: 0 },
        #{ name: "Counter 3", value: 123 },
    ],
    metadata: #{
        lastUpdate: 1584382969000,
    },
};
```

```
let state2 = #{
    ...state1,
    counters[0].value: 2,
    counters[1].value: 1,
    metadata.lastUpdate: 1584383011300,
};
```

What happens if the deep path doesn't already exist?

```
const one = #{ a: #{} };
#{ ...one, a.b.c: "foo" }; // throws TypeError


#{ ...one, a.b[0]: "foo" }; // throws TypeError


// both seem like reasonable results, hence ambiguity
#{ a: #{ b: #[123] } }
#{ a: #{ b: #{ 0: 123 } } }
```

What happens a deep path property attempts to set a non-number-like key on a Tuple?

```
const one = #{ a: #[1,2,3] };
#{ ...one, a.foo: 4 }; // throws TypeError
```

Tuples cannot have non-number-like keys, therefore invalid to create one via deep paths.

Open Question: What about objects?

Deep path properties would be useful for object creation, but semantics are harder to understand than for Record literals.

Requires more investigation to discover if reasonable.

Why not include this syntax in the Record and Tuple proposal?

- Easily supported by transpilers. Object spread was widely implemented in transpilers, and had lots of time for feedback.
- Usage with objects requires more investigation, it's possible semantics for objects are unrelated to Record and Tuple.

Stage 1?

Discuss!