SSENSE

RECOMMENDER SYSTEM

CONTEXT

SSENSE want to recommend products to (logged-in/out) customer that she/he is willing to click/purchase through PDP widget.

PRODUCT MANAGER

DATA SCIENCE

“

> Given $Product_j$ & $Customer_n$, which.max($P_{click}(Product_i)$)

Model 1 > $P_{click}(Product_i|Product_j)$

Model 2 > $P_{click}(pref_i|Customer_n) \propto P_{click}(Product_i|Customer_n)$, where $Product_i \in Pref_i$

Model 3 > Rank based on $P_{click}(Product_i|Product_j)$, $P_{click}(Product_i|Customer_n)$

PDP REC'4U

MODEL 1-2: LRMF

CONTEXT

PRODUCT MANAGER

“ SSENSE want to recommend products to (logged-in/out) customer that she/he is willing to click/purchase through PDP widget.

DATA SCIENCE

“ Given $Product_j$ & $Customer_n$, which.max($P_{click}(Product_i)$)

Model 1 > $P_{click}(Product_i|Product_j)$

Model 2 > $P_{click}(pref_i|Customer_n) \propto P_{click}(Product_i|Customer_n)$, where $Product_i \in Pref_i$

Model 3 > Rank based on $P_{click}(Product_i|Product_j)$, $P_{click}(Product_i|Customer_n)$