HammerTrack Pro

Offline License Key Creation Guide

For RPDAVID LLC license administrators. This guide explains how to authorize one or more PCs after HammerTrack Pro is installed.

IMPORTANT: The private .pem signing key must never be emailed, copied to a customer PC, placed in the installer, or committed to Git. Only send the generated .htplicense file.

1. Install HammerTrack Pro and collect each Machine ID

Install HammerTrack Pro on every authorized computer. On first launch, the activation window displays a Machine ID. Use Copy Machine ID and record each ID exactly. For a two-PC auction, collect the Live Auction Host ID and the Cashier Workstation ID.

Example IDs:

```
46D8E8B265E72F612B0E7753 A12BC34DE56F789012345678
```

2. Open PowerShell in the License Issuer folder

On the license-administrator computer, open File Explorer and browse to:

```
C:\Users\Shop75\Downloads\HammerTrackPro2-Live-Enhancements-v0.3.2\HammerTrackPro2-Live-Enhancements-v0.3
.2\HammerTrackPro2.LicenseIssuer
```

Click the address bar, type powershell, and press Enter. The PowerShell prompt should end with HammerTrackPro2.LicenseIssuer>.

3. Create the private signing key - first time only

Run this only if the private key does not already exist:

```
dotnet run --project ".\HammerTrackPro.LicenseIssuer.csproj" -- keygen
"$env:LOCALAPPDATA\HammerTrackPro\LicenseIssuer"
```

The private key is stored at:

```
%LocalAppData%\HammerTrackPro\LicenseIssuer\hammertrack-license-private.pem
```

Back up this file securely in an encrypted location. Losing it prevents you from issuing compatible replacement licenses. Anyone who obtains it can create unauthorized licenses.

4. Create a license for one computer

Replace the customer name and Machine ID, then run the entire command on one line:

```
dotnet run --project ".\HammerTrackPro.LicenseIssuer.csproj" -- issue --key
"$env:LOCALAPPDATA\HammerTrackPro\LicenseIssuer\hammertrack-license-private.pem" --customer "Rick David"
--machines "46D8E8B265E72F612B0E7753" --output "$env:USERPROFILE\Desktop\customer.htplicense"
```

5. Create one license for multiple computers

Separate Machine IDs with commas and no extra quotation marks. The same generated license file is imported on every listed PC:

```
dotnet run --project ".\HammerTrackPro.LicenseIssuer.csproj" -- issue --key
"$env:LOCALAPPDATA\HammerTrackPro\LicenseIssuer\hammertrack-license-private.pem" --customer "Auction
Company" --machines "FIRST-MACHINE-ID,SECOND-MACHINE-ID" --output
"$env:USERPROFILE\Desktop\AuctionCompany.htplicense"
```

6. Optional expiration date

To create a time-limited license, add the following before --output:

```
--expires 2027-12-31
```

Omit --expires for a license without an expiration date.

7. Import the license

Copy only the .htplicense file to each authorized PC. Start HammerTrack Pro, choose Import License, select the file, and continue. The signed license works offline.

If another PC is added later, issue a replacement license containing the complete Machine ID list, including the previously authorized PCs.

Common errors

Message	What to do
MSB1009: Project file does not exist	PowerShell is in the wrong folder. Browse to HammerTrackPro2.LicenseIssuer, open PowerShell there, and run the complete dotnet command.
Missing expression after unary operator --	You entered only the arguments. Begin the command with dotnet run --project.
Private key file not found	Verify the .pem path. If this is the first use, complete Step 3. Do not create a new key if customer licenses were already issued with the existing key.
License is not valid for this PC	Confirm that PC's exact Machine ID is included. Reissue a replacement license containing all authorized IDs.

Security checklist

- Send only .htplicense files to customers.
- Never send or install the private .pem key.
- Keep an encrypted backup of the private key.
- Verify the customer name and every Machine ID before issuing.
- Do not commit .pem or .htplicense files to source control.