



Help

Getting Started

Community

System Status

[Help/ SSL Certificates](#)

Contact Us

Chat Online

Search SSL Certificates



IIS 10/Windows Server 2016: Generate CSRs (Certificate Signing Requests)

Before you can request a certificate through our online application, you need to use Microsoft®'s IIS Manager to generate a Certificate Signing Request (CSR) for your website.

1. In the Windows start menu, type Internet Information Services (IIS) Manager.
2. Once you have the IIS manager open, go to the **Connections** panel on the left, click the server name for which you want to generate the CSR.
3. In the middle panel, double-click **Server Certificates**.
4. In the **Actions** panel on the right, click **Create Certificate Request...**
5. Enter the following **Distinguished Name Properties**, and then click **Next**:

Note: The following characters are not accepted when entering information: < > ~ ! @ # \$ % ^ * / \ () ? &

- **Common Name** — The fully-qualified domain name (FQDN) — or URL — for which you plan to use your certificate (the area of your site you want customers to connect to using SSL).
 - An SSL certificate issued for *www.coolexample.com* is not valid for *secure.coolexample.com*. If you want your SSL to cover *secure.coolexample.com*, make sure the common name submitted in the CSR is *secure.coolexample.com*.
 - If you are requesting a wildcard certificate, add an asterisk (*) on the left side of the Common Name (e.g., **.coolexample.com* or **.secure.coolexample.com*).
- **Organization** — The name in which your business is legally registered. The organization must be the legal registrant of the domain name in the certificate request.

? **Note:** If you are enrolling as an individual, enter the certificate requester's name in the **Organization** field, and the Doing Business As (DBA) name in the **Organizational Unit** field.

- **Organizational Unit** — Use this field to differentiate between divisions within an organization (such as "Engineering" or "Human Resources").
- **City/Locality** — The full name of the city in which your organization is registered/located. Do not abbreviate.
- **State/Province** — The full name of the state or province where your organization is located. Do not abbreviate.
- **Country** — The two-letter International Organization for Standardization- (ISO-) format [country code](#) for the country in which your organization is legally registered.

6. For **Cryptographic service provider**, select **Microsoft RSA SChannel Cryptographic Provider**.

7. For **Bit length**, select **2048** or higher, and then click **Next**.

8. Click ..., enter the location and file name for your CSR, and then click **Finish**.

Next Steps

- [Request an SSL certificate](#)

? **Note:** As a courtesy, we provide information about how to use certain third-party products, but we do not endorse or directly support third-party products and we are not responsible for the functions or reliability of such products.

Was This Article Helpful?

Yes

No

Community Related



How to generate CSR for code signing on Windows 10

5 Replies

Latest posted 2 months ago



unable to install ssl certificate on server

4 Replies

Latest posted a year ago



SSLS.com Certificate - Can't generate CSR

10 Replies

Latest posted a year ago



How to install SSL cert on Citrix Netscaler

2 Replies

Latest posted 10 months ago



Install a renewed SSL certificate on Exchange 2010

3 Replies

Latest posted 2 months ago

Don't see what you are looking for? [Search the Community](#)



Related Articles

IIS 8/Windows Server 2012: Generate CSRs (Certificate Signing Requests)



IIS 10: Install a certificate



IIS 7: Generate CSRs (Certificate Signing Requests)



Exchange Server 2016: Generate CSRs (Certificate Signing Requests)



Exchange Server 2016: Install a certificate



You may also like...

How to install an SSL certificate on Ubuntu for Nginx