

Analytics Integration Test - Mixed Tags

Test report with both analog and digital tags

Report Period: 1/1/2024, 11:00:00 AM - 1/1/2024, 12:30:00 PM

Generated:

1/22/2026, 7:42:58 AM

Tags:

FLOW_01, PUMP_STATUS

Data Points:

160

Format:

PDF

Executive Summary

This report analyzes 2 tag(s) over the specified time period, containing a total of 160 data points. The analysis includes statistical summaries, trend analysis, and data quality metrics.

Key Findings:

- FLOW_01: Average 50.95, Range 42.08 - 57.40, Data Quality 100.0%
- PUMP_STATUS: Average 0.42, Range 0.00 - 1.00, Data Quality 100.0%

Tag: FLOW_01

Data Points: 80
Time Range: 1/1/2024, 11:00:00 AM - 1/1/2024, 12:19:00 PM

Statistical Summary:

Minimum: 42.08
Maximum: 57.40
Average: 50.95
Standard Deviation: 8.00
Data Quality: 100.0%

Data Quality Breakdown:

Good Quality: 80 (100.0%)
Bad Quality: 0 (0.0%)
Uncertain Quality: 0 (0.0%)

Tag: PUMP_STATUS

Data Points: 80
Time Range: 1/1/2024, 11:00:00 AM - 1/1/2024, 12:19:00 PM

Statistical Summary:


Minimum: 0.00
Maximum: 1.00
Average: 0.42
Standard Deviation: 0.50
Data Quality: 100.0%

Data Quality Breakdown:


Good Quality: 80 (100.0%)
Bad Quality: 0 (0.0%)
Uncertain Quality: 0 (0.0%)

Data Visualizations


FLOW_01 - Data Trend



FLOW_01 - SPC Chart



PUMP_STATUS - Data Trend



SPC Metrics Summary

Tag Name	X0@	<6W7@	LSL	USL	Cp	Cpk	Capability
FLOW_01	50.95	4.01	35.00	65.00	1.25	1.17	Marginal

Data Table: FLOW_01

Timestamp	Value	Quality Code	Status
1/1/2024, 11:00:00 AM	55.26	192	Good
1/1/2024, 11:01:00 AM	53.62	192	Good
1/1/2024, 11:02:00 AM	48.62	192	Good
1/1/2024, 11:03:00 AM	45.84	192	Good
1/1/2024, 11:04:00 AM	45.01	192	Good
1/1/2024, 11:05:00 AM	46.62	192	Good
1/1/2024, 11:06:00 AM	52.93	192	Good
1/1/2024, 11:07:00 AM	51.20	192	Good
1/1/2024, 11:08:00 AM	57.23	192	Good
1/1/2024, 11:09:00 AM	53.70	192	Good
1/1/2024, 11:10:00 AM	53.22	192	Good
1/1/2024, 11:11:00 AM	49.64	192	Good
1/1/2024, 11:12:00 AM	49.17	192	Good
1/1/2024, 11:13:00 AM	53.42	192	Good
1/1/2024, 11:14:00 AM	49.70	192	Good
1/1/2024, 11:15:00 AM	48.63	192	Good
1/1/2024, 11:16:00 AM	52.94	192	Good
1/1/2024, 11:17:00 AM	53.88	192	Good
1/1/2024, 11:18:00 AM	45.24	192	Good
1/1/2024, 11:19:00 AM	56.71	192	Good
1/1/2024, 11:20:00 AM	51.94	192	Good
1/1/2024, 11:21:00 AM	45.70	192	Good
1/1/2024, 11:22:00 AM	51.32	192	Good
1/1/2024, 11:23:00 AM	42.95	192	Good
1/1/2024, 11:24:00 AM	53.75	192	Good
1/1/2024, 11:25:00 AM	48.05	192	Good
1/1/2024, 11:26:00 AM	52.07	192	Good
1/1/2024, 11:27:00 AM	45.54	192	Good
1/1/2024, 11:28:00 AM	48.75	192	Good
1/1/2024, 11:29:00 AM	52.32	192	Good
1/1/2024, 11:30:00 AM	48.95	192	Good
1/1/2024, 11:31:00 AM	56.05	192	Good
1/1/2024, 11:32:00 AM	54.20	192	Good

1/1/2024, 11:33:00 AM	51.72	192	Good
1/1/2024, 11:34:00 AM	44.20	192	Good
1/1/2024, 11:35:00 AM	50.24	192	Good
1/1/2024, 11:36:00 AM	45.49	192	Good
1/1/2024, 11:37:00 AM	47.90	192	Good
1/1/2024, 11:38:00 AM	52.80	192	Good
1/1/2024, 11:39:00 AM	55.57	192	Good
1/1/2024, 11:40:00 AM	52.39	192	Good
1/1/2024, 11:41:00 AM	45.36	192	Good
1/1/2024, 11:42:00 AM	51.53	192	Good
1/1/2024, 11:43:00 AM	51.21	192	Good
1/1/2024, 11:44:00 AM	47.87	192	Good
1/1/2024, 11:45:00 AM	51.78	192	Good
1/1/2024, 11:46:00 AM	51.66	192	Good
1/1/2024, 11:47:00 AM	55.11	192	Good
1/1/2024, 11:48:00 AM	55.66	192	Good
1/1/2024, 11:49:00 AM	55.48	192	Good
1/1/2024, 11:50:00 AM	51.52	192	Good
1/1/2024, 11:51:00 AM	43.14	192	Good
1/1/2024, 11:52:00 AM	45.52	192	Good
1/1/2024, 11:53:00 AM	55.59	192	Good
1/1/2024, 11:54:00 AM	44.77	192	Good
1/1/2024, 11:55:00 AM	50.57	192	Good
1/1/2024, 11:56:00 AM	55.18	192	Good
1/1/2024, 11:57:00 AM	51.70	192	Good
1/1/2024, 11:58:00 AM	46.17	192	Good
1/1/2024, 11:59:00 AM	56.54	192	Good
1/1/2024, 12:00:00 PM	42.69	192	Good
1/1/2024, 12:01:00 PM	51.95	192	Good
1/1/2024, 12:02:00 PM	56.84	192	Good
1/1/2024, 12:03:00 PM	51.64	192	Good
1/1/2024, 12:04:00 PM	51.37	192	Good
1/1/2024, 12:05:00 PM	57.40	192	Good
1/1/2024, 12:06:00 PM	55.92	192	Good
1/1/2024, 12:07:00 PM	54.03	192	Good

1/1/2024, 12:08:00 PM	56.85	192	Good
1/1/2024, 12:09:00 PM	45.65	192	Good
1/1/2024, 12:10:00 PM	51.46	192	Good
1/1/2024, 12:11:00 PM	54.02	192	Good
1/1/2024, 12:12:00 PM	48.28	192	Good
1/1/2024, 12:13:00 PM	54.15	192	Good
1/1/2024, 12:14:00 PM	53.58	192	Good
1/1/2024, 12:15:00 PM	54.60	192	Good
1/1/2024, 12:16:00 PM	50.58	192	Good
1/1/2024, 12:17:00 PM	53.58	192	Good
1/1/2024, 12:18:00 PM	42.08	192	Good
1/1/2024, 12:19:00 PM	48.56	192	Good

Data Table: PUMP_STATUS

Timestamp	Value	Quality Code	Status
1/1/2024, 11:00:00 AM	0.00	192	Good
1/1/2024, 11:01:00 AM	1.00	192	Good
1/1/2024, 11:02:00 AM	0.00	192	Good
1/1/2024, 11:03:00 AM	0.00	192	Good
1/1/2024, 11:04:00 AM	0.00	192	Good
1/1/2024, 11:05:00 AM	0.00	192	Good
1/1/2024, 11:06:00 AM	0.00	192	Good
1/1/2024, 11:07:00 AM	0.00	192	Good
1/1/2024, 11:08:00 AM	0.00	192	Good
1/1/2024, 11:09:00 AM	1.00	192	Good
1/1/2024, 11:10:00 AM	0.00	192	Good
1/1/2024, 11:11:00 AM	0.00	192	Good
1/1/2024, 11:12:00 AM	0.00	192	Good
1/1/2024, 11:13:00 AM	1.00	192	Good
1/1/2024, 11:14:00 AM	1.00	192	Good
1/1/2024, 11:15:00 AM	1.00	192	Good
1/1/2024, 11:16:00 AM	0.00	192	Good
1/1/2024, 11:17:00 AM	0.00	192	Good
1/1/2024, 11:18:00 AM	1.00	192	Good
1/1/2024, 11:19:00 AM	0.00	192	Good
1/1/2024, 11:20:00 AM	1.00	192	Good
1/1/2024, 11:21:00 AM	1.00	192	Good
1/1/2024, 11:22:00 AM	1.00	192	Good
1/1/2024, 11:23:00 AM	1.00	192	Good
1/1/2024, 11:24:00 AM	0.00	192	Good
1/1/2024, 11:25:00 AM	0.00	192	Good
1/1/2024, 11:26:00 AM	0.00	192	Good
1/1/2024, 11:27:00 AM	1.00	192	Good
1/1/2024, 11:28:00 AM	1.00	192	Good
1/1/2024, 11:29:00 AM	0.00	192	Good
1/1/2024, 11:30:00 AM	1.00	192	Good
1/1/2024, 11:31:00 AM	0.00	192	Good
1/1/2024, 11:32:00 AM	1.00	192	Good

1/1/2024, 11:33:00 AM	1.00	192	Good
1/1/2024, 11:34:00 AM	1.00	192	Good
1/1/2024, 11:35:00 AM	0.00	192	Good
1/1/2024, 11:36:00 AM	0.00	192	Good
1/1/2024, 11:37:00 AM	0.00	192	Good
1/1/2024, 11:38:00 AM	0.00	192	Good
1/1/2024, 11:39:00 AM	1.00	192	Good
1/1/2024, 11:40:00 AM	0.00	192	Good
1/1/2024, 11:41:00 AM	0.00	192	Good
1/1/2024, 11:42:00 AM	0.00	192	Good
1/1/2024, 11:43:00 AM	0.00	192	Good
1/1/2024, 11:44:00 AM	0.00	192	Good
1/1/2024, 11:45:00 AM	0.00	192	Good
1/1/2024, 11:46:00 AM	0.00	192	Good
1/1/2024, 11:47:00 AM	0.00	192	Good
1/1/2024, 11:48:00 AM	1.00	192	Good
1/1/2024, 11:49:00 AM	0.00	192	Good
1/1/2024, 11:50:00 AM	1.00	192	Good
1/1/2024, 11:51:00 AM	0.00	192	Good
1/1/2024, 11:52:00 AM	0.00	192	Good
1/1/2024, 11:53:00 AM	0.00	192	Good
1/1/2024, 11:54:00 AM	1.00	192	Good
1/1/2024, 11:55:00 AM	1.00	192	Good
1/1/2024, 11:56:00 AM	0.00	192	Good
1/1/2024, 11:57:00 AM	1.00	192	Good
1/1/2024, 11:58:00 AM	1.00	192	Good
1/1/2024, 11:59:00 AM	0.00	192	Good
1/1/2024, 12:00:00 PM	0.00	192	Good
1/1/2024, 12:01:00 PM	1.00	192	Good
1/1/2024, 12:02:00 PM	1.00	192	Good
1/1/2024, 12:03:00 PM	1.00	192	Good
1/1/2024, 12:04:00 PM	1.00	192	Good
1/1/2024, 12:05:00 PM	0.00	192	Good
1/1/2024, 12:06:00 PM	0.00	192	Good
1/1/2024, 12:07:00 PM	0.00	192	Good

1/1/2024, 12:08:00 PM	1.00	192	Good
1/1/2024, 12:09:00 PM	1.00	192	Good
1/1/2024, 12:10:00 PM	0.00	192	Good
1/1/2024, 12:11:00 PM	1.00	192	Good
1/1/2024, 12:12:00 PM	1.00	192	Good
1/1/2024, 12:13:00 PM	0.00	192	Good
1/1/2024, 12:14:00 PM	1.00	192	Good
1/1/2024, 12:15:00 PM	0.00	192	Good
1/1/2024, 12:16:00 PM	0.00	192	Good
1/1/2024, 12:17:00 PM	1.00	192	Good
1/1/2024, 12:18:00 PM	0.00	192	Good
1/1/2024, 12:19:00 PM	1.00	192	Good

Statistical
Summary

Tag	Min	Max	Average	Std Dev	Quality %
FLOW_01	42.08	57.40	50.95	8.00	100.0%
PUMP_STATUS	0.00	1.00	0.42	0.50	100.0%