


Flights			
Column Name	Data Type	Allow Nulls	
YEAR	smallint	┐	
MONTH	tinyint	┐	
DAY	tinyint	┐	
DAY_OF_WEEK	tinyint	┐	
AIRLINE	nvarchar(2)	┐	
FLIGHT_NUMBER	smallint	┐	
TAIL_NUMBER	nvarchar(20)	✓	
ORIGIN_AIRPORT	nvarchar(3)	┐	
DESTINATION_AIRPORT	nvarchar(3)	┐	
SCHEDULED_DEPARTURE	smallint	┐	
DEPARTURE_TIME	smallint	✓	
DEPARTURE_DELAY	int	✓	
TAXI_OUT	smallint	✓	
WHEELS_OFF	smallint	✓	
SCHEDULED_TIME	smallint	┐	
ELAPSED_TIME	smallint	✓	
AIR_TIME	smallint	✓	
DISTANCE	smallint	┐	
WHEELS_ON	smallint	✓	
TAXI_IN	smallint	✓	
SCHEDULED_ARRIVAL	smallint	┐	
ARRIVAL_TIME	smallint	✓	
ARRIVAL_DELAY	int	✓	
DIVERTED	int	┐	
CANCELLED	bit	┐	
CANCELLATION_REASON	nvarchar(255)	✓	
AIR_SYSTEM_DELAY	int	✓	
SECURITY_DELAY	int	✓	
AIRLINE_DELAY	int	✓	
LATE_AIRCRAFT_DELAY	int	✓	
WEATHER_DELAY	int	✓	
FlightID		┐	
		┐	



Flights.FlightID is a computed column that combines:

YEAR, MONTH, DAY, AIRLINE, FLIGHT_NUMBER, ORIGIN_AIRPORT, and DESTINATION_AIRPORT