

Nama : Mukhamad Rico Ramada

Kelas : XIRPL6

Controller mobil

```
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use App\mobil;
7  use Validator;
8
9  class controlmobil extends Controller
10 {
11     public function add(Request $req)
12     {
13         $valid=Validator::make($req->all(),[
14             'nama_mobil' => 'required',
15             'id_jenis_mobil' => 'required',
16             'plat_nomer' => 'required'
17         ]);
18         if ($valid->fails()) {
19             return response()->json([$valid->error()]);
20         }
21         $save=mobil::create([
22             'nama_mobil' => $req->nama_mobil,
23             'id_jenis_mobil' => $req->id_jenis_mobil,
24             'plat_nomer' => $req->plat_nomer
25         ]);
26         if ($save) {
27             return response()->json(['SUCCESS']);
28         }else {
29             return response()->json(['FAILS']);
30         }
31     }
32     public function edit(Request $req,$id)
33     {
34         $valid=Validator::make($req->all(),[
35             'nama_mobil' => 'required',
36             'id_jenis_mobil' => 'required',
37             'plat_nomer' => 'required'
38         ]);
39         if ($valid->fails()) {
40             return response()->json([$valid->error()]);
```

```

41:     }
42:     $save=mobil::where('id',$id)->update([
43:         'nama_mobil' => $req->nama_mobil,
44:         'id_jenis_mobil' => $req->id_jenis_mobil,
45:         'plat_nomer' => $req->plat_nomer
46:     ]);
47:     if ($save) {
48:         return response()->json(['SUCCESS']);
49:     }else {
50:         return response()->json(['FAILS']);
51:     }
52: }
53: public function begone($id)
54: {
55:     $hapus=mobil::where('id',$id)->delete();
56:     if ($hapus) {
57:         return response()->json(['SUCCESS']);
58:     }else {
59:         return response()->json(['FAILS']);
60:     }
61: }
62: public function lihat()
63: {
64:     $lihat=mobil::all();
65:     $hitung=$lihat->count();
66:     return response()->json(['DATA'=>$lihat, 'Jumlah'=>$hitung]);
67: }
68: }

```

Model mobil

```

1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class mobil extends Model
8  {
9      protected $table = 'mobil';
10     protected $primaryKey='id';
11     public $timestamps=false;
12     protected $fillable=[
13         'nama_mobil',
14         'id_jenis_mobil',
15         'plat_nomer'
16     ];
17 }
18

```

## Controller penyewa

```
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use Validator;
7  use App\penyewa;
8
9  class controlpenyewa extends Controller
10 {
11     public function add(Request $req)
12     {
13         $valid=Validator::make($req->all(),[
14             'nama_penyewa' => 'required',
15             'nomer_ktp' => 'required'
16         ]);
17         if ($valid->fails()) {
18             return response()->json($valid->error());
19         }
20         $save=penyewa::create([
21             'nama_penyewa'=>$req->nama_penyewa,
22             'nomer_ktp'=>$req->nomer_ktp
23         ]);
24         if ($save) {
25             return response()->json(['SUCCESS']);
26         }else {
27             return response()->json(['FAILS']);
28         }
29     }
30     public function edit(Request $req,$id)
31     {
32         $valid=Validator::make($req->all(),[
33             'nama_penyewa' => 'required',
34             'nomer_ktp' => 'required'
35         ]);
36         if ($valid->fails()) {
37             return response()->json($valid->error());
38         }
39         $save=penyewa::where('id',$id)->update([
40             'nama_penyewa'=>$req->nama_penyewa,
```

```

41     'nomer_ktp'=>$req->nomer_ktp
42   });
43   if ($save) {
44     return response()->json(['SUCCESS']);
45   }else {
46     return response()->json(['FAILS']);
47   }
48 }
49 public function begone($id)
50 {
51     $hapus=penyewa::where('id',$id)->delete();
52     if ($hapus) {
53         return response()->json(['SUCCESS']);
54     }else {
55         return response()->json(['FAILS']);
56     }
57 }
58 public function lihat()
59 {
60     $lihat=penyewa::all();
61     $hitung=$lihat->count();
62     return response()->json(['DATA' => $lihat, 'Jumlah'=>$hitung]);
63 }
64 }
65

```

Model penyewa

```

1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class penyewa extends Model
8  {
9      protected $table='penyewa';
10     protected $primaryKey='id';
11     public $timestamps=false;
12     protected $fillable=[
13         'nama_penyewa',
14         'nomer_ktp'
15     ];
16 }
17

```

## Controller jenis mobil

```
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use App\jenis_mobil;
7  use Validator;
8
9  class controljenismobil extends Controller
10 {
11     public function add(Request $req)
12     {
13         $valid=Validator::make($req->all(),[
14             'jenis_mobil' => 'required'
15         ]);
16         if ($valid->fails()) {
17             return response()->json([$valid->error()]);
18         }
19         $save=jenis_mobil::create([
20             'jenis_mobil'=>$req->jenis_mobil
21         ]);
22         if ($save) {
23             return response()->json(['SUCCESS']);
24         }else {
25             return response()->json(['FAILS']);
26         }
27     }
28     public function edit(Request $req,$id)
29     {
30         $valid=Validator::make($req->all(),[
31             'jenis_mobil' => 'required'
32         ]);
33         if ($valid->fails()) {
34             return response()->json([$valid->error()]);
35         }
36         $save=jenis_mobil::where('id',$id)->update([
37             'jenis_mobil'=>$req->jenis_mobil
38         ]);
39         if ($save) {
40             return response()->json(['SUCCESS']);
```

```

41     }else {
42         return response()->json(['FAILS']);
43     }
44 }
45 public function begone($id)
46 {
47     $hapus=jenis_mobil::where('id',$id)->delete();
48     if ($hapus) {
49         return response()->json(['SUCCESS']);
50     }else {
51         return response()->json(['FAILS']);
52     }
53 }
54 public function lihat()
55 {
56     $lihat=jenis_mobil::all();
57     $hitung=$lihat->count();
58     return response()->json(['DATA'=>$lihat,'Jumlah'=>$hitung]);
59 }
60 }
61

```

Model jenis mobil

```

1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class jenis_mobil extends Model
8  {
9      protected $table = 'jenis_mobil';
10     protected $primaryKey = 'id';
11     public $timestamps=false;
12     protected $fillable=[
13         'jenis_mobil'
14     ];
15 }
16

```

## POSTMAN PENYEWAWA


POST ▼ http://localhost/rental\_mobil/public/api/add

Params Authorization Headers (11) Body ● Pre-request Script Tests

Query Params

| KEY | VALUE |
|-----|-------|
| Key | Value |

Body Cookies Headers (11) Test Results

Pretty Raw Preview Visualize JSON 

```
1 {  
2   "SUCCESS"  
3 }
```

Untitled Request


GET ▼ http://localhost/rental\_mobil/public/api/tampil

Params Authorization Headers (11) Body ● Pre-request Script Tests

Query Params

| KEY | VALUE |
|-----|-------|
| Key | Value |

Body Cookies Headers (11) Test Results

Pretty Raw Preview Visualize JSON 

```
1 {  
2   "DATA": [  
3     {  
4       "id": 3,  
5       "nama_penyewa": "aby",  
6       "nomer_ktp": "1231238781"  
7     }  
8   ]  
9 }
```

Untitled Request

DELETE

▼

http://localhost/rental\_mobil/public/api/delete/2

Params

Authorization

Headers (11)

Body ●

Pre-request Script

Tests

Settings

Query Params

|  | KEY | VALUE |
|--|-----|-------|
|  | Key | Value |

Body

Cookies

Headers (11)

Test Results

Pretty

Raw

Preview

Visualize

JSON ▼

1

2

"SUCCESS"

3

Untitled Request

POST

▼

http://localhost/rental\_mobil/public/api/edit/4

Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

● none

● form-data

● x-www-form-urlencoded

● raw

● binary

● GraphQL

|  | KEY | VALUE |
|--|-----|-------|
|  | Key | Value |

Body

Cookies

Headers (11)

Test Results

Pretty

Raw

Preview

Visualize

JSON ▼

1

2

"SUCCESS"

3



## POSMANT MOBIL

Untitled Request

POST http://localhost/rental\_mobil/public/api/addmobil

Params Authorization Headers (11) Body ● Pre-request Script Tests Settings

Query Params

|  | KEY | VALUE | DESCRIPTION |
|--|-----|-------|-------------|
|  | Key | Value | Description |

Body Cookies Headers (11) Test Results Status: 200 OK Time: 0ms

Pretty Raw Preview Visualize JSON ↺

```
1 [
2   "SUCCESS"
3 ]
```

POST http://localhost/rental\_mobil/public/api/editmobil/1

Params Authorization Headers (11) Body ● Pre-request Script Tests Settings

Query Params

|  | KEY | VALUE | DESCRIPTION |
|--|-----|-------|-------------|
|  | Key | Value | Description |

Body Cookies Headers (11) Test Results Status: 200 OK Time: 0ms

Pretty Raw Preview Visualize JSON ↺

```
1 [
2   "SUCCESS"
3 ]
```

DELETE

▼

http://localhost/rental\_mobil/public/api/deletemobil/1

Params

Authorization

Headers (11)

Body ●

Pre-request Script

Tests

Query Params

|  | KEY | VALUE |
|--|-----|-------|
|  | Key | Value |

Body

Cookies

Headers (11)

Test Results

Pretty

Raw

Preview

Visualize

JSON ▼

```
1 {
2   "SUCCESS"
3 }
```

GET

▼

http://localhost/rental\_mobil/public/api/tampilmobil

Params

Authorization

Headers (11)

Body ●

Pre-request Script

Tests

Query Params

|  | KEY | VALUE |
|--|-----|-------|
|  | Key | Value |

Body

Cookies

Headers (11)

Test Results

Pretty

Raw

Preview

Visualize

JSON ▼

```
1 {
2   "DATA": [
3     {
4       "id": 1,
5       "nama_mobil": "supra",
6       "id_jenis_mobil": 2,
7       "plat_nomer": "AE 8216 SM"
8     }
9   ],
10  "Jumlah": 1
11 }
```

## POSMANT JENIS MOBIL

**Untitled Request**

**POST** [http://localhost/rental\\_mobil/public/api/addjenismobil](http://localhost/rental_mobil/public/api/addjenismobil)

**Params** Authorization Headers (11) Body ● Pre-request Script Tests Settings

Query Params

|  | KEY | VALUE |
|--|-----|-------|
|  | Key | Value |

**Body** Cookies Headers (11) Test Results Status: 200 OK

Pretty Raw Preview Visualize JSON

```
1 {  
2   "SUCCESS"  
3 }
```

## Edit

**POST** [http://localhost/rental\\_mobil/public/api/editjenismobil/1](http://localhost/rental_mobil/public/api/editjenismobil/1)

**Params** Authorization Headers (11) Body ● Pre-request Script Tests Settings

Query Params

|  | KEY | VALUE | DATA TYPE |
|--|-----|-------|-----------|
|  | Key | Value | String    |

**Body** Cookies Headers (11) Test Results Status: 200 OK

Pretty Raw Preview Visualize JSON

```
1 {  
2   "SUCCESS"  
3 }
```

Untitled Request


DELETE ▼ http://localhost/rental\_mobil/public/api/deletejenismobil/1

Params Authorization Headers (11) Body ● Pre-request Script Tests Settings

Query Params

|  | KEY | VALUE |
|--|-----|-------|
|  | Key | Value |

Body Cookies Headers (11) Test Results Status

Pretty Raw Preview Visualize JSON ▼ 

```
1 {  
2   "SUCCESS"  
3 }
```

## Tampil

Untitled Request


GET ▼ http://localhost/rental\_mobil/public/api/tampiljenismobil

Params Authorization Headers (11) Body ● Pre-request Script Tests Settings

Query Params

|  | KEY | VALUE |
|--|-----|-------|
|  | Key | Value |

Body Cookies Headers (11) Test Results Status

Pretty Raw Preview Visualize JSON ▼ 

```
1 {  
2   "DATA": [  
3     {  
4       "id": 1,  
5       "jenis_mobil": "truck"  
6     }  
7   ],  
8   "Jumlah": 1  
9 }
```