```
SELECT first_name FROM executions LIMIT 3
SELECT 50 / 2, 51 / 2
select first_name, last_name from executions
where ex_age <= 25
```

```
SELECT first_name, last_name, ex_number
FROM executions
WHERE first_name = 'Raymond'
 AND last_name like '%Landry%'
```

```
SELECT 0 AND (0 OR 1)
SELECT
 last_statement IS NOT NULL AS has_last_statement, county,
 COUNT(*)
FROM executions
GROUP BY has_last_statement, county
```

```
SELECT
 last_statement IS NOT NULL AS has_last_statement, county,
 COUNT(*)
FROM executions
GROUP BY has_last_statement, county
```

```
select county, count(*) from executions
where ex_age >= 50
group by county
```

```
select county from executions
where ex_age >= 50
group by county
having count(*) > 2
```

```
select county from executions
```

```
group by county
```

```
SELECT first_name, last_name
```

```
FROM executions
```

```
WHERE LENGTH(last_statement) =
```

```
   (select max(length(last_statement))
```

```
   from executions)
```

```
SELECT
```

```
 county,
```

```
 100.0 * COUNT(*) / (select count(*) from executions)
```

```
   AS percentage
```

```
FROM executions
```

```
GROUP BY county

ORDER BY percentage DESC

SELECT julianday('1993-08-10') - julianday('1989-07-07') AS
day_difference

select ex_number + 1 AS ex_number,

ex_date AS last_ex_date

from executions

where ex_number < 553

SELECT

 last_ex_date AS start,

 ex_date AS end,

 JULIANDAY(ex_date) - JULIANDAY(last_ex_date)

   AS day_difference
```

```
FROM executions
JOIN (select
   ex_number + 1 AS ex_number,
   ex_date AS last_ex_date
   from executions)
   previous
 ON executions.ex_number = previous.ex_number
ORDER BY day_difference DESC
LIMIT 10


SELECT
 previous.ex_date AS start,
```

```
 executions.ex_date AS end,
 JULIANDAY(executions.ex_date) -
JULIANDAY(previous.ex_date)
   AS day_difference
FROM executions
JOIN executions previous
 ON executions.ex_number = previous.ex_number + 1
ORDER BY day_difference DESC
LIMIT 10
```