

```

37 • SELECT order_id, customer_id, Sales
38 FROM orders
39 WHERE Sales > (
40 SELECT AVG(Sales)
41 FROM orders
42 );
43
44 -- Highest sales order for every customer
45 • SELECT o.*
46 FROM orders o

```

Result Grid   Filter Rows: Export:  Wrap Cell Content:  Fetch rows: 

	order_id	customer_id	Sales
▶	CA-2016-152156	CG-12520	261.96
	CA-2016-152156	CG-12520	731.94
	US-2015-108966	SO-20335	957.5775
	CA-2014-115812	BH-11710	907.152
	CA-2014-115812	BH-11710	1706.184
	CA-2014-115812	BH-11710	911.424
	CA-2016-161389	IM-15070	407.976
	CA-2014-105893	PK-19075	665.88
	CA-2015-106320	EB-13870	1044.63
	US-2015-150630	TB-21520	3083.43
	CA-2016-117590	GH-14485	1097.544
	CA-2015-117415	SN-20710	532.3992
	CA-2015-117415	SN-20710	371.168
	CA-2016-105816	JM-15265	1029.95
	CA-2016-111682	TB-21055	319.41
	CA-2014-106376	BS-11590	1113.024
	US-2015-134026	JE-15745	831.936
	CA-2017-140088	PO-18865	301.96
	US-2015-156867	LC-16870	238.896
	CA-2015-129476	PA-19060	339.96

```

43
44 -- Highest sales order for every customer
45 • SELECT o.*
46 FROM orders o
47 WHERE o.Sales = (
48 SELECT MAX(Sales)
49 FROM orders
50 WHERE customer_id = o.customer_id
51 );
52

```

Result Grid   Filter Rows: Export:  Wrap Cell Content: 

	order_id	order_date	ship_date	ship_mode	customer_id	Sales	Quantity	Discount	Profit
▶	CA-2016-152156	11/8/2016	11/11/2016	Second Class	CG-12520	731.94	3	0	219.582
	US-2015-108966	10/11/2015	10/18/2015	Standard Class	SO-20335	957.5775	5	0.45	-383.031
	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	1706.184	9	0.2	85.3092
	CA-2015-106320	9/25/2015	9/30/2015	Standard Class	EB-13870	1044.63	3	0	240.2649
	US-2015-150630	9/17/2015	9/21/2015	Standard Class	TB-21520	3083.43	7	0.5	-1665.0522
	CA-2016-117590	12/8/2016	12/10/2016	First Class	GH-14485	1097.544	7	0.2	123.4737
	CA-2015-117415	12/27/2015	12/31/2015	Standard Class	SN-20710	532.3992	3	0.32	-46.9764
	CA-2016-105816	12/11/2016	12/17/2016	Standard Class	JM-15265	1029.95	5	0	298.6855
	CA-2016-111682	6/17/2016	6/18/2016	First Class	TB-21055	319.41	5	0.1	7.098
	CA-2014-106376	12/5/2014	12/10/2014	Standard Class	BS-11590	1113.024	8	0.2	111.3024
	CA-2015-129476	10/15/2015	10/20/2015	Standard Class	PA-19060	339.96	5	0.2	67.992
	CA-2015-110744	9/7/2015	9/12/2015	Standard Class	HA-14920	671.93	7	0	20.1579
	CA-2016-114489	12/5/2016	12/9/2016	Standard Class	JE-16165	1951.84	8	0	585.552
	CA-2014-139892	9/8/2014	9/12/2014	Standard Class	BM-11140	8159.952	8	0.4	-1359.992
	CA-2014-118962	8/5/2014	8/9/2014	Standard Class	CS-12130	340.144	7	0.2	21.259
	CA-2014-166191	12/5/2014	12/9/2014	Second Class	DK-13150	408.744	7	0.2	76.6395
	CA-2015-102281	10/12/2015	10/14/2015	First Class	MP-17470	899.136	4	0.2	112.392
	CA-2016-130162	10/28/2016	11/1/2016	Standard Class	JH-15910	302.376	3	0.2	22.6782
	CA-2015-169397	12/24/2015	12/27/2015	First Class	JB-15925	479.988	4	0.7	-383.9904
	CA-2015-163055	8/9/2015	8/16/2015	Standard Class	DS-13180	622.45	5	0	136.939

orders 5 x

Limit to 1000 rows

Execute the selected portion of the script or everything, if there is no selection

```
55 -- =====
56
57 • WITH sales_summary AS
58 (
59     SELECT customer_id,
60     SUM(Sales) AS total_sales
61     FROM orders
62     GROUP BY customer_id
63 )
64 SELECT *
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	customer_id	total_sales
▶	CG-12520	1148.7800000000002
	DV-13045	1119.4830000000002
	SO-20335	2602.5755000000001
	BH-11710	6255.3510000000001
	AA-10480	1782.872
	IM-15070	4930.4739999999999
	HP-14815	1990.314
	PK-19075	8158.654
	AG-10270	2565.25799999999994
	ZD-21925	1493.944
	KB-16585	2742.7580000000003
	SF-20065	763.5459999999998
	EB-13870	2767.219
	EH-13945	684.171
	TB-21520	4730.628
	MA-17560	4280.6209999999999
	GH-14485	1361.2440000000001
	SN-20710	3127.9592000000007
	LC-16930	4481.162
	RA-19885	3832.31399999999994

Result 8

```

79 FROM sales_summary
80 );
81
82 -- =====
83 -- STEP 4 : WINDOW FUNCTIONS
84 -- =====
85
86 • WITH sales_summary AS
87 (
88 SELECT customer_id,

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	customer_id	total_sales
▶	BH-11710	6255.351000000001
	IM-15070	4930.473999999999
	PK-19075	8158.654
	TB-21520	4730.628
	MA-17560	4280.620999999999
	SN-20710	3127.9592000000007
	LC-16930	4481.162
	RA-19885	3832.3139999999994
	ES-14080	4648.516
	KM-16720	4909.472000000001
	KD-16270	8282.358
	JE-15745	6400.454999999999
	SC-20770	4492.656999999999
	CS-12400	3651.8585000000007
	GM-14455	3078.6240000000003
	RB-19465	4556.566000000002
	GZ-14470	4355.15
	JM-15250	3145.3740000000003
	CL-12565	10880.545999999998
	SC-20725	5226.209999999998

Result 9 x

```

88 SELECT customer_id,
89    (SELECT SUM(sales) AS total_sales
90     FROM orders
91     GROUP BY customer_id
92    )
93 SELECT customer_id,
94    total_sales,
95    DENSE_RANK() OVER(ORDER BY total_sales DESC) AS customer_rank
96 FROM sales_summary;
97

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [IA](#)

	customer_id	total_sales	customer_rank
▶	SM-20320	25043.05	1
	TC-20980	19017.847999999998	2
	RB-19360	15117.339	3
	TA-21385	14595.62	4
	AB-10105	14355.610999999997	5
	SC-20095	14142.333999999999	6
	KL-16645	14071.917	7
	HL-15040	12873.297999999999	8
	SE-20110	12209.438000000002	9
	CC-12370	12129.072	10
	TS-21370	11885.871	11
	GT-14710	11820.119999999997	12
	BM-11140	11609.900000000001	13
	SV-20365	11420.645999999997	14
	CJ-12010	11079.742	15
	CL-12565	10880.545999999998	16
	ME-17320	10635.917999999998	17
	KF-16285	10604.266	18
	BS-11365	10501.652999999998	19
	EH-13765	10005.980000000001	20

```

90 FROM orders
91 GROUP BY customer_id
92 )
93 SELECT customer_id,
94 total_sales,
95 DENSE_RANK() OVER(ORDER BY total_sales DESC) AS customer_rank
96 FROM sales_summary;
97
98 • SELECT customer_id,
99 order_id.

```

Result Grid |  Filter Rows: | Export:  | Wrap Cell Content: 

	customer_id	order_id	Sales	order_sequence
▶	AA-10315	CA-2016-103982	3930.072	1
	AA-10315	CA-2014-128055	673.568	2
	AA-10315	CA-2016-103982	431.976	3
	AA-10315	CA-2017-147039	362.94	4
	AA-10315	CA-2014-128055	52.98	5
	AA-10315	CA-2016-103982	41.72	6
	AA-10315	CA-2015-121391	26.96	7
	AA-10315	CA-2014-138100	14.94	8
	AA-10315	CA-2014-138100	14.56	9
	AA-10315	CA-2017-147039	11.54	10
	AA-10315	CA-2016-103982	2.304	11
	AA-10375	CA-2016-131065	499.98	1
	AA-10375	CA-2015-140921	149.97	2
	AA-10375	CA-2017-100230	116.98	3
	AA-10375	CA-2015-114503	84.96	4
	AA-10375	US-2017-169488	39.96	5
	AA-10375	CA-2014-130729	34.272	6
	AA-10375	CA-2015-140921	28.4	7
	AA-10375	CA-2017-100230	17.94	8
	AA-10375	US-2017-169488	16.9	9

Result 11 ×

Limit to 1000 rows

```

138 DENSE_RANK() OVER(
139 OR Execute the selected portion of the script or everything, if there is no selection
140 ) AS sales_rank
141 FROM customer_sales
142 INNER JOIN customers c
143 ON customer_sales.customer_id = c.customer_id
144 ORDER BY sales_rank;
145
146 -- =====
147 -- MTNT PROJECT - CUSTOMER INSTIGHTS

```

Result Grid Filter Rows: Export: Wrap Cell Content:

	customer_name	total_sales	sales_rank
▶	Sean Miller	25043.05	1
	Tamara Chand	19017.847999999998	2
	Raymond Buch	15117.339	3
	Tom Ashbrook	14595.62	4
	Adrian Barton	14355.610999999997	5
	Sanjit Chand	14142.333999999999	6
	Ken Lonsdale	14071.917	7
	Hunter Lopez	12873.297999999999	8
	Sanjit Engle	12209.438000000002	9
	Christopher Conant	12129.072	10
	Todd Sumrall	11885.871	11
	Greg Tran	11820.119999999997	12
	Becky Martin	11609.900000000001	13
	Seth Vernon	11420.645999999997	14
	Caroline Jumper	11079.742	15
	Clay Ludtke	10880.545999999998	16
	Maria Etezadi	10635.917999999998	17
	Karen Ferguson	10604.266	18
	Bill Shonely	10501.652999999998	19
	Edward Hooks	10005.980000000001	20

Limit to 1000 rows

```
150 SUM(Sales) AS total_sales
151 -- Execute the selected portion of the script or everything, if there is no selection
152 JOIN orders o
153 ON c.customer_id = o.customer_id
154 GROUP BY customer_name
155 ORDER BY total_sales DESC
156 LIMIT 5;
157
158 -- Bottom 5 Customers
159 SELECT customer_name,
```

Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:

	customer_name	total_sales
▶	Sean Miller	25043.05
	Tamara Chand	19017.847999999998
	Raymond Buch	15117.339
	Tom Ashbrook	14595.62
	Adrian Barton	14355.610999999997



Result Grid



Form Editor



Field Types



Query Stats



Execution Plan

Assignment 3*

Limit to 1000 rows

```
161 SUM(Sales) AS total_sales
162 FROM customers
163 JOIN orders o
164 ON c.customer_id = o.customer_id
165 GROUP BY customer_name
166 ORDER BY total_sales ASC
167 LIMIT 5;
168
169 -- Customers with only one order
170 SELECT c.customer_name,
```

Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:

	customer_name	total_sales
▶	Thais Sissman	4.833
	Lela Donovan	5.304
	Mitch Gastineau	12.32
	Carl Jackson	16.52
	Roy Skaria	22.328

```

176 HAVING order_count = 1;
177
178 -- Customers with above-average sales
179 • WITH customer_sales AS
180 (
181     SELECT customer_id,
182            SUM(Sales) AS total_sales
183     FROM orders
184     GROUP BY customer_id
185 )

```

	customer_name	order_count
▶	Anemone Ratner	1
	Anthony O'Donnell	1
	Carl Jackson	1
	Jenna Caffey	1
	Jocasta Rupert	1
	Lela Donovan	1
	Mitch Gastineau	1
	Patricia Hirasaki	1
	Ricardo Emerson	1
	Roland Murray	1
	Susan MacKendrick	1
	Theresa Coyne	1

Limit to 1000 rows

```

188 FROM customer_sales cs
189 JOIN customers c
190 ON cs.customer_id = c.customer_id
191 WHERE cs.total_sales >
192 (
193 SELECT AVG(total_sales)
194 FROM customer_sales
195 );
196
197 -- Highest Order Value Per Customer

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [IA](#)

	customer_name	total_sales
▶	Brosina Hoffman	6255.351000000001
	Irene Maddox	4930.473999999999
	Pete Kriz	8158.654
	Tracy Blumstein	4730.628
	Matt Abelman	4280.620999999999
	Steve Nguyen	3127.9592000000007
	Linda Cazamias	4481.162
	Ruben Ausman	3832.3139999999994
	Erin Smith	4648.516
	Kunst Miller	4909.472000000001
	Karen Daniels	8282.358
	Joel Eaton	6400.454999999999
	Stewart Carmic...	4492.656999999999
	Christopher Schild	3651.8585000000007
	Gary Mitchum	3078.6240000000003
	Rick Bensley	4556.5660000000002
	Gary Zandusky	4355.15
	Janet Martin	3145.3740000000003
	Clay Ludtke	10880.545999999998
	Steven Cartwright	5226.2099999999998

Limit to 1000 rows

```
197 -- Highest Order Value Per Customer
198 • SELECT c.customer_name,
199     MAX(o.Sales) AS highest_order_value
200 FROM customers c
201 JOIN orders o
202 ON c.customer_id = o.customer_id
203 GROUP BY c.customer_name
204 ORDER BY highest_order_value DESC;
205
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [IA](#)

	customer_name	highest_order_value
▶	Sean Miller	22638.48
	Tamara Chand	17499.95
	Raymond Buch	13999.96
	Tom Ashbrook	11199.968
	Hunter Lopez	10499.97
	Adrian Barton	9892.74
	Sanjit Chand	9449.95
	Bill Shonely	9099.93
	Sanjit Engle	8749.95
	Christopher Conant	8399.976
	Ken Lonsdale	8187.65
	Becky Martin	8159.952
	Grant Thornton	7999.98
	Tom Boeckenhauer	6999.96
	Christopher Martinez	6354.95
	Andy Reiter	5443.96
	Daniel Raglin	5399.91
	Todd Sumrall	5199.96
	Jane Waco	5083.96
	Edward Hooks	4912.59