

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > sahmumbai.com

SSL Report: sahmumbai.com (97.74.94.32)

Assessed on: Thu, 02 Jul 2026 05:14:40 UTC | [Hide](#) | [Clear cache](#)


[Scan Another »](#)

Summary

Overall Rating



If trust issues are ignored: B



Visit our [documentation page](#) for more information, configuration guides, and books. Known issues are documented [here](#).

This server's certificate is not trusted, see [below](#) for details.

This server supports TLS 1.0 and TLS 1.1. Grade capped to B. [MORE INFO »](#)

This server supports TLS 1.3. [MORE INFO »](#)

This server does not support PQC (Post-Quantum Cryptography) key exchange.

Certificate #1: RSA 4096 bits (SHA256withRSA)



Server Key and Certificate #1



Subject	sahmumbai.com Fingerprint SHA256: 36846e77057654a53adcf5db789427200612f0c9c71a79260f5a76d344e87339 Pin SHA256: ZZyv7r+5w6bi7r80d8qfJZ0GaHmYryVT8Bp7uzfdHmA=
Common names	sahmumbai.com
Alternative names	sahmumbai.com www.sahmumbai.com
Serial Number	00be4e1ba019d68a91
Valid from	Wed, 01 Jul 2026 11:14:07 UTC
Valid until	Fri, 15 Jan 2027 11:14:07 UTC (expires in 6 months and 13 days)
Key	RSA 4096 bits (e 65537)
Weak key (Debian)	No
Issuer	GoDaddy TLS Intermediate CA DV - R1v1 AIA: http://certificates.godaddy.com/repository/gd_tls_issuing_dv-r1v1.crt
Signature algorithm	SHA256withRSA
Extended Validation	No
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	CRL, OCSP CRL: http://crl.godaddy.com/gdr1v1dv_s1-8.crl OCSP: http://ocsp.godaddy.com/
Revocation status	Unchecked (only trusted certificates can be checked)
DNS CAA	No (more info)
Trusted	No NOT TRUSTED (Why?) Mozilla Apple Android Java Windows



Additional Certificates (if supplied)



Certificates provided	2 (3727 bytes)
Chain issues	None
#2	
Subject	GoDaddy TLS Intermediate CA DV - R1v1 Fingerprint SHA256: 7a43bc7747d0633fbd90f90c9242417c027dbdca05af72da9a70e3518dbe2e Pin SHA256: Y1e/3DqsLyW4RiaJ40hLEW5JiJoNkFVF1AxFqkIA=
Valid until	Fri, 24 Aug 2040 11:59:59 UTC (expires in 14 years and 1 month)
Key	RSA 4096 bits (e 65537)
Issuer	GoDaddy TLS Root CA - R1

Signature algorithm

SHA256withRSA



Certification Paths



Click here to expand

Certificate #2: RSA 4096 bits (SHA256withRSA)



Server Key and Certificate #1



Subject	sahmumbai.com Fingerprint SHA256: 908da000593552a07d895ea4d812917f5783ec882f83e06d0359b19e00ed8d Pin SHA256: GxeQyij2zS9o0zW9veiTgbjvNHmbGqmdNL18C9fUAs=
Common names	sahmumbai.com
Alternative names	sahmumbai.com www.sahmumbai.com
Serial Number	00ac4570b924fa6b65
Valid from	Wed, 01 Jul 2026 08:19:43 UTC
Valid until	Fri, 15 Jan 2027 08:19:43 UTC (expires in 6 months and 13 days)
Key	RSA 4096 bits (e 65537)
Weak key (Debian)	No
Issuer	GoDaddy TLS Intermediate CA DV - R1v1 AIA: http://certificates.godaddy.com/repository/gd_tls_issuing_dv-r1v1.crt
Signature algorithm	SHA256withRSA
Extended Validation	No
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	CRL, OCSP CRL: http://crl.godaddy.com/gdr1v1dv_s1-8.crl OCSP: http://ocsp.godaddy.com/
Revocation status	Unchecked (only trusted certificates can be checked)
DNS CAA	No (more info)
Trusted	No NOT TRUSTED (Why?) Mozilla Apple Android Java Windows



Additional Certificates (if supplied)



Certificates provided	2 (3730 bytes)
Chain issues	None

#2

Subject	GoDaddy TLS Intermediate CA DV - R1v1 Fingerprint SHA256: 7a43bc7747d0633fbd90f900c9242417c027dbdca05af72da9a70e3518dbe2e Pin SHA256: Y1e/3DqsLyW4R1aJ4OfhLEW5JJoNkFVF1AxFqkIA=
Valid until	Fri, 24 Aug 2040 11:59:59 UTC (expires in 14 years and 1 month)
Key	RSA 4096 bits (e 65537)
Issuer	GoDaddy TLS Root CA - R1
Signature algorithm	SHA256withRSA



Certification Paths



Click here to expand

Configuration



Protocols

TLS 1.3	Yes
TLS 1.2	Yes
TLS 1.1	Yes
TLS 1.0	Yes
SSL 3	No
SSL 2	No



Cipher Suites

TLS 1.3 (suites in server-preferred order)



TLS_AES_256_GCM_SHA384 (0x1302)	ECDH secp384r1 (eq. 7680 bits RSA)	FS	256
TLS_AES_128_GCM_SHA256 (0x1301)	ECDH x25519 (eq. 3072 bits RSA)	FS	128
# TLS 1.2 (suites in server-preferred order)			[-]
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030)	ECDH secp384r1 (eq. 7680 bits RSA)	FS	256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f)	ECDH x25519 (eq. 3072 bits RSA)	FS	128
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 (0x9f)	DH 2048 bits	FS	256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e)	DH 2048 bits	FS	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028)	ECDH secp384r1 (eq. 7680 bits RSA)	FS WEAK	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027)	ECDH x25519 (eq. 3072 bits RSA)	FS WEAK	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014)	ECDH secp384r1 (eq. 7680 bits RSA)	FS WEAK	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013)	ECDH x25519 (eq. 3072 bits RSA)	FS WEAK	128
TLS_RSA_WITH_AES_256_GCM_SHA384 (0x9d)		WEAK	256
TLS_RSA_WITH_AES_128_GCM_SHA256 (0x9c)		WEAK	128
TLS_RSA_WITH_AES_256_CBC_SHA256 (0x3d)		WEAK	256
TLS_RSA_WITH_AES_128_CBC_SHA256 (0x3c)		WEAK	128
TLS_RSA_WITH_AES_256_CBC_SHA (0x35)		WEAK	256
TLS_RSA_WITH_AES_128_CBC_SHA (0x2f)		WEAK	128
TLS_RSA_WITH_3DES_EDE_CBC_SHA (0xa)		WEAK	112
# TLS 1.1 (suites in server-preferred order)			[+]
# TLS 1.0 (suites in server-preferred order)			[+]



Handshake Simulation

Android 2.3.7 No SNI²	RSA 4096 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_128_CBC_SHA No FS
Android 4.0.4	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
Android 4.1.1	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
Android 4.2.2	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
Android 4.3	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
Android 4.4.2	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Android 5.0.0	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 6.0	RSA 4096 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 7.0	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Android 8.0	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Android 8.1	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Android 9.0	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Baidu Jan 2015	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
BingPreview Jan 2015	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Chrome 49 / XP SP3	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Chrome 69 / Win 7 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Chrome 70 / Win 10	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Chrome 80 / Win 10 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Chrome 131 / Win 10 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Firefox 31.3.0 ESR / Win 7	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 47 / Win 7 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 49 / XP SP3	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Firefox 62 / Win 7 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Firefox 73 / Win 10 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Firefox 135 / Win 10 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Googlebot Feb 2018	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
IE 7 / Vista	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
IE 8 / XP No FS¹ No SNI²	RSA 4096 (SHA256)	TLS 1.0	TLS_RSA_WITH_3DES_EDE_CBC_SHA
IE 8-10 / Win 7 R	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
IE 11 / Win 7 R	RSA 4096 (SHA256)	TLS 1.2	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 DH 2048 FS
IE 11 / Win 8.1 R	RSA 4096 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 DH 2048 FS
IE 10 / Win Phone 8.0	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
IE 11 / Win Phone 8.1 R	RSA 4096 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS
IE 11 / Win Phone 8.1 Update R	RSA 4096 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 DH 2048 FS
IE 11 / Win 10 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Edge 15 / Win 10 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Edge 16 / Win 10 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Edge 18 / Win 10 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Edge 131 / Win 10 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Edge 13 / Win Phone 10 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS

Java 6u45 No SNI²	RSA 4096 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_128_CBC_SHA No FS
Java 7u25	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Java 8u161	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Java 11.0.3	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Java 12.0.1	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
OpenSSL 0.9.8y	RSA 4096 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_256_CBC_SHA No FS
OpenSSL 1.0.1i R	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
OpenSSL 1.0.2s R	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
OpenSSL 1.1.0k R	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
OpenSSL 1.1.1c R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Opera 117 / Win 10 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Safari 5.1.9 / OS X 10.6.8	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
Safari 6 / iOS 6.0.1	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp384r1 FS
Safari 6.0.4 / OS X 10.8.4 R	RSA 4096 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp384r1 FS
Safari 7 / iOS 7.1 R	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp384r1 FS
Safari 7 / OS X 10.9 R	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp384r1 FS
Safari 8 / iOS 8.4 R	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp384r1 FS
Safari 8 / OS X 10.10 R	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 ECDH secp384r1 FS
Safari 9 / iOS 9 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Safari 9 / OS X 10.11 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Safari 10 / iOS 10 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Safari 10 / OS X 10.12 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Safari 12.1.2 / MacOS 10.14.6 Beta R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Safari 12.1.1 / iOS 12.3.1 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384 ECDH secp384r1 FS
Apple ATS 9 / iOS 9 R	RSA 4096 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
Yahoo Slurp Jan 2015	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS
YandexBot Jan 2015	RSA 4096 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 ECDH secp384r1 FS

Not simulated clients (Protocol mismatch)

[IE 6 / XP](#) No FS¹ No SNI² Protocol mismatch (not simulated)

- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
 (2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
 (3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.
 (R) Denotes a reference browser or client, with which we expect better effective security.
 (All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
 (All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.



Protocol Details

Secure Renegotiation	Supported
Secure Client-Initiated Renegotiation	No
Insecure Client-Initiated Renegotiation	No
BEAST attack	Not mitigated server-side (more info) TLS 1.0: 0xc014
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Zombie POODLE	No (more info) TLS 1.2: 0xc027
GOLDENDOODLE	No (more info) TLS 1.2: 0xc027
OpenSSL 0-Length	No (more info) TLS 1.2: 0xc027
Sleeping POODLE	No (more info) TLS 1.2: 0xc027
Downgrade attack prevention	No, TLS_FALLBACK_SCSV not supported (more info)
SSL/TLS compression	No
RC4	No
Heartbeat (extension)	No
Heartbleed (vulnerability)	No (more info)
Ticketbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)
ROBOT (vulnerability)	No (more info)
Forward Secrecy	With modern browsers (more info)
ALPN	Yes h2 http/1.1
NPN	No
Session resumption (caching)	No (IDs assigned but not accepted)
Session resumption (tickets)	No
OCSP stapling	Yes (not verified because the certificate is not trusted)
Strict Transport Security (HSTS)	No
HSTS Preloading	Not in Chrome, Edge, Firefox IF

Public Key Pinning (HPKP)	No (more info)
Public Key Pinning Report-Only	No
Public Key Pinning (Static)	No (more info)
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	No
Incorrect SNI alerts	No
Uses common DH primes	No
DH public server param (Ys) reuse	No
ECDH public server param reuse	Yes
Supported Named Groups	secp384r1, x25519, secp256r1 (server preferred order)
PQC Key Exchange	Not Supported
Supported PQC Groups	-
SSL 2 handshake compatibility	Yes
0-RTT enabled	No



HTTP Requests



1 <https://sahmumbai.com/> (HTTP/1.1 200 OK)



Miscellaneous

Test date	Thu, 02 Jul 2026 05:11:51 UTC
Test duration	168.301 seconds
HTTP status code	200
HTTP server signature	Microsoft-IIS/10.0
Server hostname	32.94.74.97.host.secureserver.net

Why is my certificate not trusted?

There are many reasons why a certificate may not be trusted. The exact problem is indicated on the report card in bright red. The problems fall into three categories:

1. Invalid certificate
2. Invalid configuration
3. Unknown Certificate Authority

1. Invalid certificate

A certificate is invalid if:

- It is used before its activation date
- It is used after its expiry date
- Certificate hostnames don't match the site hostname
- It has been revoked
- It has insecure signature
- It has been blacklisted

2. Invalid configuration

In some cases, the certificate chain does not contain all the necessary certificates to connect the web server certificate to one of the root certificates in our trust store. Less commonly, one of the certificates in the chain (other than the web server certificate) will have expired, and that invalidates the entire chain.

3. Unknown Certificate Authority

In order for trust to be established, we must have the root certificate of the signing Certificate Authority in our trust store. SSL Labs does not maintain its own trust store; instead we use the store maintained by Mozilla.

If we mark a web site as not trusted, that means that the average web user's browser will not trust it either. For certain special groups of users, such web sites can still be secure. For example, if you can securely verify that a self-signed web site is operated by a person you trust, then you can trust that self-signed web site too. Or, if you work for an organisation that manages its own trust, and you have their own root certificate already embedded in your browser. Such special cases do not work for the general public, however, and this is what we indicate on our report card.

4. Interoperability issues

In some rare cases trust cannot be established because of interoperability issues between our code and the code or configuration running on the server. We manually review such cases, but if you encounter such an issue please feel free to contact us. Such problems are very difficult to troubleshoot and you may be able to provide us with information that might help us determine the root cause.

SSL Report v2.4.2