

CHUBB®

WEEK-8 ASSIGNMENT

-Riddhima Bhanja
Kalinga Institute of Industrial Technology
Bhubaneswar(Java Track)

INDEX


(flight app with angular)

S. No.	Main Category	Details Included
1	Code Coverage Report	• All Files • Code Coverage Breakdown
2	Test Run (UI)	• UI Test Execution Results
3	Home Page	• Home Page UI & Functional Testing
4	Register Page (Create Account)	• User Registration Flow • Account Creation Validation
5	Login Page	• User Login Functionality
6	Search Flights Page	• Flight Search UI • Search Functionality
7	Login for Searching Flights	• Authentication Required for Flight Search
8	Validation Errors	• Search Flights Validation Errors • Login Validation Errors • Email Validation Errors • Registration Page Validation Errors
9	Build Success	• Successful Build Confirmation
10	Clean Flight Search Page	• No Pre-filled Data • UI Reset Validation
11	Clean Login Page	• Empty Fields Validation
12	Password Mismatch Error	• Incorrect Password Handling
13	MongoDB Data	• Database Records Verification
14	MySQL Workbench	• Relational Database Validation
15	Password Eligibility Cases	• Length Check • Strength Rules • Format Validation
16	User Already Exists Case	• Duplicate User Registration Handling
17	Postman Reports	• API Testing Reports • Request-Response Validation

INDEX

Content	Page No.
1. JACOCO Code Coverage Report	1
2. SonarQube Report & Issues	3
3. System Architecture, ER Diagram	5
4. JMeter & RabbitMQ dashboard	6
— JMeter Result Tree	6
— JMeter Summary Report	6
— Apache JMeter Dashboard	7
5. Logs	9
— RabbitMQ Dashboard	9
— Eureka server, Booking Service	10
— Flight Service, API Gateway, Notification service	10
6. MongoDB Screenshots	11
7. Postman Screenshots	11
— Circuit Breaker, Message broker	11
— — JWT security through API Gateway	12
— — Status,Events	12
— Health Checks	13
— — API Gateway Health	13
— — Booking Service Health	13
— — Eureka Server Health	14
— — Flight Service Health	14
— Add Flight	15
— Book Flight, get flight by PNR, get flight by ID	15
— Cancel Booking, FALLBACK CASE	15
— Get Booking by PNR	16
— Get Booking History	16
8. Email	17
— With PDF	17
— Without PDF	17
— Fallback Case	17
9. Eureka Dashboard, MySQL Workbench	17

CODE COVERAGE REPORTS



CODE COVERAGE BREAKDOWN

```
PS C:\Users\KIIT\Downloads\chubb_workspace\flightapp-docker\flight-booking-app> npm run test:coverage
> flight-booking-app@0.0.0 test:coverage
> ng test --coverage

Initial chunk files | Names | Raw size
spec-flight-search.js | spec-flight-search | 66.94 kB
spec-register.js | spec-register | 48.87 kB
spec-login.js | spec-login | 32.60 kB
spec-home.js | spec-home | 23.71 kB
spec-auth.js | spec-auth | 5.17 kB
chunk-FB5WBBAN.js | - | 4.66 kB
spec-flight.js | spec-flight | 3.76 kB
spec-auth-guard.js | spec-auth-guard | 2.60 kB
chunk-62UV37PV.js | - | 2.50 kB
spec-app.js | spec-app | 1.78 kB
init-testbed.js | init-testbed | 1.20 kB
chunk-LGBCSKED.js | - | 1.11 kB
styles.css | styles | 367 bytes
Initial total | 195.26 kB

Application bundle generation complete. [4.382 seconds] - 2025-12-14T19:10:40.944Z

Watch mode enabled. Watching for file changes...

DEV v4.0.15 C:\Users\KIIT\Downloads\chubb_workspace\flightapp-docker\flight-booking-app
```



```
DEV v4.0.15 C:/Users/KIIT/Downloads/chubb_workspace/flightapp-docker/flight-booking-app
Coverage enabled with v8

✓ flight-booking-app src/app/components/home/home.spec.ts (7 tests) 1227ms
  ✓ should create 404ms
✓ flight-booking-app src/app/services/auth.spec.ts (14 tests) 154ms
✓ flight-booking-app src/app/app.spec.ts (1 test) 15ms
✓ flight-booking-app src/app/guards/auth-guard.spec.ts (4 tests) 22ms
✓ flight-booking-app src/app/services/flight.spec.ts (8 tests) 46ms
✓ flight-booking-app src/app/components/login/login.spec.ts (17 tests) 3111ms
  ✓ should create 538ms
✓ flight-booking-app src/app/components/register/register.spec.ts (23 tests) 4625ms
  ✓ should create 570ms
✓ flight-booking-app src/app/components/flight-search/flight-search.spec.ts (25 tests) 5938ms
  ✓ should create 657ms
  ✓ should initialize search form with default values 304ms
  ✓ should set travelDate to today by default 323ms
  ✓ should subscribe to currentUser on init 330ms
  ✓ should not search if form is invalid 320ms

Test Files 8 passed (8)
Tests 99 passed (99)
Start at 00:40:47
Duration 9.11s (transform 873ms, setup 2.55s, import 2.03s, tests 15.14s, environment 9.48s)


% Coverage report from v8
```

% Coverage report from v8


File	% Stmts	% Branch	% Funcs	% Lines	Uncovered Line #s
All files	71.4	75.67	88.88	78.04	
app	100	85.71	100	100	
app.html	100	100	100	100	
app.ts	100	85.71	100	100	10
app/components/flight-search	54.54	61.53	83.33	60.4	
flight-search.html	45.45	41.17	0	49.13	45-46, 65-66, 83-84, 94-98, 107-185
flight-search.ts	100	100	100	100	
app/components/home	98.38	100	80	100	
home.html	98.11	100	0	100	
home.ts	100	100	100	100	
app/components/login	80.8	76	85.71	84.28	
login.html	75	50	0	76.59	29-30, 48-49, 53-54, 59-63
login.ts	100	100	100	100	
app/components/register	69.36	75	87.5	82.3	
register.html	63.19	50	0	76.74	51-54, 72-74, 92-94, 112-114, 118-119, 124-128
register.ts	100	100	100	100	
app/guards	100	100	100	100	
auth-guard.ts	100	100	100	100	
app/services	100	83.33	100	100	
auth.ts	100	80	100	100	30-47
flight.ts	100	100	100	100	

PASS Waiting for file changes...


TEST RUN WITH UI




HOME PAGE



REGISTER PAGE(CREATE ACCOUNT)



CLEAN REGISTER PAGE



A screenshot of a web browser showing a registration page. The browser's address bar displays "localhost:4200/register". The page has a solid pink background. In the center is a white rounded rectangle containing the registration form. At the top of the form is a pink circle with a white airplane icon. Below the icon is the title "Create Account" and the subtitle "Join us to start booking your flights". The form includes fields for "First Name" (with "John" entered), "Last Name" (with "Doe" entered), "Username *" (with a placeholder "Choose a username"), "Email Address *" (with "your.email@example.com" entered), "Password *" (with a placeholder "At least 6 characters"), and "Confirm Password *" (with a placeholder "Re-enter your password"). A pink "Create Account" button is at the bottom of the form. Below the button is a link: "Already have an account? Sign In". The browser's top right corner shows icons for search, star, and a "Chat" button.

localhost:4200/register

Create Account
Join us to start booking your flights

First Name: John Last Name: Doe

Username *
Choose a username

Email Address *
your.email@example.com


Password *
At least 6 characters

Confirm Password *
Re-enter your password

Create Account

Already have an account? [Sign In](#)

LOGIN PAGE



A screenshot of a web browser showing a login page. The browser's address bar displays "localhost:4200/login". The page has a solid blue background. In the center is a white rounded rectangle containing the login form. At the top of the form is a blue circle with a white airplane icon. Below the icon is the title "Welcome Back" and the subtitle "Sign in to your account to continue". The form includes fields for "Username" (with "RICHA 19" entered) and "Password" (with masked characters "*****"). A blue "Sign In" button is at the bottom of the form. Below the button is a link: "Don't have an account? Sign Up". The browser's top right corner shows icons for search, star, and a "Chat" button.

localhost:4200/login

Welcome Back
Sign in to your account to continue


Username: RICHA 19

Password: *****


Sign In

Don't have an account? [Sign Up](#)

CLEAN LOGIN PAGE



SEARCH FLIGHTS



CLEAN SEARCH FLIGHTS


The screenshot shows a web browser at localhost:4200/flights. The page has a header with 'Flight Booking' and a user greeting 'Welcome, RICHA_19!' with a 'Logout' button. The main content area is titled 'Search Flights' with the subtitle 'Find the perfect flight for your journey'. Below this, there are three input fields: 'From' (containing 'e.g., DEL'), 'To' (containing 'e.g., BOM'), and 'Date' (containing 'dd-mm-yyyy'). A blue 'Search Flights' button is to the right. The search results area is empty, indicating a successful search with no flights found.

VALIDATION ERRORS

SEARCH FLIGHT VALIDATION ERROR

The screenshot shows the same flight booking application, but with validation errors. The 'From' field has a red border and the text 'Origin is required'. The 'To' field has a red border and the text 'Destination is required'. The 'Date' field has a red border and the text 'Travel date is required'. The 'Search Flights' button is still present. Below the search form, there is a message: 'No flights found' with a sad face icon and the text 'Try adjusting your search criteria'.

LOGIN VALIDATION ERROR



A screenshot of a web browser showing a login page at localhost:4200/login. The page has a purple gradient background. A white login card is centered, featuring a purple airplane icon and the text "Welcome Back" and "Sign in to your account to continue". The form includes fields for "Username" and "Password", both with red error messages: "Username is required" and "Password is required". A "Sign In" button is at the bottom, and a link "Don't have an account? Sign Up" is below it. The browser's address bar and a "Chat" button are visible at the top.

localhost:4200/login

Chat

Welcome Back
Sign in to your account to continue


Username
Enter your username
Username is required

Password
Enter your password
Password is required

Sign In

Don't have an account? Sign Up

EMAIL VALIDATION ERROR



A screenshot of a web browser showing a registration page at localhost:4200/register. The page has a pink gradient background. A white registration card is centered, featuring a pink airplane icon and the text "Create Account" and "Join us to start booking your flights". The form includes fields for "First Name" (riddhima), "Last Name" (bhanja), "Username" (riddhima), "Email Address" (RICH_A_19), "Password", and "Confirm Password". The "Email Address" field has a red error message: "Please enter a valid email". A "Create Account" button is at the bottom, and a link "Already have an account? Sign In" is below it. The browser's address bar and a "Chat" button are visible at the top.

localhost:4200/register

Chat

Create Account
Join us to start booking your flights

First Name
riddhima

Last Name
bhanja

Username *
riddhima

Email Address *
RICH_A_19
Please enter a valid email


Password *

Confirm Password *

Create Account


Already have an account? Sign In

REGISTRATION VALIDATION ERROR



A screenshot of a web browser at the URL `localhost:4200/register`. The page has a pink background. In the center is a white card titled "Create Account" with a pink airplane icon. Below the title is the text "Join us to start booking your flights". The form contains several input fields: "First Name" (with "John" entered), "Last Name" (with "Doe" entered), "Username *" (with a placeholder "Choose a username" and a red error message "Username is required"), "Email Address *" (with "your.email@example.com" entered and a red error message "Email is required"), "Password *" (with a placeholder "At least 6 characters" and a red error message "Password is required"), and "Confirm Password *" (with a placeholder "Re-enter your password" and a red error message "Please confirm your password"). At the bottom of the card is a pink "Create Account" button and a link "Already have an account? Sign In".

PASSWORD MISMATCH ERROR



A screenshot of a web browser at the URL `localhost:4200/register`. The page has a pink background. In the center is a white card titled "Create Account" with a pink airplane icon. Below the title is the text "Join us to start booking your flights". The form contains several input fields: "First Name" (with "riddhima" entered), "Last Name" (with "bhanja" entered), "Username *" (with "riddhima" entered), "Email Address *" (with "richabhajaz2003@gmail.com" entered), "Password *" (with "*****" entered), and "Confirm Password *" (with "*****" entered). A red error message "Passwords do not match" is displayed below the "Confirm Password" field. At the bottom of the card is a pink "Create Account" button and a link "Already have an account? Sign In".

PASSWORD ELIGIBILITY CASES

localhost:4200/register

Create Account

Join us to start booking your flights

First Name: riddhima Last Name: bhanja

Username *: riddhima

Email Address *: riddhimabhanja2003@gmail.com

Password *: *****
Password must be at least 6 characters

Confirm Password *: *****
Passwords do not match

Create Account

Already have an account? [Sign In](#)

IF USER ALREADY EXISTS

localhost:4200/register

Create Account

Join us to start booking your flights

First Name: richa Last Name: bhanja

Username *: riddhima12

Email Address *: riddhimabhanja2003@gmail.com

Password *: *****
Password must be at least 6 characters


Confirm Password *: *****
Passwords do not match

Username already exists


Create Account

Already have an account? [Sign In](#)

MONGODB DATA




MYSQL WORKBENCH




JACO CO REPORTS

FLIGHT SERVICE: 98% COVERAGE




BOOKING SERVICE


94% coverage



ER DIAGRAM



1. SonarQUBE Code Coverage



2. SonarQube Issues

Before fixing:

This screenshot shows the SonarQube interface for the 'docker' project. The 'Issues' tab is selected, displaying a list of 32 open issues. The left sidebar shows the project structure with 'Main Branch' selected. The main content area shows a list of issues with details such as severity, effort, and tags.

Issue	Severity	Effort	Tags
Remove this field injection and use constructor injection instead.	Medium	5min	Code Smell, Major
Inject this field value directly into "customRouteLocator", the only method that uses it.	High	5min	Code Smell, Critical
Define a constant instead of duplicating this literal "lb://flight-service" 4 times.	High	10min	Code Smell, Critical

This screenshot shows the SonarQube Summary page for the 'docker' project. The 'Summary' tab is selected, displaying a dashboard with various metrics and quality gates.

Metric	Value	Quality Gate
Security	1 Open issues	Failed (E)
Reliability	4 Open issues	Failed (C)
Maintainability	29 Open issues	Passed (A)
Accepted Issues	0	Failed (E)
Coverage	0.7%	Failed (E)
Duplications	No conditions set on 3k Lines	Passed (A)
Security Hotspots	0	Passed (A)

After fixing:


This screenshot shows the SonarCloud project page for 'FlightApp_Docker-Assi...'. The 'Issues' tab is selected, and the main content area displays 'No Issues. Hooray!'. The left sidebar shows the project overview with 'Main Branch' selected. The top navigation bar includes 'My Projects', 'My Issues', and 'Explore'. The bottom of the page contains a footer with copyright information and links to Terms, Pricing, Privacy, Cookie Policy, Security, Community, Documentation, Contact us, Status, and About.

This screenshot shows the SonarCloud project page for 'FlightApp_Docker-Assi...' with the 'Summary' tab selected. The page displays overall quality metrics for the 'main' branch. The metrics are as follows:

Metric	Value	Status
Security	0 Open Issues	A
Reliability	0 Open Issues	A
Maintainability	0 Open Issues	A
Accepted Issues	0	B
Coverage	A few extra steps are needed for SonarQube Cloud to analyze your code coverage. Set up coverage analysis	
Duplications	0.8% No conditions set on 2.7k Lines	
Security Hotspots	0	


The left sidebar shows the project overview with 'Main Branch' selected. The top navigation bar includes 'My Projects', 'My Issues', and 'Explore'. The bottom of the page contains a footer with copyright information and links to Terms, Pricing, Privacy, Cookie Policy, Security, Community, Documentation, Contact us, Status, and About.

3. System Architecture



4. Jmeter

• Apache Jmeter Dashboard



[illegible]

EUREKA SERVER LOGS

The screenshot shows the Docker Desktop interface with the 'eureka-server' container selected. The container is running and has the IP address 8761.8761. The logs tab is active, displaying a series of INFO and WARN messages. The logs show the Eureka server's internal operations, including the registration of instances, the eviction of stale instances, and the update of the cluster's state. The logs are timestamped and include the container's IP address and the log level (INFO or WARN).

```
2025-12-08T04:33:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 23ms
2025-12-08T04:34:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 23ms
2025-12-08T04:35:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 23ms
2025-12-08T04:36:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 23ms
2025-12-08T04:37:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 23ms
2025-12-08T04:38:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 21ms
2025-12-08T04:39:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 22ms
2025-12-08T04:39:47.887Z WARN 1 --- [eureka-server] [c.n.eureka.cluster.PeerEurekaNodes] : The replica size seems to be empty. Check the route 53 DNS
Registry
2025-12-08T04:40:07.672Z INFO 1 --- [eureka-server] [c.n.e.r.PeerAwareInstanceRegistryImpl] : Current renewal threshold is: 0
2025-12-08T04:40:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 21ms
2025-12-08T04:41:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 23ms
2025-12-08T04:42:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 24ms
2025-12-08T04:43:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 25ms
2025-12-08T04:44:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 24ms
2025-12-08T04:45:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 18ms
2025-12-08T04:46:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 26ms
2025-12-08T04:47:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 25ms
2025-12-08T04:48:08.871Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 28ms
2025-12-08T04:49:08.880Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 29ms
2025-12-08T04:49:47.588Z WARN 1 --- [eureka-server] [c.n.eureka.cluster.PeerEurekaNodes] : The replica size seems to be empty. Check the route 53 DNS
Registry
2025-12-08T04:50:08.880Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 28ms
2025-12-08T04:51:08.880Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 17ms
2025-12-08T04:52:08.881Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 26ms
2025-12-08T04:53:08.881Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 26ms
2025-12-08T04:54:08.881Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 25ms
2025-12-08T04:55:07.673Z INFO 1 --- [eureka-server] [c.n.e.r.PeerAwareInstanceRegistryImpl] : Current renewal threshold is: 0
2025-12-08T04:55:08.891Z INFO 1 --- [eureka-server] [c.n.e.registry.AbstractInstanceRegistry] : Running the evict task with compensationTime 48ms
```

API GATEWAY

The screenshot shows the Docker Desktop interface with the 'api-gateway' container selected. The container is running and has the IP address 8080.8080. The logs tab is active, displaying a series of DEBUG and INFO messages. The logs show the API Gateway's internal operations, including the configuration of filters, the handling of requests, and the response of the gateway. The logs are timestamped and include the container's IP address and the log level (DEBUG or INFO).

```
2025-12-08T04:44:10.871Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : [[442233f1-2872] Mapped to
org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9
2025-12-08T04:44:10.871Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler] : Sorted gatewayFilterFactories:
[[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.RemoveCachedBodyFilter@6a0b6ef], order = -2147483648],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.AdaptCachedBodyGlobalFilter@4a0b6ef], order = -2147483648],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.NettyWriteResponseFilter@16680107], order = -1],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.ForwardPathFilter@2d206a71], order = 0],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.GatewayMetricsFilter@3a40b652], order = 0], [con.flightapp.gateway.filter.JwtAuthenticationFilter@ff79786,
order = 0], [GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.RouteToRequestUrlFilter@37775bb1], order = 10000],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.ReactiveLoadBalancerClientFilter@2d4a3e13], order = 10150],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.LoadBalancerServiceInstanceCookieFilter@4a22e4d7], order = 10151],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.WebsocketRoutingFilter@837e7c4c], order = 2147483646],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.NettyRoutingFilter@48835af], order = 2147483647],
[GatewayFilterAdapter[delegate=org.springframework.cloud.gateway.filter.ForwardRoutingFilter@7b9e25bd], order = 2147483647]]
2025-12-08T04:44:10.873Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : [[442233f1-6, L:/172.19.0.10:8080 - R:/172.19.0.1:38290] Last HTTP
response frame
2025-12-08T04:44:10.873Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : [[442233f1-6, L:/172.19.0.10:8080 - R:/172.19.0.1:38290] No
sendHeaders() called before complete, sending zero-length header
2025-12-08T04:44:10.873Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : [[442233f1-6, L:/172.19.0.10:8080 - R:/172.19.0.1:38290] Decreasing
pending responses, now 0
2025-12-08T04:44:10.874Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : [[442233f1-6, L:/172.19.0.10:8080 - R:/172.19.0.1:38290] Last HTTP
packet was sent, terminating the channel
2025-12-08T04:44:10.874Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : [[442233f1-6, L:/172.19.0.10:8080 - R:/172.19.0.1:38290]
[HttpServer] Channel inbound receiver cancelled (subscription disposed).
2025-12-08T04:44:10.874Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : Mapping [Exchange: GET
http://localhost:8080/api/flights/inventory/1] to Route[id='flight-inventory', uri=lb://flight-service, order=0, predicatePaths=[/api/flights/inventory/**], match trailing
slash: true, gatewayFilters=[con.flightapp.gateway.filter.JwtAuthenticationFilter@ff79786, order = 0]], metadata={}]
2025-12-08T04:44:10.878Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : [[21736797-2862] Mapped to
org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9
2025-12-08T04:44:10.878Z DEBUG 1 --- [api-gateway] [org.springframework.cloud.gateway.handler.FilteringWebHandler@2174ef9] : Sorted gatewayFilterFactories:
```



BOOKING SERVICE LOGS

The screenshot shows the Docker Desktop interface. On the left, the 'Containers' tab is selected, showing a list of containers. The 'booking-service' container is highlighted, with its ID 'bb0290db948' and status 'Running (11 hours ago)'. The 'Logs' tab is open, displaying a log stream. The log shows the container starting with Spring Boot v3.2.8 and the BookingServiceApplication v1.0.0. It also shows the application's configuration, including the Spring Data repository scanning process and the BeanPostProcessor configuration.


FLIGHT SERVICE LOGS

[illegible]


NOTIFICATION SERVICE LOGS



RabbitMQ logs




Mongodb logs




5.Mongodb screenshots


- Booking_db



• Flight db




• Notification logs




5. Email


• Welcome Email




• Confirm Booking Email




- Flight cancel email



RabbitMQ email-queue dashboard




RabbitMQ overview dashboard




6. Postman screenshots


Obtain JWT TOKEN



Unauthorized access




Same endpoint with auth bearer token




- **Circuit Breaker**

Events:




Status:




• Health Check


API gateway health:




Booking Service Health:




Eureka server:




Flight Service Health:




ADD FLIGHT




BOOK FLIGHT




SEARCH FLIGHTS




CANCEL BOOKING




GET BOOKING BY PNR




GET BOOKING HISTORY



FALLBACK case



SEND EMAIL



GET BY ID

The screenshot shows the Postman interface for a workspace named 'riddhima bhanja's Workspace'. The left sidebar lists collections, environments, history, and flows. The 'notification service(docker)' collection is expanded, showing several GET requests. The selected request is 'get notification by ID'. The URL is 'http://localhost:8083/api/notifications/6935a9a61ee8f9036919f375'. The response is a 200 OK status with a response time of 85 ms and a body size of 2.51 KB. The response body is a JSON object containing a status of 'SENT', an error message of null, a created at timestamp, and a sent at timestamp.

```
GET http://localhost:8083/api/notifications/6935a9a61ee8f9036919f375
```

Query Params

Key	Value	Description
Key	Value	Description

Body

```
{
  "status": "SENT",
  "errorMessage": null,
  "createdAt": "2025-12-07T16:21:58.004",
  "sentAt": "2025-12-07T16:21:59.059"
}
```

BOOKING CONFIRMATION EMAIL

The screenshot shows the Postman interface for a workspace named 'riddhima bhanja's Workspace'. The left sidebar lists collections, environments, history, and flows. The 'notification service(docker)' collection is expanded, showing several GET requests and one POST request. The selected request is 'booking confirm'. The URL is 'http://localhost:8083/api/notifications/send'. The response is a 201 Created status with a response time of 6.01 s and a body size of 288 B. The response body is a JSON object containing a notification ID, customer ID, customer email, status, message, and timestamp.

```
POST http://localhost:8083/api/notifications/send
```


Body

```
{
  "templateName": "booking-confirmation",
  "subject": "Flight Booking Confirmation - PNR12345678",
  "templateData": {
    "customerName": "riddhima bhanja",
    "pnr": "PNR12345678",
    "flightNumber": "AI101",
  }
}
```


Body

```
{
  "notificationId": "6935c67f55627f03b8b65197",
  "customerId": "CUST123",
  "customerEmail": "riddhimabhanja2003@gmail.com",
  "status": "SENT",
  "message": "Email sent successfully",
  "timestamp": "2025-12-07T18:25:07.687277843"
}
```



GET ALL NOTIFICATION




GET CUSTOMER NOTIFICATION



CREATE BOOKING



- Jmeter result tree



• Jmeter Summary report

20 Requests

The screenshot shows the Apache JMeter 5.6.3 interface with a Summary Report for a test plan named 'Thread Group.jmx'. The report displays performance metrics for 20 requests across various test elements. The 'Test Plan' tree on the left includes 'Thread Group', 'search flights', 'add flights', 'getbyID', 'create_booking', 'getbyPNR', 'delete', 'send email', 'booking confirm', and 'Summary Report'. The 'Summary Report' table shows the following data:

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Throughput	Received KB/sec	Sent KB/sec	Avg. Bytes
search flights	20	21	6	45	9.16	100.00%	20.5/sec	2.74	4.96	137.0
add flights	20	13	5	38	8.59	100.00%	20.6/sec	2.76	4.32	137.0
getbyID	20	15	5	30	7.29	100.00%	20.1/sec	2.69	2.73	137.0
create_booking	20	12	5	27	5.08	100.00%	20.0/sec	2.68	4.24	137.0
delete	20	13	4	38	8.59	100.00%	19.6/sec	2.62	2.75	137.0
send email	20	16	4	48	11.23	100.00%	19.5/sec	2.61	4.44	137.0
booking confirm	20	943	461	1401	280.30	100.00%	13.0/sec	3.54	2.76	278.0
TOTAL	160	141	4	1401	320.23	100.00%	97.0/sec	16.10	19.37	169.5

At the bottom of the report, there are checkboxes for 'Include group name in label?' (unchecked), 'Save Table Data' (checked), and 'Save Table Header' (checked).


50 Requests

The screenshot shows the Apache JMeter 5.6.3 interface with a Summary Report for a test plan named 'Thread Group.jmx'. The report displays performance metrics for 50 requests across various test elements. The 'Test Plan' tree on the left includes 'Thread Group', 'search flights', 'add flights', 'getbyID', 'create_booking', 'getbyPNR', 'delete', 'send email', 'booking confirm', and 'Summary Report'. The 'Summary Report' table shows the following data:

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Throughput	Received KB/sec	Sent KB/sec	Avg. Bytes
search flights	50	119	6	333	73.51	100.00%	38.6/sec	5.17	9.36	137.0
add flights	50	79	4	218	57.14	100.00%	33.4/sec	4.46	7.00	137.0
getbyID	50	84	4	313	64.97	100.00%	32.9/sec	4.40	4.46	137.0
create_booking	50	80	4	196	50.25	100.00%	31.8/sec	4.26	6.75	137.0
getbyPNR	50	83	11	312	58.23	100.00%	30.9/sec	4.14	4.35	137.0
delete	50	87	5	255	55.57	100.00%	30.7/sec	4.11	6.99	137.0
send email	50	115	17	256	53.91	100.00%	29.7/sec	8.06	6.29	278.0
booking confirm	50	108	19	287	62.02	100.00%	29.7/sec	7.51	6.43	259.0
TOTAL	400	95	4	333	61.83	100.00%	226.1/sec	37.51	45.13	169.5

At the bottom of the report, there are checkboxes for 'Include group name in label?' (unchecked), 'Save Table Data' (checked), and 'Save Table Header' (checked).

100 Requests



Thread Group.jmx (C:\Users\KJIT\Downloads\apache-jmeter-5.6.3\apache-jmeter-5.6.3\bin\Thread Group.jmx) - Apache JMeter (5.6.3)

Summary Report

Name: Summary Report

Comments:

Write results to file / Read from file


Filename: Browse...

Log/Display Only: ☐ Errors ☐ Successes ☐ Configure

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Throughput	Received KB/...	Sent KB/sec	Avg. Bytes
search flights	100	604	17	2233	435.42	100.00%	31.5/sec	4.21	7.62	137.0
add flights	100	349	7	1148	234.16	100.00%	28.7/sec	3.85	6.04	137.0
getbyID	100	377	14	980	221.13	100.00%	25.0/sec	3.35	3.40	137.0
create_booking	100	416	8	1386	273.69	100.00%	25.0/sec	3.35	5.30	137.0
getbyPNR	100	355	8	1291	239.56	100.00%	25.2/sec	3.37	3.54	137.0
delete	100	321	17	1306	235.37	100.00%	25.2/sec	3.37	5.73	137.0
send email	100	194	27	605	129.24	100.00%	23.5/sec	6.37	4.97	278.0
booking confirm	100	165	15	662	121.77	100.00%	23.2/sec	5.88	5.04	259.0
TOTAL	800	347	7	2233	283.85	100.00%	174.4/sec	28.93	34.80	169.9

☐ Include group name in label? ☐ Save Table Data ☒ Save Table Header

MySQL Workbench



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- flightdb
- hospitaldb
- sakila
- springbootdb
 - roles
 - roles_roles
 - users
- Views
- Stored Procedures
- Functions
- sys
- world

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 1* SQL File 2* SQL File 6* SQL File 6*

Limit to 1000 rows

66 'Booking Confirmation',

67 'Hello {{customerName}}, your booking with PNR {{pnr}} for flight {{flightNumber}} is confirmed.'

68);

69 • USE flightapp;

70 • SELECT * FROM customers;

Result Grid

customer_id	name	email	phone	created_at
CUST123	riddhima bhanja	riddhimabhanja2003@gmail.com	7857003481	2025-12-07 20:10:17

customers 1 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
12	20:13:51	INSERT INTO bookings (pnr, customer_id, flight_number, number_of_seats, ...	1 row(s) affected	0.015 sec
13	20:14:16	DROP TABLE IF EXISTS email_templates	0 row(s) affected, 1 warning(s): 1051 Unknown table 'flightapp.email_templates'	0.000 sec
14	20:14:24	CREATE TABLE email_templates (template_name VARCHAR(50) PRIMARY...	0 row(s) affected	0.031 sec
15	20:14:34	INSERT INTO email_templates (template_name, subject, body) VALUES (bo...	1 row(s) affected	0.016 sec
16	20:16:59	USE flightapp	0 row(s) affected	0.000 sec
17	20:17:08	SELECT * FROM customers LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

ENG 10:33

EUREKA DASHBOARD

