

1. **Create a Bootstrap Navbar for a music playlist app like Spotify, including links for Home, Playlists, and Profile. Make sure it collapses into a hamburger menu on mobile.**

```
2. <!DOCTYPE html>
3. <html lang="en">
4. <head>
5.     <meta charset="UTF-8">
6.     <meta name="viewport" content="width=device-width, initial-scale=1.0">
7.     <title>Spotify Playlist Navbar</title>
8.
9.     <!-- Bootstrap CSS -->
10.    <link
11.    href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.c
12.    ss" rel="stylesheet">
13.
14.    <!-- Bootstrap Icons -->
15.    <link href="https://cdn.jsdelivr.net/npm/bootstrap-
16.    icons@1.11.3/font/bootstrap-icons.css" rel="stylesheet">
17.
18.    <style>
19.        body{
20.            background:#121212;
21.            color:white;
22.        }
23.
24.        .navbar{
25.            background:#000;
26.        }
27.
28.        .navbar-brand{
29.            color:#1DB954 !important;
30.            font-size:1.5rem;
31.            font-weight:bold;
32.        }
33.
34.        .nav-link{
35.            color:white !important;
36.            transition:0.3s;
37.        }
38.
39.        .nav-link:hover{
40.            color:#1DB954 !important;
41.        }
42.
43.        .navbar-toggler{
44.            border-color:#1DB954;
```

```
44.     .navbar-toggler-icon{
45.         filter:invert(1);
46.     }
47.
48.     .hero{
49.         text-align:center;
50.         padding:80px 20px;
51.     }
52.
53.     .hero h1{
54.         color:#1DB954;
55.     }
56. </style>
57. </head>
58. <body>
59.
60. <!-- Navbar -->
61. <nav class="navbar navbar-expand-lg">
62.     <div class="container">
63.
64.         <!-- Brand -->
65.         <a class="navbar-brand" href="#">
66.             <i class="bi bi-spotify"></i> Spotify
67.         </a>
68.
69.         <!-- Hamburger Button -->
70.         <button class="navbar-toggler"
71.             type="button"
72.             data-bs-toggle="collapse"
73.             data-bs-target="#navbarMenu"
74.             aria-controls="navbarMenu"
75.             aria-expanded="false"
76.             aria-label="Toggle navigation">
77.
78.             <span class="navbar-toggler-icon"></span>
79.
80.         </button>
81.
82.         <!-- Navigation Links -->
83.         <div class="collapse navbar-collapse" id="navbarMenu">
84.
85.             <ul class="navbar-nav ms-auto">
86.
87.                 <li class="nav-item">
88.                     <a class="nav-link active" href="#">
89.                         <i class="bi bi-house-fill"></i> Home
90.                     </a>
91.                 </li>
```

```

92.
93.         <li class="nav-item">
94.             <a class="nav-link" href="#">
95.                 <i class="bi bi-music-note-list"></i> Playlists
96.             </a>
97.         </li>
98.
99.         <li class="nav-item">
100.            <a class="nav-link" href="#">
101.                <i class="bi bi-person-circle"></i> Profile
102.            </a>
103.        </li>
104.
105.    </ul>
106.
107. </div>
108.
109. </div>
110. </nav>
111.
112. <!-- Sample Content -->
113. <div class="hero">
114.     <h1>🎵 Welcome to Spotify Playlist</h1>
115.     <p>Create, manage, and enjoy your favorite playlists anywhere.</p>
116. </div>
117.
118. <!-- Bootstrap JS Bundle -->
119. <script
120.     src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.
121.     min.js"></script>
122. </body>
123. </html>

```

2. Design a Bootstrap Card to display a Flipkart-style product preview with an image, product name, price, and a 'Buy Now' button.

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Flipkart Product Card</title>

    <!-- Bootstrap CSS -->

```

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

<style>
  body{
    background-color:#f1f3f6;
  }

  .product-card{
    max-width:350px;
    margin:50px auto;
    transition:0.3s;
    border:none;
    box-shadow:0 5px 15px rgba(0,0,0,0.15);
  }

  .product-card:hover{
    transform:translateY(-6px);
    box-shadow:0 10px 20px rgba(0,0,0,0.2);
  }

  .product-card img{
    height:250px;
    object-fit:cover;
  }

  .price{
    color:#388e3c;
    font-size:1.4rem;
    font-weight:bold;
  }

  .btn-buy{
    background:#2874f0;
    color:white;
  }

  .btn-buy:hover{
    background:#0d6efd;
    color:white;
  }
</style>
</head>
<body>

<div class="container">
```

```

<div class="card product-card">

    

    <div class="card-body text-center">

        <h4 class="card-title">
            Wireless Bluetooth Headphones
        </h4>

        <p class="price">
            ₹2,499
        </p>

        <p class="card-text">
            Enjoy premium sound quality, Bluetooth 5.3 connectivity,
            and up to 30 hours of battery life.
        </p>

        <a href="#" class="btn btn-buy w-100">
            Buy Now
        </a>

    </div>

</div>

</div>

<!-- Bootstrap JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
></script>

</body>
</html>

```

3. Build a Bootstrap Carousel that cycles through 3 movie posters, each with a caption below like BookMyShow's featured movies section.
Hint: Use Bootstrap's Carousel component and add images with captions inside each carousel-item.

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>BookMyShow Featured Movies</title>

```

```
<!-- Bootstrap CSS -->
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

<style>
  body{
    background:#f5f5f5;
  }

  h2{
    color:#d32f2f;
    font-weight:bold;
  }

  .carousel{
    max-width:900px;
    margin:auto;
    border-radius:15px;
    overflow:hidden;
    box-shadow:0 6px 20px rgba(0,0,0,0.2);
  }

  .carousel-item img{
    height:500px;
    object-fit:cover;
  }

  .carousel-caption{
    background:rgba(0,0,0,0.6);
    border-radius:10px;
    padding:15px;
  }

  .carousel-caption h5{
    font-size:28px;
    font-weight:bold;
  }

  .carousel-caption p{
    font-size:16px;
  }

  @media(max-width:768px){
    .carousel-item img{
      height:300px;
    }
  }
</style>
```

```

        .carousel-caption h5{
            font-size:20px;
        }

        .carousel-caption p{
            font-size:14px;
        }
    }
</style>
</head>
<body>

<div class="container py-5">

    <h2 class="text-center mb-4">
        🎬 Featured Movies
    </h2>

    <div id="movieCarousel" class="carousel slide" data-bs-ride="carousel">

        <!-- Indicators -->
        <div class="carousel-indicators">
            <button type="button" data-bs-target="#movieCarousel" data-bs-slide-
to="0" class="active"></button>
            <button type="button" data-bs-target="#movieCarousel" data-bs-slide-
to="1"></button>
            <button type="button" data-bs-target="#movieCarousel" data-bs-slide-
to="2"></button>
        </div>

        <!-- Carousel Items -->
        <div class="carousel-inner">

            <!-- Movie 1 -->
            <div class="carousel-item active">
                

                <div class="carousel-caption">
                    <h5>Avengers: Endgame</h5>
                    <p>Action • Adventure • Sci-Fi</p>
                </div>
            </div>

            <!-- Movie 2 -->

```

```

        <div class="carousel-item">
            

            <div class="carousel-caption">
                <h5>Interstellar</h5>
                <p>Adventure • Drama • Sci-Fi</p>
            </div>
        </div>

        <!-- Movie 3 -->
        <div class="carousel-item">
            

            <div class="carousel-caption">
                <h5>Spider-Man: No Way Home</h5>
                <p>Action • Fantasy • Adventure</p>
            </div>
        </div>

    </div>

    <!-- Previous Button -->
    <button class="carousel-control-prev"
        type="button"
        data-bs-target="#movieCarousel"
        data-bs-slide="prev">

        <span class="carousel-control-prev-icon"></span>

    </button>

    <!-- Next Button -->
    <button class="carousel-control-next"
        type="button"
        data-bs-target="#movieCarousel"
        data-bs-slide="next">

        <span class="carousel-control-next-icon"></span>

    </button>

</div>

```

```

</div>

<!-- Bootstrap JS Bundle -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
></script>

</body>
</html>

```

4. Create a Bootstrap Form for a Zomato-style restaurant review: include fields for name, rating (1-5 stars), and a review message, along with a submit button.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zomato Restaurant Review Form</title>

  <!-- Bootstrap CSS -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

  <style>
    body{
      background:#f8f8f8;
    }

    .review-card{
      max-width:600px;
      margin:50px auto;
      border:none;
      border-radius:15px;
      box-shadow:0 5px 20px rgba(0,0,0,0.15);
    }

    .card-header{
      background:#e23744;
      color:#fff;
      text-align:center;
      font-size:1.5rem;
      font-weight:bold;
      border-radius:15px 15px 0 0 !important;
    }
  </style>

```

```

        .btn-submit{
            background:#e23744;
            color:#fff;
        }

        .btn-submit:hover{
            background:#c62839;
            color:#fff;
        }
    </style>
</head>
<body>

<div class="container">

    <div class="card review-card">

        <div class="card-header">
            🍽️ Restaurant Review
        </div>

        <div class="card-body">

            <form>

                <!-- Name -->
                <div class="mb-3">
                    <label for="name" class="form-label">
                        Your Name
                    </label>

                    <input
                        type="text"
                        class="form-control"
                        id="name"
                        placeholder="Enter your name"
                        required>
                </div>

                <!-- Rating -->
                <div class="mb-3">
                    <label for="rating" class="form-label">
                        Rating
                    </label>

                    <select
                        class="form-select"

```

```

        id="rating"
        required>

        <option value="">Select Rating</option>
        <option>☐ 1 Star</option>
        <option>☐☐ 2 Stars</option>
        <option>☐☐☐ 3 Stars</option>
        <option>☐☐☐☐ 4 Stars</option>
        <option>☐☐☐☐☐ 5 Stars</option>

    </select>
</div>

<!-- Review -->
<div class="mb-3">
    <label for="review" class="form-label">
        Review Message
    </label>

    <textarea
        class="form-control"
        id="review"
        rows="5"
        placeholder="Write your review..."
        required></textarea>
</div>

<!-- Submit Button -->
<div class="d-grid">
    <button
        type="submit"
        class="btn btn-submit btn-lg">
        Submit Review
    </button>
</div>

</form>

</div>

</div>

</div>

<!-- Bootstrap JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min
.js"></script>

```

```
</body>
</html>
```

5. Use Bootstrap Buttons to create a row of filter buttons (e.g., 'All', 'Veg', 'Non-Veg', 'Desserts') for a food delivery app homepage. Highlight the selected filter using the 'active' class

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Food Filter Buttons</title>

  <!-- Bootstrap CSS -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

  <style>
    body{
      background:#f8f8f8;
    }

    .filter-section{
      margin-top:60px;
    }

    h2{
      color:#e23744;
      font-weight:bold;
    }

    .btn-filter{
      border-radius:25px;
      padding:10px 22px;
      font-weight:500;
    }
  </style>
</head>
<body>

<div class="container filter-section">

  <h2 class="text-center mb-4">
    🍷🍴 Filter Restaurants
```

```
</h2>

<div class="d-flex justify-content-center flex-wrap gap-3">

  <!-- Active Filter -->
  <button type="button"
    class="btn btn-danger btn-filter active"
    aria-pressed="true">
    All
  </button>

  <button type="button"
    class="btn btn-outline-success btn-filter">
    🥗 Veg
  </button>

  <button type="button"
    class="btn btn-outline-warning btn-filter">
    🍰 Desserts
  </button>

</div>

</div>

<!-- Bootstrap JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
></script>

</body>
</html>
```