

1. Create an HTML file that displays a Zomato-style restaurant card with a restaurant name, cuisine type, and rating. Use CSS to add margin, padding, and a visible border to the card so that each section is clearly separated

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zomato Restaurant Card</title>

  <style>
    *{
      margin:0;
      padding:0;
      box-sizing:border-box;
      font-family:Arial, Helvetica, sans-serif;
    }

    body{
      background:#f8f8f8;
      display:flex;
      justify-content:center;
      align-items:center;
      min-height:100vh;
    }

    .card{
      width:350px;
      background:#fff;
      border:2px solid #ddd;
      border-radius:12px;
      margin:20px;
      padding:20px;
      box-shadow:0 4px 12px rgba(0,0,0,0.15);
    }

    .restaurant-name{
      border-bottom:2px solid #eee;
      padding-bottom:12px;
      margin-bottom:15px;
    }

    .restaurant-name h2{
      color:#e23744;
    }
  </style>
</head>
<body>
  <div class="card">
    <div class="restaurant-name">
      <h2>Restaurant Name</h2>
    </div>
    <div class="cuisine">
      <p>Cuisine Type</p>
    </div>
    <div class="rating">
      <p>Rating</p>
    </div>
  </div>
</body>
</html>
```

```

        .cuisine{
            border-bottom:2px solid #eee;
            padding:12px 0;
            margin-bottom:15px;
            color:#555;
        }

        .rating{
            display:flex;
            justify-content:space-between;
            align-items:center;
            padding-top:10px;
        }

        .rating-score{
            background:#267E3E;
            color:white;
            padding:6px 12px;
            border-radius:6px;
            font-weight:bold;
        }

        .delivery{
            color:#666;
            font-weight:bold;
        }
    </style>
</head>
<body>

    <div class="card">

        <div class="restaurant-name">
            <h2>Spice Garden</h2>
        </div>

        <div class="cuisine">
            <strong>Cuisine:</strong> North Indian, Chinese, Fast Food
        </div>

        <div class="rating">
            <span class="rating-score">🌟 4.4</span>
            <span class="delivery">30 min</span>
        </div>

    </div>

</body>

```

```
</html>
```

2. Design a Flipkart-style product tile with an image, product name, and price. Use different display properties (block, inline-block, none) to control the layout of the product name and price, and hide the price when a specific CSS class is added.

Hint: Try toggling the class in your HTML to see the effect.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Flipkart Product Tile</title>

<style>
*{
    margin:0;
    padding:0;
    box-sizing:border-box;
    font-family:Arial, Helvetica, sans-serif;
}

body{
    background:#f1f3f6;
    display:flex;
    justify-content:center;
    align-items:center;
    min-height:100vh;
}

.product-card{
    width:280px;
    background:#fff;
    border:1px solid #ddd;
    border-radius:10px;
    padding:15px;
    text-align:center;
    box-shadow:0 4px 10px rgba(0,0,0,0.15);
}

.product-card img{
    width:100%;
    border-radius:8px;
}

/* Display: block */
```

```

.product-name{
    display:block;
    font-size:20px;
    font-weight:bold;
    margin:15px 0 10px;
    color:#212121;
}

/* Display: inline-block */
.price{
    display:inline-block;
    background:#388e3c;
    color:#fff;
    padding:8px 14px;
    border-radius:5px;
    font-size:18px;
}

/* Display: none */
.hide-price .price{
    display:none;
}

button{
    display:block;
    width:100%;
    margin-top:20px;
    padding:10px;
    border:none;
    background:#2874f0;
    color:#fff;
    border-radius:5px;
    cursor:pointer;
}

button:hover{
    background:#0f5cd8;
}
</style>

</head>
<body>

<!-- Remove or add the class "hide-price" to test the effect -->

<div class="product-card hide-price">

    

        <span class="product-name">
            Wireless Bluetooth Headphones
        </span>

        <span class="price">
            ₹2,499
        </span>

        <button>Add to Cart</button>

    </div>

</body>
</html>

```

3. Build a fixed-position WhatsApp chat notification badge at the bottom right corner of the screen. Use position: fixed and appropriate margin and padding to ensure it stays visible even when scrolling.

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>WhatsApp Notification Badge</title>

<!-- Font Awesome for WhatsApp Icon -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.2/css/all.min.css">

<style>

*{
    margin:0;
    padding:0;
    box-sizing:border-box;
    font-family:Arial, Helvetica, sans-serif;
}

body{
    background:#f5f5f5;
    min-height:200vh; /* Extra height to demonstrate scrolling */
    padding:30px;

```

```
}

h1{
  margin-bottom:20px;
}

p{
  line-height:1.8;
}

/* Fixed WhatsApp Button */
.whatsapp-chat{
  position:fixed;
  bottom:20px;
  right:20px;
  background:#25D366;
  color:white;
  padding:15px 18px;
  border-radius:50px;
  text-decoration:none;
  display:flex;
  align-items:center;
  gap:10px;
  box-shadow:0 6px 15px rgba(0,0,0,0.25);
  z-index:1000;
  transition:0.3s;
}

.whatsapp-chat:hover{
  background:#1EBE5B;
  transform:scale(1.05);
}

/* Notification Badge */
.badge{
  position:absolute;
  top:-6px;
  right:-6px;
  background:red;
  color:white;
  width:22px;
  height:22px;
  border-radius:50%;
  display:flex;
  justify-content:center;
  align-items:center;
  font-size:12px;
  font-weight:bold;
}
```

```

    border:2px solid white;
}

</style>

</head>
<body>

<h1>WhatsApp Fixed Chat Notification</h1>

<p>
Scroll down the page to see that the WhatsApp chat button remains fixed
at the bottom-right corner of the screen.
</p>

<!-- Fixed WhatsApp Button -->
<a href="https://wa.me/911234567890"
    target="_blank"
    class="whatsapp-chat">

    <i class="fab fa-whatsapp fa-2x"></i>
    <span>Chat</span>

    <div class="badge">3</div>

</a>

</body>
</html>

```

**4. Create a BookMyShow movie poster grid where each poster uses position: relative. Add a 'New' badge to the top-left corner of one poster using position: absolute, so it overlays the image correctly.

Hint: Use top and left properties with position: absolute inside a relatively positioned parent.**

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>BookMyShow Movie Poster Grid</title>

<style>
*{
    margin:0;
    padding:0;
    box-sizing:border-box;
    font-family:Arial, Helvetica, sans-serif;

```

```

}

body{
  background:#f5f5f5;
  padding:30px;
}

h1{
  text-align:center;
  margin-bottom:30px;
  color:#d32f2f;
}

/* Grid Layout */
.poster-grid{
  display:grid;
  grid-template-columns:repeat(auto-fit,minmax(200px,1fr));
  gap:25px;
  max-width:900px;
  margin:auto;
}

/* Each Poster Card */
.poster{
  position:relative;      /* Parent for absolute badge */
  background:#fff;
  border-radius:12px;
  overflow:hidden;
  box-shadow:0 4px 12px rgba(0,0,0,.15);
  transition:0.3s;
}

.poster:hover{
  transform:translateY(-5px);
}

.poster img{
  width:100%;
  height:300px;
  object-fit:cover;
}

.poster h3{
  padding:15px;
  text-align:center;
  color:#333;
}

```



```

/* New Badge */
.badge{
  position:absolute;
  top:10px;
  left:10px;
  background:#ff1744;
  color:#fff;
  padding:6px 12px;
  border-radius:20px;
  font-size:14px;
  font-weight:bold;
  box-shadow:0 2px 8px rgba(0,0,0,.3);
}
</style>
</head>
<body>

<h1>🎬 BookMyShow Movie Posters</h1>

<div class="poster-grid">

  <!-- Poster with NEW badge -->
  <div class="poster">
    <span class="badge">NEW</span>

    

    <h3>Avengers: Endgame</h3>
  </div>

  <!-- Poster -->
  <div class="poster">
    

    <h3>Spider-Man: No Way Home</h3>
  </div>

  <!-- Poster -->
  <div class="poster">
    

    <h3>Interstellar</h3>
  </div>

  <!-- Poster -->

```

```

<div class="poster">
  

  <h3>Inception</h3>
</div>

</div>

</body>
</html>

```

5. Refactor your CSS for any one of the above tasks to reduce repeated margin and padding values by using a reusable CSS class. Explain in a comment how this improves maintainability.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>BookMyShow Movie Poster Grid (Refactored)</title>

  <style>
    *{
      margin:0;
      padding:0;
      box-sizing:border-box;
      font-family:Arial, Helvetica, sans-serif;
    }

    body{
      background:#f5f5f5;
      padding:30px;
    }

    h1{
      text-align:center;
      color:#d32f2f;
      margin-bottom:30px;
    }

    /* -----
    Reusable spacing class
    This class reduces repeated margin and padding values.
    If spacing needs to be updated later, we only change it
    here instead of editing multiple CSS selectors.

```

```
    This improves maintainability and keeps the CSS cleaner.
    ----- */
.spacing{
    padding:15px;
    margin:10px;
}

/* Movie Grid */
.poster-grid{
    display:grid;
    grid-template-columns:repeat(auto-fit,minmax(220px,1fr));
    gap:20px;
    max-width:1000px;
    margin:auto;
}

/* Movie Card */
.poster{
    position:relative;
    background:#ffffff;
    border-radius:12px;
    overflow:hidden;
    box-shadow:0 4px 12px rgba(0,0,0,0.15);
    transition:0.3s;
}

.poster:hover{
    transform:translateY(-5px);
}

.poster img{
    width:100%;
    height:320px;
    object-fit:cover;
    display:block;
}

.poster-title{
    font-size:20px;
    font-weight:bold;
    color:#333;
    text-align:center;
}

/* New Badge */
.badge{
    position:absolute;
    top:10px;
```

```

        left:10px;
        background:#ff1744;
        color:#fff;
        padding:6px 12px;
        border-radius:20px;
        font-size:14px;
        font-weight:bold;
    }

    .rating{
        text-align:center;
        color:#666;
        font-size:16px;
        padding-bottom:15px;
    }
</style>
</head>
<body>

<h1>🎬 BookMyShow Movie Poster Grid</h1>

<div class="poster-grid">

    <!-- Movie 1 -->
    <div class="poster spacing">

        <span class="badge">NEW</span>

        

        <div class="poster-title spacing">
            Avengers: Endgame
        </div>

        <div class="rating">
            ⭐ 4.8/5
        </div>

    </div>

    <!-- Movie 2 -->
    <div class="poster spacing">

        

        <div class="poster-title spacing">

```

```
        Spider-Man: No Way Home
    </div>

    <div class="rating">
        ⭐ 4.7/5
    </div>

</div>

<!-- Movie 3 -->
<div class="poster spacing">

    

    <div class="poster-title spacing">
        Interstellar
    </div>

    <div class="rating">
        ⭐ 4.9/5
    </div>

</div>

<!-- Movie 4 -->
<div class="poster spacing">

    

    <div class="poster-title spacing">
        Inception
    </div>

    <div class="rating">
        ⭐ 4.8/5
    </div>

</div>

</div>

</body>
</html>
```